PHILIPPINE BIDDING DOCUMENTS PROCUREMENT of GOODS

for the

SUPPLY AND DELIVERY OF VARIOUS CONSTRUCTION SUPPLIES (PAINTING & MECHANICAL PLANT) FOR CY 2024 (FRAMEWORK AGREEMENT)

Project Reference No.: BAC1-2023-12-0124D

End-User: Office of Engineering and Technical Services

UP – PHILIPPINE GENERAL HOSPITAL Taft Avenue, Manila

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.

- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Glossary of Acronyms, Terms, and Abbreviations	4
Section I. Invitation to Bid	7
Section II. Instructions to Bidder	10
1. Scope of Bid	11
2. Funding Information	11
3. Bidding Requirements	11
4. Corrupt, Fraudulent, Collusive, and Coercive Practices	11
5. Eligible Bidders	12
6. Origin of Goods	13
7. Subcontracts	13
8. Pre-Bid Conference	13
9. Clarification and Amendment of Bidding Documents	13
10. Documents comprising the Bid: Eligibility and Technical Components	13
11. Documents comprising the Bid: Financial Components	14
12. Bid Prices	
13. Bids and Payment Currencies	
14. Bid Security	
15. Sealing and Marking of Bids	
16. Deadline of Submissions of Bids	
17. Opening and Preliminary Examination of Bids	
18. Domestic Preference	
19. Detailed Evaluation and Comparison of Bids	
20. Post-Qualification	
21. Signing of the Contract	
Section III. Bid Data Sheet	
Section IV. General Conditions of Contract	26
1. Scope of Contract	27
2. Advance Payment and Terms of Payment	27
3. Performance Security	27
4. Inspection and Tests	
5. Warranty	
6. Liability of the Supplier	28
Section V. Special Conditions of Contract	29
Section VI. Schedule of Requirements	34
Section VII. Technical Specifications	
Section VIII. Checklist of Technical and Financial Documents	

Glossary of Acronyms, Terms, and Abbreviations

ABC –Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

 $\mathbf{EXW} - \mathbf{Ex}$ works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project—Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC -Government-owned and/or -controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC - Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



University of the Philippines Manila

The Health Sciences Center

BIDS & AWARDS COMMITTEE 1

BAC 10ffice, PGH Compound Taft Avenue, Manila Tel. No. 554-8400 local 3014 / 3015



INVITATION TO BID FOR

Project Reference No.: BAC1-2023-12-0124D

Supply and Delivery of Various Construction Supplies (Painting & Mechanical Plant) for CY 2024 (Framework Agreement)

- 1. The *University of the Philippines Philippine General Hospital (UP-PGH)*, invites PhilGEPS registered suppliers to bid in accordance with the the provisions of the Revised IRR of R.A. 9184 on the use of the Approved Guidelines on the use of a Single Year Framework Agreement (Outright Determination of Lowest Calculated and Responsive Bid) under GPPB Resolution No. 27-2019.
- 2. The *University of the Philippines Philippine General Hospital (UP-PGH)* intends to apply the sum of FOUR MILLION NINE HUNDRED TEN THOUSAND FOUR HUNDRED SEVENTY-THREE & 75/100 PESOS (Php4,910,473.75) ONLY, through the *General Appropriations Act CY 2024*, inclusive of all taxes, such as, but not limited to, value added tax (VAT), income tax, local taxes, and other fiscal levies, being the ABC to payments under the contract for each item. Bids received in excess of the total cost per item shall be automatically rejected.
- 3. The University of the Philippines— Philippine General Hospital (UP-PGH) now invites bids for the Supply and Delivery of Various Construction Supplies (Painting & Mechanical Plant) for CY 2024 (Framework Agreement). Delivery of the Goods is required after issuance of a Call-Off as stated in the request of the end-user, commencing on the 3rd working day of notification through confirmed fax/email that the approved Call-Off is already available for pick-up. Bidders should have completed, within two (2) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 4. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "*pass/fail*" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock

belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

- 5. Prospective Bidders may obtain further information from *UP-PGH BAC 1 Secretariat* and inspect the Bidding Documents at the address given below during office hours from *8:00AM to 4:30PM*.
- 6. A complete set of Bidding Documents may be acquired by interested Bidders on <u>03</u> <u>January 2024</u> from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to this Invitation and the latest Guidelines issued by the GPPB, in the amount of <u>(to be determined upon issuance of bid documents)</u>. The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, or through electronic means.
- 7. The UP-PGH will hold a **Pre-Bid Conference** on **12 January 2024**, **9:30AM** onwards at the -BAC1 Office Conference Room, PGH Compound, Taft Avenue, Manila. Which shall be open to prospective bidders and/or through video conferencing or webcasting via [ZOOM], which shall be open to prospective bidders.
- 8. Bids must be duly received by the **UP-PGH BAC 1 Secretariat** through *manual submission* at the office address indicated below, on or before <u>9:00AM, 26 January 2024</u>. Late bids shall not be accepted.
- 9. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14.
- 10. **Bid opening** shall be on <u>9:30AM, 26 January 2024</u> at the given address below. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
- 11. The UP-PGH reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 12. For further information, please refer to:

Bids and Awards Committee I Secretariat UP-Philippine General Hospital PGH Compound, Taft Avenue, Manila Telephone No.: 8-554-8400 local 3014/3015 e-Mail Address: bac1pgh.upm@up.edu.ph

You may visit the following websites: https://bidsandawards.upm.edu.ph/

For downloading of Bidding Documents: [www.philgeps.gov.ph]

Dean CHARLOTTE M. CHIONG, MD, PhD *Chairperson, Bids and Awards Committee (BAC) 1*

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, **UP-PGH** wishes to receive Bids for the **Supply and Delivery of Various Construction Supplies** (**Painting & Mechanical Plant**) for **CY 2024** under a Framework Agreement, with identification number **BAC1-2023-12-0124D**.

The Procurement Project (referred to herein as "Project") is composed of **one hundred twenty two (122) line items**, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for *General Appropriations Act CY 2024* in the amount of FOUR MILLION NINE HUNDRED TEN THOUSAND FOUR HUNDRED SEVENTY-THREE & 75/100 PESOS (Php4,910,473.75) ONLY.
- 2.2. The source of funding is:
 - a. NGA, the General Appropriations Act

3. Bidding Requirement

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **ITB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
 - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - iii. When the Goods sought to be procured are not available from local suppliers; or
 - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at **least one** (1) **contract similar to the Project** the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
 - b. For the procurement of Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC.
 - c. For procurement where the Procuring Entity has determined, after the conduct of market research, that imposition of either (a) or (b) will likely result to failure of bidding or monopoly that will defeat the purpose of public bidding: the Bidder should comply with the following requirements: [Select either failure or monopoly of bidding based on market research conducted]
 - i. Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least fifty percent (50%) in the case of non-expendable supplies and services or twenty-five percent (25%) in the case of expendable supplies] of the ABC for this Project; and
 - ii. The largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.

5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

a. Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address at the **UP-Philippine General Hospital**, **Bids and Awards Committee I PGH Compound**, **Taft Avenue**, **Manila**, and/or through **ZOOM** as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII** (Checklist of Technical and Financial **Documents**).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the

Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII** (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.
- 11.5. Financial proposals for single or multi-year Framework Agreement shall be submitted before the deadline of submission of bids as prescribed in the **IB**. For multi-year Framework Agreement, evaluation of the financial proposal during this stage is for purposes of determining eligibility and whether or not such financial proposal is within the ABC.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.
 - b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers

- registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
- ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**
- 12.2. For Framework Agreement, the following should also apply in addition to Clause 12.1:
 - a. For a single year Framework Agreement, the prices quoted by the Bidder shall be fixed during the Bidder's performance of the contract and not subject to variation or escalation on any account. Price schedules required under Clause 12.1 shall be submitted with the bidding documents.
 - b. For a multi-year Framework Agreement, the prices quoted by the Bidder during submission of eligibility documents shall be the ceiling and the price quoted during mini-competition must not exceed the initial price offer. The price quoted during call for mini-competition shall be fixed during the Bidder's performance of that Call-off and not subject to variation or escalation on any account. Price schedules required under Clause 12.1 shall be submitted with the bidding documents.

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration¹ or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until <u>One Hundred Twenty (120) calendar days</u> <u>from the date of opening of bids</u>. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.
- 14.3. In the case of Framework Agreement, other than the grounds for forfeiture under the 2016 revised IRR, the *bid security may also be forfeited if the successful bidder fails to sign the Framework Agreement or fails to furnish the performance security or performance securing declaration*. Without prejudice on its forfeiture, bid securities shall be returned only after the posting of performance security or performance securing declaration, as the case may be,

¹ In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

by the winning Bidder or compliant Bidders and the signing of the Framework Agreement.

15. Sealing and Marking of Bids

Each Bidder shall submit two (2) copies – one (1) original and one (1) copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

- 16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.
- 16.2. For multi-year Framework Agreement, the submission of bids shall be for the initial evaluation of their technical and financial eligibility. Thereafter, those declared eligible during the said initial eligibility evaluation and entered into a Framework Agreement with the Procuring Entity shall submit anew their best financial offer at the address and on or before the date and time indicated in the Call for each mini-competition.

17. Opening and Preliminary Examination of Bids

- 17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.
 - In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.
- 17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

- 18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.
- 18.2. For multi-year Framework Agreement, determination of margin of preference shall be conducted every call for Mini-Competition.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
 - a. In the case of single-year Framework Agreement, the Lowest Calculated Bid shall be determined outright after the detailed evaluation.
 - b. For multi-year Framework Agreement, the determination of the eligibility and the compliance of bidders with the technical and financial aspects of the projects shall be initially made by the BAC, in accordance with Item 7.4.2 of the Guidelines on the Use of Framework Agreement.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:
 - Option 1 One Project having several items that shall be awarded with several contracts as evaluated per item basis.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

- 20.1. For multi-year Framework Agreement, all bidders initially determined to be eligible and financially compliant shall be subject to initial post-qualification. The BAC shall then recommend the execution of a Framework Agreement among all eligible, technically and financially compliant bidders and the Procuring Entity and shall be issued by HoPE, a Notice to Execute Framework Agreement. The determination of the Lowest Calculated Bid (LCB) shall not be performed by the BAC until a Mini-Competition is conducted among the bidders who executed a Framework Agreement. When a Call for Mini-Competition is made, the BAC shall allow the bidders to submit their best financial proposals on such pre-scheduled date, time and place to determine the bidder with the LCB.
- 20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, or in the case of multi-year Framework Agreement, that it is one of the eligible bidders who have submitted bids that are found to be technically and financially compliant,}the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the BDS. For every mini-competition in Framework Agreement, the LCB shall likewise submit the required documents for final Post Qualification.}

21. Signing of the Contract

- 21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.
- 21.2. At the same time as the Procuring Entity notifies the successful Bidder that its bid has been accepted, the Procuring Entity shall send the Framework Agreement Form to the Bidder, which contract has been provided in the Bidding Documents, incorporating therein all agreements between the parties.
- 21.3. Within ten (10) calendar days from receipt of the Notice to Execute Framework Agreement with the Procuring Entity, the successful Bidder or its duly authorized representative shall formally enter into a Framework Agreement with the procuring entity for an amount of One Peso to be paid to the procuring entity as a consideration for the option granted by the procuring entity to procure the items in the Framework Agreement List when the need arises.
- 21.4. The Procuring Entity shall enter into a Framework Agreement with the successful Bidder within the same ten (10) calendar day period provided that all the documentary requirements are complied with.
- 21.5. The following documents shall form part of the Framework Agreement:
 - a. Framework Agreement Form;
 - b. Bidding Documents;
 - c. Call-offs;

- d. Winning bidder's bid, including the Technical and Financial Proposals, and all other documents/statements submitted (*e.g.*, bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;
- e. Performance Security or Performance Securing Declaration, as the case may be;
- f. Notice to Execute Framework Agreement; and
- g. Other contract documents that may be required by existing laws and/or specified in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

ITB Clause						
5.3	For this purpose, contracts similar to the Project shall be:					
	a.	a. Supply and Delivery of Various Construction Supplies				
	b.	completed within two (2) years and receipt of bids.	s prior to	o the dead	dline for th	e submission
7.1	Subcon	stracting is not allowed				
12	Philipp	ice of the Goods shall be quote tine General Hospital or the app TERMS) for this Project.				
14.1		I security shall be in the form of ng forms and amounts:	a Bid S	ecuring D	eclaration,	or any of the
	a)	The amount of not less than <i>the ABC</i> , if bid security is in draft/guarantee or irrevocable le	cash, c	ashier's/n		
	b)	The amount of not less than <i>the ABC</i> , if bid security is in Surety		equivaler	ıt to five pe	rcent (5%) of
19.3	The NF Bidder:	TCC computation, must be suffici	ient for t	he contrac	ct to be awa	rded to the
	Didder.	FRAMEWORK A	AGREEN	MENT LIS	ST	
	ITEM	ITEM ITEM DESCRIPTION MAXIM (P				ABC (Php)
	NO.	(AGENCY'S REQUIREMENTS)	QTY.	0014	ESTIMATED COST PER ITEM	TOTAL
		Supply and Delivery of Various Construction Supplies (Painting & Mechanical Plant) for CY2024				
		d	O PAIN	ITING		
	1	Latex Paint, Flat, WHITE, 100% acrylic based, gallon for interior and exterior surface	350	gallon	682.50	238,875.00
	2	Latex Paint, Gloss, WHITE, 100% acrylic based, gallon for interior and exterior surface	300	gallon	735.00	220,500.00
	3	Quick Drying Enamel Paint, WHITE, alkyd type paint, great durability, fast drying, tough, durable, beautiful and high build film on wood and metal. High Gloss level and long-lasting finish appearance, gallon	200	gallon	735.00	147,000.00
	4	Quick Drying Enamel Paint, BLACK, alkyd type paint, great durability, fast drying, tough, durable, beautiful and	60	quart	231.00	13,860.00

	high build film on wood and metal. High Gloss level and long-lasting finish				
5	appearance, Liter/ Quart Quick Drying Enamel Paint, CHOCOLATE BROWN, alkyd type paint, great durability, fast drying, tough, durable, beautiful and high build film on wood and metal. High Gloss level and long-lasting finish appearance, Liter/ Quart	80	quart	231.00	18,480.00
6	Silver Finish Aluminum Paint, ready mixed general use interior/exterior Quart	30	quart	315.00	9,450.00
7	Red Oxide Primer, alkyd base rust inhibiting for ferrous metals, Quart	100	quart	178.50	17,850.00
8	Latex Color, HANSA YELLOW, concentrated acrylic based acri-color paint	200	quart	128.00	25,600.00
9	Flat Wall Enamel Paint, premium quality, alkyd type	90	gallon	735.00	66,150.00
10	Latex Color, LAMP BLACK, concentrated acrylic based tinting paint, 1/4 Liter	50	1/4 liter	168.00	8,400.00
11	Oil Tinting Color, DARK CHROME GREEN, concentrated alkyd tinting paint, 1/4 liter per can	40	can	125.00	5,000.00
12	Sandpaper, waterproof, #120, piece	200	piece	26.25	5,250.00
13	Sandpaper, waterproof, #150, piece	150	piece	26.25	3,937.50
14	Sandpaper, waterproof, #180, piece	150	piece	26.25	3,937.50
15	Sandpaper, waterproof, #280, piece	100	piece	36.75	3,675.00
16	Sandpaper, waterproof, #320, piece	100	piece	36.75	3,675.00
17	Baby Roller Brush with Handle, Cotton, 4 inches	150	piece	84.00	12,600.00
18	Clear Gloss Lacquer, gallon	15	gallon	840.00	12,600.00
19	Camel Hair Brush, 3 inches wide, piece	10	piece	840.00	8,400.00
20	Camel Hair Brush, 2 inches wide, piece	5	piece	682.50	3,412.50
21	Paint Brush, size 2-1/2 inches wide, piece	60	piece	89.25	5,355.00
22	Paint Brush, size 1-1/2 inches wide, piece	40	piece	78.75	3,150.00
23	Paint Brush, size 1 inch wide, piece	35	piece	68.25	2,388.75
24	Paint Brush, size 2 inches wide, piece	40	piece	68.25	2,730.00
25	Paint Brush, size 3 inches wide, piece	50	piece	89.25	4,462.50
26	Patching Compound, 20 kilograms per bag	4	bag	630.00	2,520.00
27	Latex Color, TOULEDINE RED, concentrated acrylic based tinting paint, acri-color, 1/4 Liter	50	1/4 liter	168.00	8,400.00

28	Latex Color, THALO GREEN, concentrated acrylic based tinting paint, acri-color, 1/4 Liter	50	1/4 liter	168.00	8,400.00
29	Roller Brush with Handle, 7 inches	100	piece	63.00	6,300.00
30	Quick Drying Enamel Paint, MAPLE, alkyd type paint, great durability, fast drying, tough, durable, beautiful and high build film on wood and metal. High gloss level and long-lasting finish appearance, Quart	85	quart	231.00	19,635.00
3:	beautiful and high build film on wood and metal. High gloss level and long-lasting finish appearance, Quart	95	quart	231.00	21,945.00
3:	high build film on wood and metal. High gloss level and long-lasting finish appearance, Quart	80	quart	231.00	18,480.00
3:	Quick Drying Enamel Paint, LEMON YELLOW, alkyd type paint, great durability, fast drying, tough, durable, beautiful and high build film on wood and metal. High gloss level and long-lasting finish appearance, Quart	70	quart	231.00	16,170.00
34	Sanding Sealer, Lacquer, Quart	60	quart	178.50	10,710.00
3!	Polyester body filler with Hardener, Quart	60	quart	273.00	16,380.00
30	Paint Thinner, gallon	90	gallon	294.00	26,240.00
3	Lacquer Thinner, gallon	65	gallon	294.00	19,110.00
38	Palette (for painting use), putty knife, piece	20	piece	20.00	400.00
39		20	piece	40.00	800.00
40	•	2	unit	1,500.00	3,000.00
1 1			l	 	
4:	Cup Brush for Angle Grinder, 3 inches diameter rotary, knotted flat cup, heavy duty	10	unit	461.00	4,610.00
4:	diameter rotary, knotted flat cup, heavy duty	10	unit quart	461.00 180.00	4,610.00 1,800.00
	diameter rotary, knotted flat cup, heavy duty Oil Wood Stain, MAPLE, Quart Acrylic Sealant, PAINTABLE WHITE,				
42	diameter rotary, knotted flat cup, heavy duty Oil Wood Stain, MAPLE, Quart Acrylic Sealant, PAINTABLE WHITE, 300 milliliters per tube Caution Barricade Tape, 3 inches x	10	quart	180.00	1,800.00
4:	diameter rotary, knotted flat cup, heavy duty Oil Wood Stain, MAPLE, Quart Acrylic Sealant, PAINTABLE WHITE, 300 milliliters per tube Caution Barricade Tape, 3 inches x 300 meters per roll, BLACK YELLOW Reflectorized Traffic Paint, YELLOW,	10 50	quart	180.00 180.00	1,800.00
4:	diameter rotary, knotted flat cup, heavy duty Oil Wood Stain, MAPLE, Quart Acrylic Sealant, PAINTABLE WHITE, 300 milliliters per tube Caution Barricade Tape, 3 inches x 300 meters per roll, BLACK YELLOW Reflectorized Traffic Paint, YELLOW, gallon	10 50 5	quart tube roll	180.00 180.00 320.00	1,800.00 9,000.00 1,600.00

48	Epoxy Primer, A & B, for concrete, gallon	15	gallon	2,400.00	36,000.00
49	Rubberized Floor Coating, oil/acid resistance, GREEN, PS, gallon	10	gallon	3,400.00	34,000.00
50	Rubberized Floor Coating, oil/acid resistance, WHITE, PS, gallon	10	gallon	3,400.00	34,000.00
51	Rubberized Floor Coating, oil/acid resistance, GRAY, PS, gallon	10	gallon	3,400.00	34,000.00
52	Rubberized Floor Coating, oil/acid resistance, VIGAN RED, PS, gallon	10	gallon	3,400.00	34,000.00
53	Rubberized Floor Coating, oil/acid resistance, MOCHA, PS, gallon	10	gallon	3,400.00	34,000.00
54	Rubberized Floor Coating, reducer	15	gallon	400.00	6,000.00
55	Semi Gloss Latex Paint, Low odor, low voc, 100% acrylic, water based, interior coating, antibacterial, WHITE, gallon	20	gallon	750.00	15,000.00
56	Flat Latex, 100% Acrylic, Interior/Exterior, WHITE, gallon	20	gallon	750.00	15,000.00
57	Oil Wood Stain, WALNUT, Quart	10	quart	180.00	1,800.00
58	Oil Wood Stain, MAHOGANY, Quart	10	quart	180.00	1,800.00
59	Laquer Flo, gallon	5	gallon	850.00	4,250.00
60	Roller Handle, expandable, aluminum, heavy duty, maximum length approximately 10 inches PS	4	piece	800.00	3,200.00
61	Gloss Latex Paint, 100% Acrylic Interior/Exterior WHITE, gallon	120	gallon	750.00	90,000.00
62	Wall Putty, strong, Quick Drying, easy to sand, deal for wood, concreate plaster interior/exterior	20	gallon	850.00	17,000.00
63	Concrete Neutralizer, Liter	10	liter	110.00	1,100.00
64	Paint Remover, Gel type aerosol 400 cc	20	piece	300.00	6,000.00
65	Paint Remover , Gel, gallon	5	gallon	1,300.00	6,500.00
66	Baby Roller Brush with Handle, 4 inches foam	50	piece	79.00	3,950.00
67	Baby roller 4" refill cotton	40	piece	45.00	1,800.00
	SUB TOTAL (PAINTING), PHP				1,459,358.75
	C/O MECHA	NICAL F	PLANT SEC	TION	
1	Stainless Steel Flat Bar, 3/16 inch (4-5 millimeters approximately) thick x 1 inch wide x 20 feet long	20	piece	1,560.00	31,200.00
2	Stainless Steel Flat Bar, 3/16 inch (4-5 millimeters approximately) thick x 1-1/2 inches wide x 20 feet long	10	piece	2,340.00	23,400.00
3	Stainless Steel Flat Bar, 3/16 inch (4-5 millimeters approximately) thick x 2 inches wide x 20 feet long	10	piece	3,120.00	31,200.00
4	Stainless Steel Angle Bar, 3/16 inch (4-5 millimeters approximately) thick x 1 inch wide x 20 feet long	10	piece	3,120.00	31,200.00

5	Stainless Steel Angle Bar, 3/16 inch (4-5 millimeters approximately) thick x 1-1/2 inches wide x 20 feet long	20	piece	4,680.00	93,600.00
6	Stainless Steel Angle Bar, 3/16 inch (4-5 millimeters approximately) thick x 2 inches wide x 20 feet long	10	piece	6,240.00	62,400.00
7	Stainless Steel Round Bar, 1/4 inch diameter x 20 feet long, bright mirror finish	5	piece	480.00	2,400.00
8	Stainless Steel Round Bar, 5/16 inch diameter x 20 feet long, bright mirror finish	5	piece	580.00	2,900.00
9	Stainless Steel Round Bar, 3/8 inch diameter x 20 feet long, bright mirror finish	5	piece	700.00	3,500.00
10	Stainless Steel Round Bar, 1/2 inch diameter x 20 feet long, bright mirror finish	5	piece	900.00	4,500.00
11	Mild Steel Flat Bar, 3/16 inch (4-5 millimeters approximately) thick x 1 inch wide x 20 feet long	20	piece	468.00	9,360.00
12	Mild Steel Flat Bar, 3/16 inch (4-5 millimeters approximately) thick x 1-1/2 inches wide x 20 feet long	10	piece	793.00	7,930.00
13	Mild Steel Flat Bar, 3/16 inch (4-5 millimeters approximately) thick x 2 inches wide x 20 feet long	10	piece	962.00	9,620.00
14	Mild Steel Angle Bar, 3/16 inch (4-5 millimeters approximately) thick x 1 inch wide x 20 feet long	25	piece	800.00	20,000.00
15	Mild Steel Angle Bar, 3/16 inch (4-5 millimeters approximately) thick x 1-1/2 inches x 20 feet long	15	piece	920.00	13,800.00
16	Mild Steel Angle Bar, 3/16 inch (4-5 millimeters approximately) thick x 2 inches wide x 20 feet long	15	piece	1,380.00	20,700.00
17	Mild Steel Round Bar, 1/4 inch diameter x 20 feet long	5	piece	380.00	1,900.00
18	Mild Steel Round Bar, 5/16 inch diameter x 20 feet long	5	piece	450.00	2,250.00
19	Mild Steel Round Bar, 3/8 inch diameter x 20 feet long	5	piece	560.00	2,800.00
20	Mild Steel Round Bar, 1/2 inch diameter x 20 feet long	5	piece	750.00	3,750.00
21	Hacksaw Blade, 18 TPL, 12 inches/300 millimeters bi-metal, shatter proof	100	piece	65.00	6,500.00
22	Ball Caster , 2 inches diameter wheel, screw-type, 1/2 inch stem diameter, hard nylon wheel, 4 pieces per set, fine thread	300	set	884.00	265,200.00
23	Caster Wheel, 2 inches diameter hard nylon wheel, plate-type, zinc coated, 2-fix, 2-swivel, 20-30 kilos capacity	200	set	806.00	161,200.00
24	Caster Wheel, 3 inches diameter hard nylon wheel, plate-type, zinc coated, 2-fix, 2-swivel, 40-50 kilos capacity	25	set	950.00	23,750.00
25	Caster Wheel, 4 inches diameter, solid hard rubber wheel, plate type, zinc coated, fix only, 60-70 kilos capacity	400	piece	676.00	270,400.00

26	Caster Wheel, 4 inches diameter solid hard rubber wheel, plate-type, zinc coated, swivel with brake, 60-70 kilos capacity	400	piece	780.00	312,000.00
27	Solid Black Rubber Wheel, 4 inches diameter, chrome plated hub with bushing, shafting & bolt and nut (wheel only)	50	piece	585.00	29,250.00
28	Caster Wheel, 4 inches diameter solid hard rubber wheel, square cup type, zinc coated, with side brake, 60-70 kilos capacity	100	piece	850.00	85,000.00
29	Caster Wheel, 5 inches diameter solid hard rubber wheel, plate-type, zinc coated, swivel with brake,90-100 kilos capacity	50	piece	689.00	34,450.00
30	Caster Wheel, 5 inches diameter solid hard rubber wheel, plate-type, zinc coated, fix, 90-100 kilos capacity	50	piece	600.00	30,000.00
31	Caster Wheel, 6 inches diameter solid hard rubber wheel, plate-type, zinc coated, fix,125-135 kilos capacity	50	piece	650.00	32,500.00
32	Caster Wheel, 6 inches diameter solid hard rubber wheel, plate-type, zinc coated, swivel with brake,125-135 kilos capacity	50	piece	720.00	36,000.00
33	Caster Wheel, 8 inches diameter solid hard rubber wheel, plate-type, zinc coated, fix only, 190-200 kilos capacity	200	piece	975.00	195,000.00
34	Caster Wheel, 8 inches diameter solid hard rubber wheel, plate-type, zinc coated, swivel with brake, 190-200 kilos capacity	200	piece	1,365.00	273,000.00
35	Solid Black Rubber Wheel, 8 inches diameter, chrome plated hub with bushing, shaft and bolt and nut (wheel only)	100	piece	845.00	84,500.00
36	Caster Wheel, 5 inches diameter, swivel with brake, wheel made of polypropylene rubber with thread guard (for Hill-Rom Bed) sample c/o Department of Pay Patient Services, PGH	150	piece	2,860.00	429,000.00
37	Caster Wheel, 5 inches diameter, swivel with directional brake, wheel made of polypropylene rubber with thread guard (for Hill-Rom Bed) sample c/o Department of Pay Patient Services, PGH	150	piece	3,100.00	465,000.00
38	Stainless Steel Welding Electrode, 5/64 inch (2.0 millimeters), AWS, specification: A5.4 E308-16, JIS: Z3231 D308-15, DIN: 8556 E19 9 R22. Manufactured under ISO 9001:2008 Certified QMS	100	kilo	1,222.00	122,200.00
39	Stainless Steel Welding Electrode, 3/32 inch (2.5 millimeters), AWS, specification: A5.4 E308-16, JIS: Z3231 D308-15, DIN: 8556 E19 9 R22.	50	kilo	975.00	48,750.00

	Manufactured under ISO 9001:2008 Certified QMS				
40	Mild Steel Welding Electrode, 5/64 inch (2.0 millimeters), general purpose, rutile coated, AWS A5.1 E6013, JIS: D4313, DIN: E4342(C) ³	100	kilo	202.80	20,280.00
41	Mild Steel Welding Electrode, 3/32 inch (2.5 millimeters), general purpose, rutile coated, AWS A5.1 E6013, JIS: D4313, DIN: E4342R(C) ³	50	kilo	208.00	10,400.00
42	Blind Rivet, 5/32 inch diameter x 1/2 inch long (1000 pieces per box)	10	box	585.00	5,850.00
43	Depressed Center Grinding Wheel (for metal), 100 millimeters x 16 millimeters x 3 millimeters, individually packed	120	piece	70.00	8,400.00
44	Reinforced Cut-off Wheel, 100 millimeters x 16 millimeters x 1 millimeter, aluminum oxide material, for ferrous materials/stainless, individually packed	150	piece	65.00	9,750.00
45	Grinding Stone, coarse, 6 inches diameter x 5/8 inch arbor hole x 1 inch wide	5	piece	494.00	2,470.00
46	Grinding Stone , fine, 6 inches diameter x 5/8 inch arbor hole x 1 inch wide	5	piece	494.00	2,470.00
47	Steel Brush, 6 inches, heavy duty, wood handle, thick steel strand	10	piece	71.50	715.00
48	Penetrating Oil, 382 milliliters, aerosol type, CFC free, silicon free, propellant: CO2	70	can	450.00	31,500.00
49	Metal Drill Bit, 5/16 inch (8 millimeters) Cobalt, individually packed/sealed	20	piece	897.00	17,940.00
50	Metal Drill Bit, 3/8 inch (9.52 millimeters) Cobalt, individually packed/sealed	10	piece	975.00	9,750.00
51	Metal Drill Bit, 1/2 inch (12.7 millimeters) Cobalt, individually packed/sealed	10	piece	2,197.00	21,970.00
52	Piano Hinges, 1 inch wide x 6 feet long	5	piece	364.00	1,820.00
53	Piano Hinges, 3/4 inch wide x 6 feet long	5	piece	338.00	1,690.00
54	Ball Bearing, Size 6202 double seal	50	piece	220.00	11,000.00
55	Ball Bearing, Size 6203 double seal	50	piece	260.00	13,000.00
	SUB TOTAL (MECHANICAL PLANT SECTION), PHP				3,451,115.00
	GRAND TOTAL APPROVED BUDGE	T FOR T	HE CONTR	ACT	4,910,473.75

Terms and Conditions:

- Delivery of the goods is required as stated in the request of end-user, commencing on the 3rd working day of notification through confirmed fax/email that the approved Call-Off / Notice to Supplier (NTS) is already available for pick-up.
- 2. Delivery schedule (whichever is applicable)
 - a) Within seven (7) calendar days
 - b) As may be called for
 - c) Staggered delivery within three (3) months

50% of the total within (7) calendar days and 25% each for the succeeding months.

Note: The end-user has the right to adjust the quantity to be delivered depending on the actual need of the hospital.

- 3. It is understood that the winning bidder is legally responsible to deliver all issued Call-Off/s (Purchase Order) and failure to deliver the first Call-OFF as scheduled shall mean cancellation of the Call-Off and Notice to Execute Framework Agreement (NEFA) in compliance to the provisions of RA9184. Penalty to the defaulting contractor shall be charged accordingly. Purchase from other source for whatever means shall be effected immediately to provide the requirements of the hospital. Penalty to the defaulting contractor shall be charged accordingly.
- 4. For all items that had been returned for various reasons, a credit memo shall be issued by the Contractor within one (1) month otherwise a debit memo shall be processed by UP Manila- PGH and the amount will be deducted from any amount due to Contractor.
- All Samples should be properly labelled (indicate name of bidder, item number and brand) and submitted to the BAC1-Secretariat one (1) week before opening of bids. Late submission of sample would disqualify the bid.

Note: Samples with a bulk/big items must submit a brochure or pictures with complete specification presented for evaluation of the end-user.

Bidders are required to submit highest quality sample or as per PGH existing sample to be viewed at BAC office. If the Suppliers agrees

with the presented PGH sample they must indicate in their bid "Comply with PGH sample".

PAINTING (as Supplier sample item #19-25, 29, 38, 38-41, 44, 63-66). as per PGH sample item #43, 45-47, 49-55, 60, 62 & 67.

MECHANICAL (as PGH sample item #23-37).

6. Compliance with R.A. 9184 and other applicable laws.

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.
- 2.3. For a single-year Framework Agreement, prices charged by the Supplier for Goods delivered and/or services performed under a Call-Off shall not vary from the prices quoted by the Supplier in its bid.
- 2.4. For multi-year Framework Agreement, prices charged by the Supplier for Goods delivered and/or services performed under a Call-Off shall not vary from the prices quoted by the Supplier during conduct of Mini-Competition.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184. *In the case of* Framework Agreement, the Bidder may opt to furnish the performance security or a Performance Securing Declaration as defined under the Guidelines on the Use of Framework Agreement.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project or Framework Agreement specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

aaa	
GCC Clause	
	Delivery and Decomposes
1	Delivery and Documents – For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:
	[For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered [indicate place of destination]. In accordance with INCOTERMS."
	"The delivery terms applicable to this Contract are delivered to the <i>University</i> of the <i>Philippines Manila – Philippine General Hospital</i> . Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is Maria Bernadette P. Idjao, MMPA, Chief Administrative Officer – Property and Supply Division.
	Incidental Services –
	 The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the supplied Goods; c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods; d. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods. The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.
	Spare Parts –
	The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
 - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI** (**Schedule of Requirements**) and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [See attached Terms and Conditions].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [See attached Terms and Conditions] months of placing the order.

Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity

Name of the Supplier

Contract Description

Final Destination

Gross weight

Any special lifting instructions

Any special handling instructions

Any relevant HAZCHEM classifications

A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.

Transportation -

Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.

Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available, but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.

The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.

Intellectual Property Rights –

The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.

Regular and Recurring Services -

[In case of contracts for regular and recurring services, state:] "The contract for regular and recurring services shall be subject to a renewal whereby the performance evaluation of the service provider shall be conducted in accordance with Section VII. Technical specifications."

Upon execution of the Framework Agreement, the UP-PGH shall pay Php1.00 to the supplier as a consideration for the option granted to procure the items in the Framework Agreement list when the need arises.

	Progress Payment shall be made after acceptance and completion for each call-off complete with the required documentary requirements.
4	Inspection and Tests –
	The inspections and tests that will be conducted shall be in accordance with Section VII. Technical Specifications.
	Return of Defective Items and Replacement
	All items that failed the inspection shall not be accepted and must be returned immediately. Replacement must be made within the next working day.
5.1	Warranty Retention:
	Three (3) months after acceptance by the Procuring Entity of the delivered Goods or after the Goods are distributed, whichever is earlier.
	Consistent with GPPB Resolution No. 30-2017, the obligations of the warranty shall be covered by either retention money in an amount equivalent to one percent (1%) of each payment, or special bank guarantee equivalent to one percent (1%) of the total contract price. The said amounts shall only be released after the lapse of the warranty period.

Section VI. Schedule of Requirements

Framework Agreement List

(Indicative Call-Off Schedule)

Limited to repeatedly required goods and services that are identified to be necessary and desirable, but, by its nature, use or characteristic, the quantity and/ or exact time of need cannot be accurately pre-determined and are not advisable to be carried in stock.

Prepared by the End-User, attached to the APP and submitted to the BAC for the approval of the HOPE.

ITEM NO.	ITEM/SERVICE TYPE AND NATURE OF EACH ITEM/SERVICE COST PER ITEM or SERVICE		MAX. QTY.	UOM	TOTAL COST PER ITEM (PhP)
	Supply and Delivery of Various Construction Supplies (Painting & Mechanical Plant) for CY2024 (Framework Agreement)				
		C/O PAINTING			
1	Latex Paint, Flat, WHITE, 100% acrylic based, gallon for interior and exterior surface	682.50	350	gallon	238,875.00
2	Latex Paint, Gloss, WHITE, 100% acrylic based, gallon for interior and exterior surface	735.00	300	gallon	220,500.00
3	Quick Drying Enamel Paint, WHITE, alkyd type paint, great durability, fast drying, tough, durable, beautiful and high build film on wood and metal. High Gloss level and long-lasting finish appearance, gallon	gallon	147,000.00		
4	Quick Drying Enamel Paint, BLACK, alkyd type paint, great durability, fast drying, tough, durable, beautiful and high build film on wood and metal. High Gloss level and long-lasting finish appearance, Liter/ Quart	231.00	60	quart	13,860.00
5	Quick Drying Enamel Paint, CHOCOLATE BROWN, alkyd type paint, great durability, fast drying, tough, durable, beautiful and high build film on wood and metal. High Gloss level and long-lasting finish appearance, Liter/Quart	231.00	80	quart	18,480.00
6	Silver Finish Aluminum Paint, ready mixed general use interior/exterior Quart	315.00	30	quart	9,450.00
7	Red Oxide Primer, alkyd base rust	178.50	100	quart	17,850.00
8	inhibiting for ferrous metals, Quart Latex Color, HANSA YELLOW, concentrated acrylic based acri-color paint	128.00	200	quart	25,600.00
9	Flat Wall Enamel Paint, premium quality, alkyd type	735.00	90	gallon	66,150.00

	T		1		
10	Latex Color, LAMP BLACK, concentrated acrylic based tinting paint, 1/4 Liter	168.00	50	1/4 liter	8,400.00
11	Oil Tinting Color, DARK CHROME GREEN, concentrated alkyd tinting paint, 1/4 liter per can	125.00	40	can	5,000.00
12	Sandpaper, waterproof, #120, piece	26.25	200	piece	5,250.00
13	Sandpaper, waterproof, #150, piece	26.25	150	piece	3,937.50
14	Sandpaper, waterproof, #180, piece	26.25	150	piece	3,937.50
15	Sandpaper, waterproof, #280, piece	36.75	100	piece	3,675.00
16	Sandpaper, waterproof, #320, piece	36.75	100	piece	3,675.00
17	Baby Roller Brush with Handle, Cotton, 4 inches	84.00	150	piece	12,600.00
18	Clear Gloss Lacquer, gallon	840.00	15	gallon	12,600.00
19	Camel Hair Brush, 3 inches wide, piece	840.00	10	piece	8,400.00
20	Camel Hair Brush, 2 inches wide, piece	682.50	5	piece	3,412.50
21	Paint Brush, size 2-1/2 inches wide, piece	89.25	60	piece	5,355.00
22	Paint Brush, size 1-1/2 inches wide, piece	78.75	40	piece	3,150.00
23	Paint Brush, size 1 inch wide, piece	68.25	35	piece	2,388.75
24	Paint Brush, size 2 inches wide, piece	68.25	40	piece	2,730.00
25	Paint Brush, size 3 inches wide, piece	89.25	50	piece	4,462.50
26	Patching Compound, 20 kilograms per bag	630.00	4	bag	2,520.00
27	Latex Color, TOULEDINE RED, concentrated acrylic based tinting paint, acri-color, 1/4 Liter	168.00	50	1/4 liter	8,400.00
28	Latex Color, THALO GREEN, concentrated acrylic based tinting paint, acri-color, 1/4 Liter	168.00	50	1/4 liter	8,400.00
29	Roller Brush with Handle, 7 inches	63.00	100	piece	6,300.00
30	Quick Drying Enamel Paint, MAPLE, alkyd type paint, great durability, fast drying, tough, durable, beautiful and high build film on wood and metal. High gloss level and long-lasting finish appearance, Quart	231.00	85	quart	19,635.00
31	Quick Drying Enamel Paint, DARK GREEN, alkyd type paint, great durability, fast drying, tough, durable, beautiful and high build film on wood and metal. High gloss level and long-lasting finish appearance, Quart	231.00	95	quart	21,945.00
32	Quick Drying Enamel Paint, ROYAL BLUE, alkyd type paint, great durability, fast drying, tough, durable, beautiful and high build film on wood and metal. High gloss level and long-lasting finish appearance, Quart	231.00	80	quart	18,480.00

33	Quick Drying Enamel Paint, LEMON YELLOW, alkyd type paint, great durability, fast drying, tough, durable, beautiful and high build film on wood and metal. High gloss level and long-lasting finish appearance, Quart	231.00	70	quart	16,170.00
34	Sanding Sealer, Lacquer, Quart	178.50	60	quart	10,710.00
35	Polyester body filler with Hardener, Quart	273.00	60	quart	16,380.00
36	Paint Thinner, gallon	294.00	90	gallon	26,460.00
37	Lacquer Thinner, gallon	294.00	65	gallon	19,110.00
38	Palette (for painting use), putty knife, piece	20.00	20	piece	400.00
39	Spatula, construction, metal blade with wooden handle, 1-1/2"	40.00	20	piece	800.00
40	Spray Gun, F75 pneumatic, 1.5 millimeters nozzle, 400 milliliters	1,500.00	2	unit	3,000.00
41	Cup Brush for Angle Grinder, 3 inches diameter rotary, knotted flat cup, heavy duty	461.00	10	unit	4,610.00
42	Oil Wood Stain, MAPLE, Quart	180.00	10	quart	1,800.00
43	Acrylic Sealant, PAINTABLE WHITE, 300 milliliters per tube	180.00	50	tube	9,000.00
44	Caution Barricade Tape, 3 inches x 300 meters per roll, BLACK YELLOW	320.00	5	roll	1,600.00
45	Reflectorized Traffic Paint, YELLOW, gallon	2,500.00	5	gallon	12,500.00
46	Reflectorized Traffic Paint, WHITE, gallon	2,500.00	5	gallon	12,500.00
47	Reflectorized Traffic Paint, RED, gallon	2,500.00	5	gallon	12,500.00
48	Epoxy Primer, A & B, for concrete, gallon	2,400.00	15	gallon	36,000.00
49	Rubberized Floor Coating, oil/acid resistance, GREEN,PS, gallon	3,400.00	10	gallon	34,000.00
50	Rubberized Floor Coating, oil/acid resistance, WHITE,PS, gallon	3,400.00	10	gallon	34,000.00
51	Rubberized Floor Coating, oil/acid resistance, GRAY, PS, gallon	3,400.00	10	gallon	34,000.00
52	Rubberized Floor Coating, oil/acid resistance, VIGAN RED, PS, gallon	3,400.00	10	gallon	34,000.00
53	Rubberized Floor Coating, oil/acid resistance, MOCHA, PS, gallon	3,400.00	10	gallon	34,000.00
54	Rubberized Floor Coating, reducer	400.00	15	gallon	6,000.00
55	Semi Gloss Latex Paint, Low odor, low voc, 100% acrylic, water based, interior coating, antibacterial, WHITE, gallon	750.00	20	gallon	15,000.00
56	Flat Latex, 100% Acrylic, Interior/Exterior, WHITE, gallon	750.00	20	gallon	15,000.00
57	Oil Wood Stain, WALNUT, Quart	180.00	10	quart	1,800.00
58	Oil Wood Stain, MAHOGANY, Quart	180.00	10	quart	1,800.00
59	Laquer Flo, gallon	850.00	5	gallon	4,250.00
	i.	i			l .

60	Roller Handle, expandable, aluminum, heavy duty, maximum length aproximately 10 inches PS	800.00	4	piece	3,200.00
61	Gloss Latex Paint, 100% Acrylic Interior/Exterior WHITE, gallon	750.00	120	gallon	90,000.00
62	Wall Putty, strong, Quick Drying, easy to sand, deal for wood, concreate plaster interior/exterior	850.00	20	Gallon	17,000.00
63	Concrete Neutralizer, Liter	110.00	10	Liter	1,100.00
64	Paint Remover, Gel type aerosol 400 cc	300.00	20	pcs	6,000.00
65	Paint Remover, Gel, gallon	1,300.00	5	Gallon	6,500.00
66	Baby Roller Brush with Handle, 4 inches foam	79.00	50	pcs	3,950.00
67	Baby roller 4" refill cotton	45.00	40	pcs	1,800.00
	Subtotal (Painting)				1,459,358.75
	C/O MECHA	NICAL PLANT	SECTION		
1	Stainless Steel Flat Bar, 3/16 inch (4-5 millimeters approximately) thick x 1 inch wide x 20 feet long	1,560.00	20	piece	31,200.00
2	Stainless Steel Flat Bar, 3/16 inch (4-5 millimeters approximately) thick x 1-1/2 2,340.00 10 inches wide x 20 feet long		10	piece	23,400.00
3	Stainless Steel Flat Bar, 3/16 inch (4-5		piece	31,200.00	
4	Stainless Steel Angle Bar, 3/16 inch (4-5 millimeters approximately) thick x 1 3,120.00 10 inch wide x 20 feet long		piece	31,200.00	
5	Stainless Steel Angle Bar, 3/16 inch (4-5 millimeters approximately) thick x 1-1/2 inches wide x 20 feet long	ely) thick x 1-1/2 4,680.00 20		piece	93,600.00
6	Stainless Steel Angle Bar, 3/16 inch (4-5 millimeters approximately) thick x 2 inches wide x 20 feet long	tainless Steel Angle Bar, 3/16 inch (4- millimeters approximately) thick x 2 6,240.00 10		piece	62,400.00
7	Stainless Steel Round Bar, 1/4 inch diameter x 20 feet long, bright mirror finish	480.00	5	piece	2,400.00
8	Stainless Steel Round Bar, 5/16 inch diameter x 20 feet long, bright mirror finish	nless Steel Round Bar, 5/16 inch eter x 20 feet long, bright mirror 580.00		piece	2,900.00
9	Stainless Steel Round Bar, 3/8 inch diameter x 20 feet long, bright mirror finish	Stainless Steel Round Bar, 3/8 inch diameter x 20 feet long, bright mirror 700.00		piece	3,500.00
10	Stainless Steel Round Bar, 1/2 inch diameter x 20 feet long, bright mirror 900.00 finish		5	piece	4,500.00
11	Mild Steel Flat Bar, 3/16 inch (4-5 millimeters approximately) thick x 1 inch wide x 20 feet long	Steel Flat Bar, 3/16 inch (4-5 neters approximately) thick x 1 inch 468.00 20		piece	9,360.00
12	Mild Steel Flat Bar, 3/16 inch (4-5 millimeters approximately) thick x 1-1/2 inches wide x 20 feet long	793.00	10	piece	7,930.00
13	Mild Steel Flat Bar, 3/16 inch (4-5 millimeters approximately) thick x 2 inches wide x 20 feet long	962.00	10	piece	9,620.00

millimeters approximately) thick x 1 inch	800.00	25	piece	20,000.00
Mild Steel Angle Bar, 3/16 inch (4-5 millimeters approximately) thick x 1-1/2	920.00	15	piece	13,800.00
Mild Steel Angle Bar, 3/16 inch (4-5 millimeters approximately) thick x 2	1,380.00	15	piece	20,700.00
Mild Steel Round Bar, 1/4 inch diameter	380.00	5	piece	1,900.00
Mild Steel Round Bar, 5/16 inch	450.00	5	piece	2,250.00
Mild Steel Round Bar, 3/8 inch diameter	560.00	5	piece	2,800.00
Mild Steel Round Bar, 1/2 inch diameter	750.00	5	piece	3,750.00
Hacksaw Blade, 18 TPL, 12 inches/300	65.00	100	piece	6,500.00
Ball Caster , 2 inches diameter wheel, screw-type, 1/2 inch stem diameter, hard nylon wheel, 4 pieces per set, fine thread	884.00	300	set	265,200.00
Caster Wheel, 2 inches diameter hard nylon wheel, plate-type, zinc coated, 2-fix, 2-swivel, 20-30 kilos capacity	806.00	200	set	161,200.00
nylon wheel, plate-type, zinc coated, 2-fix, 2-swivel, 40-50 kilos capacity	950.00	25	set	23,750.00
Caster Wheel, 4 inches diameter, solidhard rubber wheel, plate type, zinc676.00400		400	piece	270,400.00
Caster Wheel, 4 inches diameter solid hard rubber wheel, plate-type, zinc coated, swivel with brake, 60-70 kilos 780.00 400		piece	312,000.00	
Solid Black Rubber Wheel, 4 inches diameter, chrome plated hub with bushing, shafting & bolt and nut (wheel		50	piece	29,250.00
Caster Wheel, 4 inches diameter solid hard rubber wheel, square cup type, zinc coated, with side brake, 60-70 kilos		100	piece	85,000.00
Caster Wheel, 5 inches diameter solid hard rubber wheel, plate-type, zinc coated, swivel with brake,90-100 kilos capacity	Caster Wheel, 5 inches diameter solid ard rubber wheel, plate-type, zinc oated, swivel with brake,90-100 kilos 689.00		piece	34,450.00
hard rubber wheel, plate-type, zinc	Caster Wheel, 5 inches diameter solid hard rubber wheel, plate-type, zinc 600.00 50		piece	30,000.00
Caster Wheel, 6 inches diameter solid hard rubber wheel, plate-type, zinc 650.00 50 piece		piece	32,500.00	
Caster Wheel, 6 inches diameter solid hard rubber wheel, plate-type, zinc coated, swivel with brake,125-135 kilos capacity	piece	36,000.00		
Caster Wheel, 8 inches diameter solid hard rubber wheel, plate-type, zinc coated, fix only, 190-200 kilos capacity	975.00	200	piece	195,000.00
	mild Steel Angle Bar, 3/16 inch (4-5 millimeters approximately) thick x 1-1/2 inches x 20 feet long Mild Steel Angle Bar, 3/16 inch (4-5 millimeters approximately) thick x 2 inches wide x 20 feet long Mild Steel Round Bar, 1/4 inch diameter x 20 feet long Mild Steel Round Bar, 1/4 inch diameter x 20 feet long Mild Steel Round Bar, 3/8 inch diameter x 20 feet long Mild Steel Round Bar, 1/2 inch diameter x 20 feet long Mild Steel Round Bar, 1/2 inch diameter x 20 feet long Mild Steel Round Bar, 1/2 inch diameter x 20 feet long Mild Steel Round Bar, 1/2 inch diameter x 20 feet long Mild Steel Round Bar, 1/2 inch diameter x 20 feet long Mild Steel Round Bar, 1/2 inches/300 millimeters bi-metal, shatter proof Ball Caster, 2 inches diameter wheel, screw-type, 1/2 inch stem diameter, hard nylon wheel, 4 pieces per set, fine thread Caster Wheel, 2 inches diameter hard nylon wheel, plate-type, zinc coated, 2-fix, 2-swivel, 20-30 kilos capacity Caster Wheel, 3 inches diameter hard nylon wheel, plate-type, zinc coated, fix only, 60-70 kilos capacity Caster Wheel, 4 inches diameter solid hard rubber wheel, plate-type, zinc coated, swivel with brake, 60-70 kilos capacity Caster Wheel, 4 inches diameter solid hard rubber wheel, square cup type, zinc coated, with side brake, 60-70 kilos capacity Caster Wheel, 5 inches diameter solid hard rubber wheel, plate-type, zinc coated, swivel with brake, 90-100 kilos capacity Caster Wheel, 5 inches diameter solid hard rubber wheel, plate-type, zinc coated, fix, 90-100 kilos capacity Caster Wheel, 6 inches diameter solid hard rubber wheel, plate-type, zinc coated, fix, 90-100 kilos capacity Caster Wheel, 6 inches diameter solid hard rubber wheel, plate-type, zinc coated, fix, 125-135 kilos capacity Caster Wheel, 6 inches diameter solid hard rubber wheel, plate-type, zinc coated, fix, 125-135 kilos capacity Caster Wheel, 8 inches diameter solid hard rubber wheel, plate-type, zinc coated, swivel with brake, 125-135 kilos capacity	millimeters approximately) thick x 1 inch wide x 20 feet long Mild Steel Angle Bar, 3/16 inch (4-5 millimeters approximately) thick x 1-1/2 inches x 20 feet long Mild Steel Angle Bar, 3/16 inch (4-5 millimeters approximately) thick x 2 inches x 20 feet long Mild Steel Round Bar, 3/16 inch (4-5 millimeters approximately) thick x 2 inches wide x 20 feet long Mild Steel Round Bar, 1/4 inch diameter x 20 feet long Mild Steel Round Bar, 5/16 inch diameter x 20 feet long Mild Steel Round Bar, 3/8 inch diameter x 20 feet long Mild Steel Round Bar, 1/2 inch diameter x 20 feet long Mild Steel Round Bar, 1/2 inches/300 millimeters bi-metal, shatter proof Ball Caster, 2 inches diameter wheel, screw-type, 1/2 inch stem diameter, hard nylon wheel, 4 pieces per set, fine thread Caster Wheel, 2 inches diameter hard nylon wheel, plate-type, zinc coated, 2-fix, 2-swivel, 20-30 kilos capacity Caster Wheel, 3 inches diameter solid hard rubber wheel, plate type, zinc coated, fix only, 60-70 kilos capacity Caster Wheel, 4 inches diameter solid hard rubber wheel, plate-type, zinc coated, swivel with brake, 60-70 kilos capacity Caster Wheel, 4 inches diameter solid hard rubber wheel, square cup type, zinc coated, swivel with brake, 60-70 kilos capacity Caster Wheel, 4 inches diameter solid hard rubber wheel, plate-type, zinc coated, with side brake, 60-70 kilos capacity Caster Wheel, 5 inches diameter solid hard rubber wheel, plate-type, zinc coated, swivel with brake, 90-100 kilos capacity Caster Wheel, 5 inches diameter solid hard rubber wheel, plate-type, zinc coated, swivel with brake, 90-100 kilos capacity Caster Wheel, 5 inches diameter solid hard rubber wheel, plate-type, zinc coated, fix, 125-135 kilos capacity Caster Wheel, 6 inches diameter solid hard rubber wheel, plate-type, zinc coated, swivel with brake, 125-135 kilos capacity Caster Wheel, 8 inches diameter solid hard rubber wheel, plate-type, zinc coated, swivel with brake, 125-135 kilos capacity Caster Wheel, 8 inches diameter solid hard rubber wh	millimeters approximately) thick x 1 inch wide x 20 feet long Mild Steel Angle Bar, 3/16 inch (4-5 millimeters approximately) thick x 1-1/2 inches x 20 feet long Mild Steel Angle Bar, 3/16 inch (4-5 millimeters approximately) thick x 2 inches x 20 feet long Mild Steel Round Bar, 3/16 inch (4-5 millimeters approximately) thick x 2 inches wide x 20 feet long Mild Steel Round Bar, 1/4 inch diameter x 20 feet long Mild Steel Round Bar, 3/16 inch diameter x 20 feet long Mild Steel Round Bar, 3/8 inch diameter x 20 feet long Mild Steel Round Bar, 1/2 inch diameter x 20 feet long Mild Steel Round Bar, 1/2 inch diameter x 20 feet long Mild Steel Round Bar, 1/2 inch diameter x 20 feet long Hacksaw Blade, 18 TPL, 12 inches/300 feb. 00 feb.	millimeters approximately) thick x 1 inch wide x 20 feet long Mild Steel Angle Bar, 3/16 inch (4-5 millimeters approximately) thick x 1-1/2 inches x 20 feet long Mild Steel Angle Bar, 3/16 inch (4-5 millimeters approximately) thick x 2 inches wide x 20 feet long Mild Steel Round Bar, 1/4 inch diameter x 20 feet long Mild Steel Round Bar, 1/4 inch diameter x 20 feet long Mild Steel Round Bar, 3/8 inch diameter x 20 feet long Mild Steel Round Bar, 3/8 inch diameter x 20 feet long Mild Steel Round Bar, 3/8 inch diameter x 20 feet long Mild Steel Round Bar, 1/2 inch diameter x 20 feet long Mild Steel Round Bar, 1/2 inch diameter x 20 feet long Mild Steel Round Bar, 1/2 inch diameter x 20 feet long Hacksaw Blade, 18 TPL, 12 inches/300 millimeters bi-metal, shatter proof Mild Steel Round Bar, 1/2 inch stem diameter, and nylon wheel, 4 pieces per set, fine thread Caster Wheel, 2 inches diameter hard nylon wheel, 2 piech spe set, fine thread Caster Wheel, 3 inches diameter hard nylon wheel, plate-type, zinc coated, 2-fix, 2-swivel, 20-30 kilos capacity Caster Wheel, 4 inches diameter, solid hard rubber wheel, plate type, zinc coated, fix only, 60-70 kilos capacity Caster Wheel, 4 inches diameter solid hard rubber wheel, plate-type, zinc coated, swivel with brake, 60-70 kilos capacity Caster Wheel, 4 inches diameter solid hard rubber wheel, square cup type, zinc coated, with side brake, 60-70 kilos capacity Caster Wheel, 5 inches diameter solid hard rubber wheel, plate-type, zinc coated, with side brake, 60-70 kilos capacity Caster Wheel, 5 inches diameter solid hard rubber wheel, plate-type, zinc coated, fix, 125-135 kilos capacity Caster Wheel, 6 inches diameter solid hard rubber wheel, plate-type, zinc coated, fix, 125-135 kilos capacity Caster Wheel, 6 inches diameter solid hard rubber wheel, plate-type, zinc coated, fix, 125-135 kilos capacity Caster Wheel, 8 inches diameter solid hard rubber wheel, plate-type, zinc coated, fix, 125-135 kilos capacity Caster Wheel, 8 inches diameter solid hard rubber wheel, plate-t

34	Caster Wheel, 8 inches diameter solid hard rubber wheel, plate-type, zinc coated, swivel with brake, 190-200 kilos capacity	1,365.00	200	piece	273,000.00
35	Solid Black Rubber Wheel, 8 inches diameter, chrome plated hub with bushing, shaft and bolt and nut (wheel only)	845.00	100	piece	84,500.00
36	Caster Wheel, 5 inches diameter, swivel with brake, wheel made of polypropylene rubber with thread guard (for Hill-Rom Bed) sample c/o Department of Pay Patient Services, PGH	2,860.00	150	piece	429,000.00
37	Caster Wheel, 5 inches diameter, swivel with directional brake, wheel made of polypropylene rubber with thread guard (for Hill-Rom Bed) sample c/o Department of Pay Patient Services, PGH	3,100.00	150	piece	465,000.00
38	Stainless Steel Welding Electrode, 5/64 inch (2.0 millimeters), AWS, specification: A5.4 E308-16, JIS: Z3231 D308-15, DIN: 8556 E19 9 R22. Manufactured under ISO 9001:2008 Certified QMS	100	kilo	122,200.00	
39	Stainless Steel Welding Electrode, 3/32 inch (2.5 millimeters), AWS, specification: A5.4 E308-16, JIS: Z3231 D308-15, DIN: 8556 E19 9 R22. Manufactured under ISO 9001:2008 Certified QMS	975.00	50	kilo	48,750.00
40	Mild Steel Welding Electrode, 5/64 inch (2.0 millimeters), general purpose, rutile coated, AWS A5.1 E6013, JIS: D4313, DIN: E4342(C) ³	202.80	100	kilo	20,280.00
41	Mild Steel Welding Electrode, 3/32 inch (2.5 millimeters), general purpose, rutile coated, AWS A5.1 E6013, JIS: D4313, DIN: E4342R(C) ³	208.00	50	kilo	10,400.00
42	Blind Rivet, 5/32 inch diameter x 1/2 inch long (1000 pieces per box)	585.00	10	box	5,850.00
43	Depressed Center Grinding Wheel (for metal), 100 millimeters x 16 millimeters x 3 millimeters, individually packed	70.00	120	piece	8,400.00
44	Reinforced Cut-off Wheel, 100 millimeters x 16 millimeters x 1 millimeter, aluminum oxide material, for ferrous materials/stainless, individually packed	65.00	150	piece	9,750.00
45	Grinding Stone, coarse, 6 inches diameter x 5/8 inch arbor hole x 1 inch wide			piece	2,470.00
46	Grinding Stone, fine, 6 inches diameter x 5/8 inch arbor hole x 1 inch wide	494.00	5	piece	2,470.00
47	Steel Brush 6 inches heavy duty wood			piece	715.00
48	Penetrating Oil, 382 milliliters, aerosol type, CFC free, silicon free, propellant: CO2	450.00	70	can	31,500.00

Maria Bernadette P. Idjao, MMPA SIGNATURE OVER PRINTED NAME		Chief Administrative Officer POSITION	_	rty and Sug EPARTMENT	pply Division VDIVISION
Remar	ks		Indicate here any other appropriate information as may be necessary.		
•	ted delivery timeframe after t of a Call-Off.		Please refer to the Terms and Conditions		
,	TOTAL Approved Budget for the Contract)		4,910,473.75		4,910,473.75
Subtotal (Mechanical Plant Section)					3,451,115.00
54	Ball Bearing, Size 6203 double seal	260.00	50	piece	13,000.00
53	Ball Bearing, Size 6202 double seal	220.00	50	piece	11,000.00
52	Piano Hinges, 3/4 inch wide x 6 feet long	338.00	5	piece	1,690.00
51	Piano Hinges, 1 inch wide x 6 feet long	364.00	5	piece	1,820.00
50	Metal Drill Bit , 3/8 inch (9.52 millimeters) Cobalt, individually packed/sealed		10	piece	9,750.00
49	Metal Drill Bit, 5/16 inch (8 millimeters) Cobalt, individually packed/sealed	897.00	20 piece 17,940		17,940.00

Project Title:	Supply and Delivery of Various Construction Supplies (Painting & Mechanical Plant) for CY2024 (Framework Agreement)
Delivery Site	UP – PHILIPPINE GENERAL HOSPITAL Property and Supply Division
	Taft Avenue, Manila
Expected delivery timeframe after receipt of a Call-Off.	Delivery of the goods is required as stated in the request of the end-user, commencing on the 3rd working day of notification through confirmed fax/email that the approved Call-Off is already available for pick-up.
receipt of a Gail-Off.	*Delivery schedule (whichever is applicable):
	a. Within seven (7) calendar days;b. Within five (5) working days;c. As may be called for;
	d. Staggered delivery within three (3) months *50% of the total quantity within seven (7) calendar days and 25% each for
	the succeeding months. Note: The end-user has the right to adjust the quantity to be delivered depending on the actual need of the hospital.
Remarks	Suppliers are advised to maintain revolving stocks.

I hereby commit to deliver the required quality and quantities upon receipt of the Call-Off as indicated above.

Name of Company	
Signature over Printed N	Name of Authorized Representative
Date.	_

Section VII. Technical Specifications

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "or at least equivalent." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications

IMPORTANT REMINDERS: Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the medical and dental equipment as well as assistive devices offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence.

Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data, brochures, manuals, etc., as appropriate, which will provide substantial information of the goods or product/s to be supplied.

A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

DIRECTION: Indicate either "Comply" or "Not Comply" under the *Statement of Compliance* column and the appropriate attachment as reference document.

	TECHNICAL SPECIFICATIONS						
Item / Service	Maximum Quantity	Technical Specifications / Scope of Work	Statement of Compliance (Comply/Did Not Comply)				
	Supply and Delivery of Various Construction Supplies (Painting & Mechanical Plant) for CY2024 (Framework Agreement)						
	C/O PAINTING						
1	350	Latex Paint, Flat, WHITE, 100% acrylic based, gallon for interior and exterior surface					
2	300	Latex Paint, Gloss, WHITE, 100% acrylic based, gallon for interior and exterior surface					
3	200	Quick Drying Enamel Paint, WHITE, alkyd type paint, great durability, fast drying, tough, durable, beautiful and high build film on wood and metal.					

		High Gloss level and long-lasting finish appearance, gallon	
4	60	Quick Drying Enamel Paint, BLACK, alkyd type paint, great durability, fast drying, tough, durable, beautiful and high build film on wood and metal. High Gloss level and long-lasting finish appearance, Liter/ Quart	
5	80	Quick Drying Enamel Paint, CHOCOLATE BROWN, alkyd type paint, great durability, fast drying, tough, durable, beautiful and high build film on wood and metal. High Gloss level and long-lasting finish appearance, Liter/ Quart	
6	30	Silver Finish Aluminum Paint, ready mixed general use interior/exterior Quart	
7	100	Red Oxide Primer, alkyd base rust inhibiting for ferrous metals, Quart	
8	200	Latex Color, HANSA YELLOW, concentrated acrylic based acri-color paint	
9	90	Flat Wall Enamel Paint, premium quality, alkyd type	
10	50	Latex Color, LAMP BLACK, concentrated acrylic based tinting paint, 1/4 Liter	
11	40	Oil Tinting Color, DARK CHROME GREEN, concentrated alkyd tinting paint, 1/4 liter per can	
12	200	Sandpaper, waterproof, #120, piece	
13	150	Sandpaper, waterproof, #150, piece	
14	150	Sandpaper, waterproof, #180, piece	
15	100	Sandpaper, waterproof, #280, piece	
16	100	Sandpaper, waterproof, #320, piece	

17	150	Baby Roller Brush with Handle, Cotton, 4 inches	
18	15	Clear Gloss Lacquer, gallon	
19	10	Camel Hair Brush, 3 inches wide, piece	
20	5	Camel Hair Brush, 2 inches wide, piece	
21	60	Paint Brush, size 2-1/2 inches wide, piece	
22	40	Paint Brush, size 1-1/2 inches wide, piece	
23	35	Paint Brush, size 1 inch wide, piece	
24	40	Paint Brush, size 2 inches wide, piece	
25	50	Paint Brush, size 3 inches wide, piece	
26	4	Patching Compound, 20 kilograms per bag	
27	50	Latex Color, TOULEDINE RED, concentrated acrylic based tinting paint, acri-color, 1/4 Liter	
28	50	Latex Color, THALO GREEN, concentrated acrylic based tinting paint, acri-color, 1/4 Liter	
29	100	Roller Brush with Handle, 7 inches	
30	85	Quick Drying Enamel Paint, MAPLE, alkyd type paint, great durability, fast drying, tough, durable, beautiful and high build film on wood and metal. High gloss level and long-lasting finish appearance, Quart	
31	95	Quick Drying Enamel Paint, DARK GREEN, alkyd type paint, great durability, fast drying, tough, durable, beautiful and high build film on wood	

		and metal. High gloss level and long- lasting finish appearance, Quart	
32	80	Quick Drying Enamel Paint, ROYAL BLUE, alkyd type paint, great durability, fast drying, tough, durable, beautiful and high build film on wood and metal. High gloss level and long- lasting finish appearance, Quart	
33	70	Quick Drying Enamel Paint, LEMON YELLOW, alkyd type paint, great durability, fast drying, tough, durable, beautiful and high build film on wood and metal. High gloss level and long- lasting finish appearance, Quart	
34	60	Sanding Sealer, Lacquer, Quart	
35	60	Polyester body filler with Hardener, Quart	
36	90	Paint Thinner, gallon	
37	65	Lacquer Thinner, gallon	
38	20	Palette (for painting use), putty knife, piece	
39	20	Spatula, construction, metal blade with wooden handle, 1-1/2"	
40	2	Spray Gun, F75 pneumatic, 1.5 millimeters nozzle, 400 milliliters	
41	10	Cup Brush for Angle Grinder, 3 inches diameter rotary, knotted flat cup, heavy duty	
42	10	Oil Wood Stain, MAPLE, Quart	
43	50	Acrylic Sealant, PAINTABLE WHITE, 300 milliliters per tube	
44	5	Caution Barricade Tape, 3 inches x 300 meters per roll, BLACK YELLOW	

45	5	Reflectorized Traffic Paint, YELLOW, gallon	
46	5	Reflectorized Traffic Paint, WHITE, gallon	
47	5	Reflectorized Traffic Paint, RED, gallon	
48	15	Epoxy Primer, A & B, for concrete, gallon	
49	10	Rubberized Floor Coating, oil/acid resistance, GREEN, PS, gallon	
50	10	Rubberized Floor Coating, oil/acid resistance, WHITE, PS, gallon	
51	10	Rubberized Floor Coating, oil/acid resistance, GRAY, PS, gallon	
52	10	Rubberized Floor Coating, oil/acid resistance, VIGAN RED, PS, gallon	
53	10	Rubberized Floor Coating, oil/acid resistance, MOCHA, PS, gallon	
54	15	Rubberized Floor Coating, reducer	
55	20	Semi-Gloss Latex Paint, Low odor, low voc, 100% acrylic, water based, interior coating, antibacterial, WHITE, gallon	
56	20	Flat Latex, 100% Acrylic, Interior/Exterior, WHITE, gallon	
57	10	Oil Wood Stain, WALNUT, Quart	
58	10	Oil Wood Stain, MAHOGANY, Quart	
59	5	Laquer Flo, g allon	
60	4	Roller Handle, expandable, aluminum, heavy duty, maximum length aproximately 10 inches PS	

			1
61	120	Gloss Latex Paint, 100% Acrylic Interior/Exterior WHITE, gallon	
62	20	Wall Putty, strong, Quick Drying, easy to sand, deal for wood, concreate plaster interior/exterior	
63	10	Concrete Neutralizer, Liter	
64	20	Paint Remover, Gel type aerosol 400 cc	
65	5	Paint Remover, Gel, gallon	
66	50	Baby Roller Brush with Handle, 4 inches foam	
67	40	Baby roller 4" refill cotton	
		C/O MECHANICAL PL	ANT SECTION
1	20	Stainless Steel Flat Bar, 3/16 inch (4-5 millimeters approximately) thick x 1 inch wide x 20 feet long	
2	10	Stainless Steel Flat Bar, 3/16 inch (4-5 millimeters approximately) thick x 1-1/2 inches wide x 20 feet long	
3	10	Stainless Steel Flat Bar, 3/16 inch (4-5 millimeters approximately) thick x 2 inches wide x 20 feet long	
4	10	Stainless Steel Angle Bar, 3/16 inch (4-5 millimeters approximately) thick x 1 inch wide x 20 feet long	
5	20	Stainless Steel Angle Bar, 3/16 inch (4-5 millimeters approximately) thick x 1-1/2 inches wide x 20 feet long	
6	10	Stainless Steel Angle Bar, 3/16 inch (4-5 millimeters approximately) thick x 2 inches wide x 20 feet long	
7	5	Stainless Steel Round Bar, 1/4 inch diameter x 20 feet long, bright mirror finish	
8	5	Stainless Steel Round Bar, 5/16 inch diameter x 20 feet long, bright mirror finish	

		0(****************************	
9	5	Stainless Steel Round Bar, 3/8 inch diameter x 20 feet long, bright mirror finish	
10	5	Stainless Steel Round Bar, 1/2 inch diameter x 20 feet long, bright mirror finish	
11	20	Mild Steel Flat Bar, 3/16 inch (4-5 millimeters approximately) thick x 1 inch wide x 20 feet long	
12	10	Mild Steel Flat Bar, 3/16 inch (4-5 millimeters approximately) thick x 1-1/2 inches wide x 20 feet long	
13	10	Mild Steel Flat Bar, 3/16 inch (4-5 millimeters approximately) thick x 2 inches wide x 20 feet long	
14	25	Mild Steel Angle Bar, 3/16 inch (4-5 millimeters approximately) thick x 1 inch wide x 20 feet long	
15	15	Mild Steel Angle Bar, 3/16 inch (4-5 millimeters approximately) thick x 1-1/2 inches x 20 feet long	
16	15	Mild Steel Angle Bar, 3/16 inch (4-5 millimeters approximately) thick x 2 inches wide x 20 feet long	
17	5	Mild Steel Round Bar, 1/4 inch diameter x 20 feet long	
18	5	Mild Steel Round Bar, 5/16 inch diameter x 20 feet long	
19	5	Mild Steel Round Bar, 3/8 inch diameter x 20 feet long	
20	5	Mild Steel Round Bar, 1/2 inch diameter x 20 feet long	
21	100	Hacksaw Blade, 18 TPL, 12 inches/300 millimeters bi-metal, shatter proof	
22	300	Ball Caster, 2 inches diameter wheel, screw-type, 1/2 inch stem diameter, hard nylon wheel, 4 pieces per set, fine thread	
23	200	Caster Wheel, 2 inches diameter hard nylon wheel, plate-type, zinc coated, 2-fix, 2-swivel, 20-30 kilos capacity	

24	25	Caster Wheel, 3 inches diameter hard nylon wheel, plate-type, zinc coated, 2-fix, 2-swivel, 40-50 kilos capacity	
25	400	Caster Wheel, 4 inches diameter, solid hard rubber wheel, plate type, zinc coated, fix only, 60-70 kilos capacity	
26	400	Caster Wheel, 4 inches diameter solid hard rubber wheel, plate-type, zinc coated, swivel with brake, 60-70 kilos capacity	
27	50	Solid Black Rubber Wheel, 4 inches diameter, chrome plated hub with bushing, shafting & bolt and nut (wheel only)	
28	100	Caster Wheel, 4 inches diameter solid hard rubber wheel, square cup type, zinc coated, with side brake, 60-70 kilos capacity	
29	50	Caster Wheel, 5 inches diameter solid hard rubber wheel, plate-type, zinc coated, swivel with brake,90-100 kilos capacity	
30	50	Caster Wheel, 5 inches diameter solid hard rubber wheel, plate-type, zinc coated, fix, 90-100 kilos capacity	
31	50	Caster Wheel, 6 inches diameter solid hard rubber wheel, plate-type, zinc coated, fix,125-135 kilos capacity	
32	50	Caster Wheel, 6 inches diameter solid hard rubber wheel, plate-type, zinc coated, swivel with brake,125-135 kilos capacity	
33	200	Caster Wheel, 8 inches diameter solid hard rubber wheel, plate-type, zinc coated, fix only, 190-200 kilos capacity	
34	200	Caster Wheel, 8 inches diameter solid hard rubber wheel, plate-type, zinc coated, swivel with brake, 190-200 kilos capacity	
35	100	Solid Black Rubber Wheel, 8 inches diameter, chrome plated hub with bushing, shaft and bolt and nut (wheel only)	
36	150	Caster Wheel, 5 inches diameter, swivel with brake, wheel made of polypropylene rubber with thread guard (for Hill-Rom Bed) sample c/o Department of Pay Patient Services, PGH	

37	150	Caster Wheel, 5 inches diameter, swivel with directional brake, wheel made of polypropylene rubber with thread guard (for Hill-Rom Bed) sample c/o Department of Pay Patient Services, PGH	
38	100	Stainless Steel Welding Electrode, 5/64 inch (2.0 millimeters), AWS, specification: A5.4 E308-16, JIS: Z3231 D308-15, DIN: 8556 E19 9 R22. Manufactured under ISO 9001:2008 Certified QMS	
39	50	Stainless Steel Welding Electrode, 3/32 inch (2.5 millimeters), AWS, specification: A5.4 E308-16, JIS: Z3231 D308-15, DIN: 8556 E19 9 R22. Manufactured under ISO 9001:2008 Certified QMS	
40	100	Mild Steel Welding Electrode, 5/64 inch (2.0 millimeters), general purpose, rutile coated, AWS A5.1 E6013, JIS: D4313, DIN: E4342(C) ³	
41	50	Mild Steel Welding Electrode, 3/32 inch (2.5 millimeters), general purpose, rutile coated, AWS A5.1 E6013, JIS: D4313, DIN: E4342R(C) ³	
42	10	Blind Rivet, 5/32 inch diameter x 1/2 inch long (1000 pieces per box)	
43	120	Depressed Center Grinding Wheel (for metal), 100 millimeters x 16 millimeters x 3 millimeters, individually packed	
44	150	Reinforced Cut-off Wheel, 100 millimeters x 16 millimeters x 1 millimeter, aluminum oxide material, for ferrous materials/stainless, individually packed	
45	5	Grinding Stone, coarse, 6 inches diameter x 5/8 inch arbor hole x 1 inch wide	
46	5	Grinding Stone, fine, 6 inches diameter x 5/8 inch arbor hole x 1 inch wide	
47	10	Steel Brush, 6 inches, heavy duty, wood handle, thick steel strand	
48	70	Penetrating Oil, 382 milliliters, aerosol type, CFC free, silicon free, propellant: CO2	

49	20	Metal Drill Bit, 5/16 inch (8 millimeters) Cobalt, individually packed/sealed	
50	10	Metal Drill Bit, 3/8 inch (9.52 millimeters) Cobalt, individually packed/sealed	
51	10	Metal Drill Bit, 1/2 inch (12.7 millimeters) Cobalt, individually packed/sealed	
52	5	Piano Hinges, 1 inch wide x 6 feet long	
53	5	Piano Hinges, 3/4 inch wide x 6 feet long	
54	50	Ball Bearing, Size 6202 double seal	
55	50	Ball Bearing, Size 6203 double seal	

Terms and Conditions:

- 1. Delivery of the goods is required as stated in the request of end-user, commencing on the 3rd working day of notification through confirmed fax/email that the approved Call-Off / Notice to Supplier (NTS) is already available for pick-up.
- 2. Delivery schedule (whichever is applicable)
 - a) Within seven (7) calendar days
 - b) As may be called for
 - c) Staggered delivery within three (3) months

50% of the total within (7) calendar days and 25% each for the succeeding months.

Note: The end-user has the right to adjust the quantity to be delivered depending on the actual need of the hospital.

- 3. It is understood that the winning bidder is legally responsible to deliver all issued Call-Off/s (Purchase Order) and failure to deliver the first Call-OFF as scheduled shall mean cancellation of the Call-Off and Notice to Execute Framework Agreement (NEFA) in compliance to the provisions of RA9184. Penalty to the defaulting contractor shall be charged accordingly. Purchase from other source for whatever means shall be effected immediately to provide the requirements of the hospital. Penalty to the defaulting contractor shall be charged accordingly.
- 4. For all items that had been returned for various reasons, a credit memo shall be issued by the Contractor within one (1) month otherwise a debit memo shall be

processed by UP Manila- PGH and the amount will be deducted from any amount due to Contractor.

All Samples should be properly labelled (indicate name of bidder, item number and brand) and submitted to the BAC1-Secretariat one (1) week before opening of bids. Late submission of sample would disqualify the bid.

Note: Samples with a bulk/big items must submit a brochure or pictures with complete specification presented for evaluation of the end-user.

Bidders are required to submit highest quality sample or as per PGH existing sample to be viewed at BAC office. If the Suppliers agrees with the presented PGH sample they must indicate in their bid "Comply with PGH sample".

PAINTING (as Supplier sample item #19-25, 29, 38, 38-41, 44, 63-66).

as per PGH sample item #43, 45-47, 49-55, 60, 62 & 67.

MECHANICAL (as PGH sample item #23-37).

6. Compliance with R.A. 9184 and other applicable laws.

I hereby certify to comply and deliver all the above requirements
Name of Company
Signature over Printed Name of Authorized Representative
 Date

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

<u>Leg</u>	gal D	Occuments 11 Documents
	(a)	Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR; Or
	(b)	Registration certificate from Securities and Exchange Commission (SEC). Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document, and
	(c)	Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas; and
	(d)	Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR)
	(e)	Notarized UP Questionnaire
<u>Te</u>	<u>chnic</u>	ral Documents
	(f)	Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; and
	(g)	Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; and
	(h)	Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission <u>or</u> Original copy of Notarized Bid Securing Declaration; <u>and</u>
	(i)	Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; and
	(j)	Original duly signed Omnibus Sworn Statement (OSS) and if applicable Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

	(1)	The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; The prospective bidder's computation of Net Financial Contracting Capacity (NFCC);
		<u>or</u>
		A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.
		Class "B" Documents
	(m)	If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence; or
		<u>d</u> uly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.
II FIN	JAN	CIAL COMPONENT ENVELOPE
II. FII		
	(a) (b) (c)	Original of duly signed and accomplished Price Schedule (s); and
Other d	locun	nentary requirements under RA No. 9184 (as applicable)
		(a) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
	(t	O) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

Bid Form

	 	 	_
Date:			

Project Reference No.: BAC1-2023-12-0124D

THE BIDS AND AWARDS COMMITTEE 1

UPM – Philippine General Hospital Taft Avenue, Manila

Gentlemen and/or Ladies:

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to Supply and Delivery of Various Construction Supplies (Painting & Mechanical Plant) for CY2024 (Framework Agreement) in conformity with the said PBDs for the sum of [total Bid amount in words and figures] or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein or in the Price Schedules,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of [name of the bidder] as evidenced by the attached [state the written authority].

We acknowledge that **failure to sign each and every page of this Bid Form**, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name:
Legal capacity:
Signature:
Duly authorized to sign the Bid for and behalf of:
Date:

Price Schedule for Goods Offered from Abroad

[shall be submitted with the Bid if bidder is offering goods from Abroad]

For Goods Offered from Abroad

Name	of Bidder:				Project Reference No. BAC1-2023-12-0124D					
1	2	3	4	5	6	7	8	9	10	
Item	Description	Country of origin	Brand Name	Quantity	Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 5 x 6)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col 5 x 9)	
Legal	Capacity: _									
_	ure: uthorized t				ılf of:				_	

Price Schedule for Goods Offered from Within the Philippines [shall be submitted with the Bid if bidder is offering goods from within the Philippines]

For Goods Offered from Within the Philippines

Name	e of Bidder					Project Re	f No.: <u>BA</u>	C1-2023-1 Page	_of	<u> </u>
1	2	3	4	5	6	7	8	9	10	11
Item	Description	Country of origin	Brand Name	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 6+7+8+9)	Total Price delivered Final Destination (col 10) x (col 5)
Name:										

Contract Agreement

	THIS AGREEMENT made the	_ day of	20	between [name of
PROC	CURING ENTITY] of the Philippines (h	ereinafter called "the	e Entity")	of the one part and
[name	of Supplier] of [city and country of Su	ipplier] (hereinafter	called "th	e Supplier") of the
other	part;			

WHEREAS, the Entity invited Bids for certain goods and ancillary services, particularly [brief description of goods and services] and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of [contract price in words and figures in specified currency] (hereinafter called "the Contract Price").

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
- 2. The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as integral part of this Agreement, *viz.*:
 - i. Philippine Bidding Documents (PBDs);
 - i. Schedule of Requirements;
 - ii. Technical Specifications;
 - iii. General and Special Conditions of Contract; and
 - iv. Supplemental or Bid Bulletins, if any
 - ii. Winning bidder's bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;

Bid form, including all the documents/statements contained in the Bidder's bidding envelopes, as annexes, and all other documents submitted (*e.g.*, Bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;

- iii. Performance Security;
- iv. Notice of Award of Contract; and the Bidder's conforme thereto; and
- v. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBDs. Winning bidder agrees that additional contract documents or information prescribed by the GPPB that are subsequently required for submission after the contract execution, such as the Notice to Proceed, Variation Orders, and Warranty Security, shall likewise form part of the Contract.
- 3. In consideration for the sum of [total contract price in words and figures] or such other sums as may be ascertained, [Named of the bidder] agrees to [state the object of the contract] in accordance with his/her/its Bid.

4. The [Name of the procuring entity] agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.

[Insert Name and Signature] [Insert Name and Signature]

[Insert Signatory's Legal Capacity] [Insert Signatory's Legal Capacity]

for: for:

[Insert Name and Signature]

[Insert Signatory's Legal Capacity]

for:

[Insert Name of Supplier]

Acknowledgment

[Format shall be based on the latest Rules on Notarial Practice]

FRAMEWORK AGREEMENT

KNOW ALL MEN BY THESE PRESENTS:

This Agreement entered into by and between:

The UNIVERSITY OF THE PHILIPPINES, the national university of the Philippines, a public and secular institution of higher learning, created by virtue of Act No. 1870, as amended and reorganized and operating by virtue of Republic Act No. 9500, through its constituent university, University of the Philippines Manila through the PHILIPPINE GENERAL HOSPITAL (PGH), with address at the Office of the Director, Ground Floor, Philippine General Hospital Complex, Taft Avenue, Manila, represented in this Agreement by the PGH Director, DR. GERARDO D. LEGASPI, hereinafter referred to as the "PROCURING ENTITY";

	- and -				
proprietorship/domestic cor under and by virtue of the address	• •				_
	by its				Mr/Ms.
7	WITNESSETH T	НАТ:			
WHEREAS, the PROCURII procurement project:					
reference no.		with	Contract	Price	amounting to
(Php) wi	th NEFA No				, herein attached
WHEREAS, this Agreemen necessary and desirable to address a its nature, use or characteristic, the q determined;	nd satisfy the nee	eds of	the PROCI	JRING	ENTITY but by

WHEREAS, the PROCURING ENTITY has the option to purchase the items provided in the Framework Agreement List, attached and made an integral part of this Agreement as provided in Article I, on a date and time to be determined in the Call-Off to be issued for such purpose by the PROCURING ENTITY; and

WHEREAS, the SUPPLIER which passed the eligibility screening conducted by the PROCURING ENTITY, shall maintain and update the eligibility requirements during period of this Agreement and shall honor all obligations under this Framework Agreement.

NOW, THEREFORE, the parties hereby agree as follows:

Article I GENERAL CONSIDERATIONS

- 1. This Framework Agreement is an option contract. The PROCURING ENTITY is given the option to either purchase the identified items in the Framework Agreement or not to purchase at all. The discretion to exercise the option falls solely with the PROCURING ENTITY. The SUPPLIER may not require or demand for the latter to purchase the items in the Framework Agreement List.
- 2. In this Framework Agreement, words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract which is attached thereto and made and integral part thereof.
- 3. The following documents shall be deemed to form and be read and construed as part of this Agreement:
 - a. the Supplier's Bid, including the Technical and Financial Proposals, and all other documents/ statements submitted (*e.g.*, bidder's response to clarifications on the bid), including corrections to the bid resulting from the Procuring Entity's bid evaluation:
 - b. the Framework Agreement List and the Technical Specifications;
 - c. the General Conditions of Contract;
 - d. the Special Conditions of Contract;
 - e. the Performance Security or Performance Securing Declaration;
 - f. the Procuring Entity's Notice to Execute Framework Agreement;
 - g. Mini-Competition, when necessary; and
 - h. Call-Offs.

Article II DURATION

The	term	of	this	Agreement	shall	be	from
							to
				, unless	sooner revok	ed by bot	h parties.

Article III CONSIDERATION

For the consideration of **One Peso (Php 1.00)**, the PROCURING ENTITY has the option to purchase any or all of the items in the Framework Agreement List through the issuance of Call-off and the SUPPLIER commits to deliver the goods and perform the services, subject to the conditions of the Call-off.

Article IV PERFECTION OF PROCUREMENT CONTRACT

The Framework Agreement being an option contract, a procurement contract is perfected only when the PROCURING ENTITY exercises the option to procure any item from the Framework Agreement List through the issuance of a Call-off.

Article V OBLIGATION TO ANSWER A CALL-OFF

Once the PROCURING ENTITY issues a Call-off, the SUPPLIER is bound to deliver the goods or perform the services identified at the time and date specified in the Call-off.

Failure on the part of the SUPPLIER to deliver goods or perform the services shall warrant forfeiture of performance security or performance securing declaration and imposition of liquidated damages as provided for in the Guidelines on use of Framework Agreement by all Procuring Entities without prejudice to all other applicable sanctions.

Article VI TERMS AND CONDITIONS

The terms and conditions of this Framework Agreement shall be governed by Guidelines on the Use of Framework Agreement by all Procuring Entity and all relevant issuance of the GPPB.

IN WITNESS WHEREOF, the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines, on the day and year first above written

Manila – Philippine General Hospital Procuring Entity	Supplier
By:	By:
GERARDO D. LEGASPI, M.D Director	(Position/Designation of the Authorized Signatory)
Signed	in the presence of:
MARIA MARGARITA LAT - LUNA Deputy Director for Fiscal Services	(Witness)

Republic of the Philippines)) s.s.		
AC	CKNOWLEDGMENT	
SUBSCRIBED AND SWORD affiants exhibiting to me their respects		s indicated below:
Name	Government Issued ID No. (Passport, Driver's License, GSIS ID Card, COMELEC Voter's ID or PRC License)	Date / Place Issued
DR. GERARDO D. LEGASPI		
known to me and to me known to be and acknowledged to me that the same they respectively represent.	the same persons who executed the fore is free and voluntary act and deed, and	
WITNESS MY HAND AND I	NOTARIAL SEAL on the date and pla	ice first mentioned.
	NOTARY PUE	BLIC
Doc. No.:; Page No.:; Book No.:;		

Series of 2023.

Omnibus Sworn Statement

REPUBLIC OF THE PHILIPPINES)
CITY/MUNICIPALITY OF) S.S.

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. [Select one, delete the other:]

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6. [Select one, delete the rest:]

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [Name of Bidder] is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract:
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

	WHEREOF, Philippines.	I have	hereunto	set	my	hand	this	day	of _	,	20	at

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert signatory's legal capacity]
Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

Bank Guarantee Form for Advance Payment

TO:	UP- PHILIPF Taft Avenue,	PINE GENERAL HOSPITAL Manila
Name	of Contract:	
		under Project Reference No. <u>BAC1-2023-12-0124D</u>
Gentl	emen and/or I	adies:
which Contr called guara	n amends Clau act to provide I the "Supplier ntee its prope	the payment provision included in the Special Conditions of Contract, se Error! Reference source not found. of the General Conditions of for advance payment, [name and address of Supplier] (hereinafter") shall deposit with the PROCURING ENTITY a bank guarantee to and faithful performance under the said Clause of the Contract in an of guarantee in figures and words].
and ir to the our pa	revocably to g PROCURING I art and withou	ancial institution], as instructed by the Supplier, agree unconditionally uarantee as primary obligator and not as surety merely, the payment ENTITY on its first demand without whatsoever right of objection on it its first claim to the Supplier, in the amount not exceeding [amount res and words].
Contr made any li	act to be perfo between the P	at no change or addition to or other modification of the terms of the ormed thereunder or of any of the Contract documents which may be ROCURING ENTITY and the Supplier, shall in any way release us from this guarantee, and we hereby waive notice of any such change, ation.
		remain valid and in full effect from the date of the advance payment plier under the Contract until [date].
Yours	truly,	
		Signature and seal of the Guarantors
	[name of ban	k or financial institution]
	[address]	
	[date]	

Bid Securing Declaration Form

	EPUBLIC OF THE PHILIPPINES) TY OF
	X
	BID SECURING DECLARATION Project Reference No.: <u>BAC1-2023-12-0124D</u>
То	v: UPM-PHILIPPINE GENERAL HOSPITAL Taft Avenue, Manila
I/V	Ve, the undersigned, declare that:
1.	I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
2.	I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f),of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
3.	I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
	 a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request; b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.
	WITNESS WHEREOF, I/We have hereunto set my/our hand/s this day of [month] ear] at [place of execution].
	[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

74

[Jurat]
[Format shall be based on the latest Rules on Notarial Practice]

Performance Securing Declaration (Revised)

[if used as an alternative performance security but it is not required to be submitted with the Bid, as it shall be submitted within ten (10) days after receiving the Notice of Award/Notice to Execute Framework

Agreement]

PERFORMANCE SECURING DECLARATION Project Reference No.: <u>BAC1-2023-12-0124D</u>

To: UPM-PHILIPPINE GENERAL HOSPITAL

Taft Avenue, Manila

I/We, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, to guarantee the faithful performance by the supplier/distributor/manufacturer/contractor/consultant of its obligations under the Contract, I/we shall submit a Performance Securing Declaration within a maximum period of ten (10) calendar days from the receipt of the Notice of Award prior to the signing of the Contract.
- 2. I/We accept that: I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of one (1) year for the first offense, or two (2) years **for the second offense**, upon receipt of your Blacklisting Order if I/We have violated my/our obligations under the Contract;
- 3. I/We understand that this Performance Securing Declaration shall cease to be valid upon:
 - a. issuance by the Procuring Entity of the Certificate of Final Acceptance, subject to the following conditions:
 - i. Procuring Entity has no claims filed against the contract awardee;
 - ii. It has no claims for labor and materials filed against the contractor; and
 - iii. Other terms of the contract; or
 - b. replacement by the winning bidder of the submitted PSD with a performance security in any of the prescribed forms under Section 39.2 of the 2016 revised IRR of RA No. 9184 as required by the end-user.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this _____ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity]
Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

NET FINANCIAL CONTRACTING CAPACITY (NFCC)

Project Reference No.: <u>BAC1-2023-12-0124D</u> ABC: **Php4,910,473.75**

A. Summary of the Applicant Supplier's/Distributor's/Manufacturer's assets and liabilities on the basis of the <u>Audited Financial Statements</u>, submitted to the Bureau of Internal Revenue (BIR).

		Year 2022
1.	Total Assets	
2.	Current Assets	
3.	Total Liabilities	
4.	Current Liabilities	
5.	Net Worth (1-3)	
6.	Net Working Capital (2-4)	

B. The Net Financial Contracting Capacity (NFCC) using the following formula, must be equal to the ABC to be bid:

NFCC = [(current assets – current liabilities) (15)] minus value of all outstanding or uncompleted portions of the projects under ongoing contracts, including awarded contracts yet to be started coinciding with the contract to be bid.

NFCC Computation

DETAILS	Amount
Current Assets	
	Minus
Current Liabilities	
Difference of Current Assets and Current Liabilities	
	Multiplied by
K	15
Total (Product)	
	Minus
Total amount of the Value of Outstanding Contracts	
Total NFCC Computation	

(Signatory's Legal Capacity)

Authorized Representative)		
Duly authorized to sign Bid for an	d on behalf of	
Standard Form Number: SF-GOOD-17 Revised on: May 24, 2004		
University of the Philippines/ Philippine General Hospital	Project Reference No. Name of Project:	BAC1-2023-12-0124D SUPPLY AND DELIVERY OF VARIOUS CONSTRUCTION SUPPLIES (PAINTING & MECHANICAL PLANT) FOR CY 2024 (FRAMEWORK AGREEMENT) Location of Project: Property and Supply Division (PSD), UP-Philippine General Hospital
Join	t Venture Agreement	
KNOWN ALL BY THESE PRESENTS:		
That this JOINT VENTURE A	GREEMENT is entered into B	y and Between, of
legal age,, owner/p		
and a resident of		·
	-and-	of legal age,,
owner/proprietor of		(civil status)
That both parties agree to joi facilitate the Joint Venture to partici under stated project to be conduct General Hospital.	pate in the Eligibility, Bidding	
NAME OF PROJECT	CON	TRACT AMOUNT
That both parties agree to joi	ntly and severely liable for th	e entire assignment.
That both parties agree that Official Representative of the Joint Ve and perform any and all acts necessfully and effectively and the Joint Ve substitution and revocation.	ary and /or to represent the J	oint Venture in the bidding as
That this Venture Agreemen until terminated by both parties.	t shall remain in effect only	for the above stated Projects
Done this day of	, in the year of the Lord	I

(Name of Company)

(Address of the Company)

(Telephone & Fax of the Company)

(Website Address of the Company)

(e-Mail Address of the Company)

Letter of Acceptance

This is to certify that _	has satisfactorily delivered		
	(Name of Bidder)		
	(Item Description)		
under P.O. No/s	with Sales Invoice No	and accepted on	
·	Said company has no more pending obligation v	with us regarding their	
delivery/ies.			
(Signature over Printed Name)			
(Position)			
(Company Name)			

University of the Philippines Diliman, Quezon City

Questionnaire for Prospective Bidders (additional requirement for eligibility)

1. Have you ever participated in any bidding in the								
 Have you ever participated in any bidding in the University of the Philippines System? 					NO			
If YES, fill up	If YES, fill up the table below. Use additional pages if necessary.							
Constituent	Name of the	A	Duratio			Status		
University/UP Campus	Name of the Project	Amount of Project	Start/Er (Dates			n-going/ mpleted)		
						, ,		
Has your company ever been suspended or blacklisted by the								
	iversity of the Philippines System?			YES	NO			

If VFS	fill un	the table	halow	Hea additional	nages if necessary.
H I EO.	. iiii ub	the table	Delow.	USE additional	i dages ii necessary.

Constituent			Status
University/UP	Name of the Project	Reason for suspension/	(On-going/
Campus		blacklisting	Completed)

governmen	mpany ever been suspende t agency or private company o the table below. Use addit	y? YES	S NO
Name of government agency/ company	Name of the Project	Reason for suspension/ blacklisting	Status (On-going/ Completed)
University of Administration		erminated by YES	S NO NA
If YES, fill up Constituent Jniversity/UP Campus	Name of the Project	cional pages if necessary. Reason for suspension/ blacklisting	Status (On-going/ Completed)

Company or in relation to	pending investigatio your personnel in an any government co n relation to practice	ny court or any simi ntracts awarded to	lar institutions YES	S NO
-	the table below. Us	e additional pages if	f necessary.	
For Compan	у			
Case Filed	Where Filed	Date Filed	Status (On-going/ Completed)	Remarks
For Personn	el			
Case Filed	Where Filed	Date Filed	Status (On-going/ Completed)	Remarks
I hereby cer and correct.	tify that all statemer	nts and information	provided herein are	e complete, true
	rature of Bidder : Representative : gnation :			

ACKNOWLEDGEMENT

		me this day of	
arriant exhibited to me his	/ner Commun	ity Tax Certificate No	
issued on	at	, Philippines.	
		Notary Public	
		Until 31 December 20	
		PTR No.:	
		Issued at:	
		Issued on:	
		TIN:	

Standard Form Number: SF-GOOD-13a

University of the Philippines /Philippine General Hospital

Project Reference No. BAC1-2023-12-0124D

Name of Project: SUPPLY AND DELIVERY OF VARIOUS CONSTRUCTION SUPPLIES

(PAINTING & MECHANICAL PLANT) FOR CY 2024 (FRAMEWORK

AGREEMENT)

Location of Project: Property and Supply Division (PSD),

UP-Philippine General Hospital

Statement of All On-Going Government and Private Contracts

Including Contracts Awarded But Not Yet Started

BusinessAddress Name of Contract/ Project Cost	a. Owner's Name b. Address c. Telephone Nos.	Nature of Work	Bidder's Role		a. Date Awarded b. Date Started c. Date of	% accompl		Value of Outstanding Works/Undelivered Portion
			Description	%	Completion	Planned	Actual	
Government								
Private								
Note: This statement 1. Notice of A 2. Notice to P	shall be supported with: ward and/or Contract roceed					Total Cost		
	(Printed Name & Signatu							

Standard Form Number: SF-G00D-13a University of the Philippines/Philippine General Hospital

Designation Date

Project Reference No. BAC1-2023-12-0124D

SUPPLY AND DELIVERY OF VARIOUS CONSTRUCTION SUPPLIES Name of Project:

(PAINTING & MECHANICAL PLANT) FOR CY 2024 (FRAMEWORK

AGREEMENT)

Location of Project: Property and Supply Division (PSD).
UP-Philippine General Hospital

Statement of the Single Largest Completed Contract

N	a. Owner's Name b. Address	Nature of	Bidder's Ro	le	a. Amount at Award b. Amount at Completion	a. Date Awarded		
Name of Contract	c. Telephone Nos.	Work	Description	%	c. Duration	b. Contract Effectivity c. Date Completed		
Government								
Private								
his statement shall be supported with: Contract Certificate of Completion Certification of Acceptance					l	<u>I</u>		

PRICE SCHEDULE

Project Reference Nos.: BAC1-2023-12-0124D Supply and Delivery of Various Construction Supplies (Painting & Mechanical Plant) for CY2024 (FRAMEWORK AGREEMENT) under Public Bidding

Opening of Bid: **26 January 2024, Friday, 9:30 AM** BAC Conference Room, UP-PGH, Taft Avenue, Manila

	AGENCY's REQUI	REMEN	TS			BID PR	ROPOSA	L		Remarks
Item No.	Item Description	Qty	UOM	Unit Cost (PhP)	Total Cost (PhP)	Bidder's Specifications	Brand	Unit Cost (PhP)	Total Cost (PhP)	
	C/O PAI	INTING								
1	Latex Paint, Flat, WHITE, 100% acrylic based, gallon for interior and exterior surface	350	gallon	682.50	238,875.00					
2	Latex Paint, Gloss, WHITE, 100% acrylic based, gallon for interior and exterior surface	300	gallon	735.00	220,500.00					
3	Quick Drying Enamel Paint, WHITE, alkyd type paint, great durability, fast drying, tough, durable, beautiful and high build film on wood and metal. High Gloss level and long-lasting finish appearance, gallon	200	gallon	735.00	147,000.00					
4	Quick Drying Enamel Paint, BLACK, alkyd type paint, great durability, fast drying, tough, durable, beautiful and high build film on wood and metal. High Gloss level and long-lasting finish appearance, Liter/ Quart	60	quart	231.00	13,860.00					
5	Quick Drying Enamel Paint, CHOCOLATE BROWN, alkyd type paint, great durability, fast drying, tough, durable, beautiful and high build film on wood and metal. High Gloss level and long-lasting finish appearance, Liter/Quart	80	quart	231.00	18,480.00					
6	Silver Finish Aluminum Paint, ready mixed general use interior/exterior Quart	30	quart	315.00	9,450.00					
7	Red Oxide Primer, alkyd base rust inhibiting for ferrous metals, Quart	100	quart	178.50	17,850.00					
8	Latex Color, HANSA YELLOW, concentrated acrylic based acri-color paint	200	quart	128.00	25,600.00					
9	Flat Wall Enamel Paint, premium quality, alkyd type	90	gallon	735.00	66,150.00					

	T	=-	4.4	460.00	0.400.00	 Т	1	T
10	Latex Color, LAMP BLACK, concentrated acrylic based tinting paint, 1/4 Liter	50	1/4 liter	168.00	8,400.00			
11	Oil Tinting Color, DARK CHROME GREEN, concentrated alkyd tinting paint, 1/4 liter per can	40	can	125.00	5,000.00			
12	Sandpaper, waterproof, #120, piece	200	piece	26.25	5,250.00			
13	Sandpaper, waterproof, #150, piece	150	piece	26.25	3,937.50			
14	Sandpaper, waterproof, #180, piece	150	piece	26.25	3,937.50			
15	Sandpaper, waterproof, #280, piece	100	piece	36.75	3,675.00			
16	Sandpaper, waterproof, #320, piece	100	piece	36.75	3,675.00			
17	Baby Roller Brush with Handle, Cotton, 4 inches	150	piece	84.00	12,600.00			
18	Clear Gloss Lacquer, gallon	15	gallon	840.00	12,600.00			
19	Camel Hair Brush, 3 inches wide, piece	10	piece	840.00	8,400.00			
20	Camel Hair Brush, 2 inches wide, piece	5	piece	682.50	3,412.50			
21	Paint Brush, size 2-1/2 inches wide, piece	60	piece	89.25	5,355.00			
22	Paint Brush, size 1-1/2 inches wide, piece	40	piece	78.75	3,150.00			
23	Paint Brush, size 1 inch wide, piece	35	piece	68.25	2,388.75			
24	Paint Brush, size 2 inches wide, piece	40	piece	68.25	2,730.00			
25	Paint Brush, size 3 inches wide, piece	50	piece	89.25	4,462.50			
26	Patching Compound, 20 kilograms per bag	4	bag	630.00	2,520.00			
27	Latex Color, TOULEDINE RED, concentrated acrylic based tinting paint, acri-color, 1/4 Liter	50	1/4 liter	168.00	8,400.00			
28	Latex Color, THALO GREEN, concentrated acrylic based tinting paint, acri-color, 1/4 Liter	50	1/4 liter	168.00	8,400.00			
29	Roller Brush with Handle, 7 inches	100	piece	63.00	6,300.00			
30	Quick Drying Enamel Paint, MAPLE, alkyd type paint, great durability, fast drying, tough, durable, beautiful and high build film on wood and metal. High gloss level and long-lasting finish appearance, Quart	85	quart	231.00	19,635.00			
31	Quick Drying Enamel Paint, DARK GREEN, alkyd type paint, great durability, fast drying, tough, durable, beautiful and high build film on wood and metal. High gloss level and long-lasting finish appearance, Quart	95	quart	231.00	21,945.00			
32	Quick Drying Enamel Paint, ROYAL BLUE, alkyd type paint, great durability, fast drying, tough, durable, beautiful and high build film on wood and metal. High gloss level and long-lasting finish appearance, Quart	80	quart	231.00	18,480.00			
33	Quick Drying Enamel Paint, LEMON YELLOW, alkyd type paint, great durability, fast drying, tough, durable, beautiful and high build film on wood and metal. High gloss level and long-lasting finish appearance, Quart	70	quart	231.00	16,170.00			
34	Sanding Sealer, Lacquer, Quart	60	quart	178.50	10,710.00			

35	Polyester body filler with Hardener, Quart	60	quart	273.00	16,380.00		
36	Paint Thinner, gallon	90	gallon	294.00	26,460.00		
37	Lacquer Thinner, gallon	65	gallon	294.00	19,110.00		
38	Palette (for painting use), putty knife, piece	20	piece	20.00	400.00		
39	Spatula, construction, metal blade with wooden handle, 1-1/2"	20	piece	40.00	800.00		
40	Spray Gun, F75 pneumatic, 1.5 millimeters nozzle, 400 milliliters	2	unit	1,500.00	3,000.00		
41	Cup Brush for Angle Grinder, 3 inches diameter rotary, knotted flat cup, heavy duty	10	unit	461.00	4,610.00		
42	Oil Wood Stain, MAPLE, Quart	10	quart	180.00	1,800.00		
43	Acrylic Sealant, PAINTABLE WHITE, 300 milliliters per tube	50	tube	180.00	9,000.00		
44	Caution Barricade Tape, 3 inches x 300 meters per roll, BLACK YELLOW	5	roll	320.00	1,600.00		
45	Reflectorized Traffic Paint, YELLOW, gallon	5	gallon	2,500.00	12,500.00		
46	Reflectorized Traffic Paint, WHITE, gallon	5	gallon	2,500.00	12,500.00		
47	Reflectorized Traffic Paint, RED, gallon	5	gallon	2,500.00	12,500.00		
48	Epoxy Primer, A & B, for concrete, gallon	15	gallon	2,400.00	36,000.00		
49	Rubberized Floor Coating, oil/acid resistance, GREEN,PS, gallon	10	gallon	3,400.00	34,000.00		
50	Rubberized Floor Coating, oil/acid resistance, WHITE,PS, gallon	10	gallon	3,400.00	34,000.00		
51	Rubberized Floor Coating, oil/acid resistance, GRAY,PS, gallon	10	gallon	3,400.00	34,000.00		
52	Rubberized Floor Coating, oil/acid resistance, VIGAN RED,PS, gallon	10	gallon	3,400.00	34,000.00		
53	Rubberized Floor Coating, oil/acid resistance, MOCHA,PS, gallon	10	gallon	3,400.00	34,000.00		
54	Rubberized Floor Coating, reducer	15	gallon	400.00	6,000.00		
55	Semi-Gloss Latex Paint, Low odor, low voc, 100% acrylic, water based, interior coating, antibacterial, WHITE, gallon	20	gallon	750.00	15,000.00		
56	Flat Latex, 100% Acrylic, Interior/Exterior, WHITE, gallon	20	gallon	750.00	15,000.00		
57	Oil Wood Stain, WALNUT, Quart	10	quart	180.00	1,800.00		
58	Oil Wood Stain, MAHOGANY, Quart	10	quart	180.00	1,800.00		
59	Laquer Flo, gallon	5	gallon	850.00	4,250.00		
60	Roller Handle, expandable, aluminum, heavy duty, maximum length aproximately 10 inches PS	4	piece	800.00	3,200.00		
61	Gloss Latex Paint, 100% Acrylic Interior/Exterior WHITE, gallon	120	Gallon	750.00	90,000.00		
62	Wall Putty, strong, Quick Drying, easy to sand, deal for wood, concreate plaster interior/exterior	20	Gallon	850.00	17,000.00		
63	Concrete Neutralizer, Liter	10	Liter	110.00	1,100.00		
64	Paint Remover, Gel type aerosol 400 cc	20	pcs	300.00	6,000.00		


65	Paint Remover , Gel, gallon	5	Gallon	1,300.00	6,500.00		
66	Baby Roller Brush with Handle, 4 inches foam	50	pcs	79.00	3,950.00		
67	Baby roller 4" refill cotton	40	pcs	45.00	1,800.00		
	C/O MECHANICAL	PLANT	SECTIO	N			
1	Stainless Steel Flat Bar, 3/16 inch (4-5 millimeters approximately) thick x 1 inch wide x 20 feet long	20	piece	1,560.00	31,200.00		
2	Stainless Steel Flat Bar, $3/16$ inch (4-5 millimeters approximately) thick x $1-1/2$ inches wide x 20 feet long	10	piece	2,340.00	23,400.00		
3	Stainless Steel Flat Bar, 3/16 inch (4-5 millimeters approximately) thick x 2 inches wide x 20 feet long	10	piece	3,120.00	31,200.00		
4	Stainless Steel Angle Bar, 3/16 inch (4-5 millimeters approximately) thick x 1 inch wide x 20 feet long	10	piece	3,120.00	31,200.00		
5	Stainless Steel Angle Bar, 3/16 inch (4-5 millimeters approximately) thick x 1-1/2 inches wide x 20 feet long	20	piece	4,680.00	93,600.00		
6	Stainless Steel Angle Bar, 3/16 inch (4-5 millimeters approximately) thick x 2 inches wide x 20 feet long	10	piece	6,240.00	62,400.00		
7	Stainless Steel Round Bar, 1/4 inch diameter x 20 feet long, bright mirror finish	5	piece	480.00	2,400.00		
8	Stainless Steel Round Bar, 5/16 inch diameter x 20 feet long, bright mirror finish	5	piece	580.00	2,900.00		
9	Stainless Steel Round Bar, 3/8 inch diameter x 20 feet long, bright mirror finish	5	piece	700.00	3,500.00		
10	Stainless Steel Round Bar, 1/2 inch diameter x 20 feet long, bright mirror finish	5	piece	900.00	4,500.00		
11	Mild Steel Flat Bar, 3/16 inch (4-5 millimeters approximately) thick x 1 inch wide x 20 feet long	20	piece	468.00	9,360.00		
12	Mild Steel Flat Bar, $3/16$ inch (4-5 millimeters approximately) thick x $1-1/2$ inches wide x 20 feet long	10	piece	793.00	7,930.00		
13	Mild Steel Flat Bar, 3/16 inch (4-5 millimeters approximately) thick x 2 inches wide x 20 feet long	10	piece	962.00	9,620.00		
14	Mild Steel Angle Bar, 3/16 inch (4-5 millimeters approximately) thick x 1 inch wide x 20 feet long	25	piece	800.00	20,000.00		
15	Mild Steel Angle Bar, 3/16 inch (4-5 millimeters approximately) thick x 1-1/2 inches x 20 feet long	15	piece	920.00	13,800.00		
16	Mild Steel Angle Bar, 3/16 inch (4-5 millimeters approximately) thick x 2 inches wide x 20 feet long	15	piece	1,380.00	20,700.00		
17	Mild Steel Round Bar, 1/4 inch diameter x 20 feet long	5	piece	380.00	1,900.00		

		•						
18	Mild Steel Round Bar, 5/16 inch diameter x 20 feet long	5	piece	450.00	2,250.00			
19	Mild Steel Round Bar, 3/8 inch diameter x 20 feet long	5	piece	560.00	2,800.00			
20	Mild Steel Round Bar, 1/2 inch diameter x 20 feet long	5	piece	750.00	3,750.00			
21	Hacksaw Blade, 18 TPL, 12 inches/300 millimeters bi-metal, shatter proof	100	piece	65.00	6,500.00			
22	Ball Caster, 2 inches diameter wheel, screw-type, 1/2 inch stem diameter, hard nylon wheel, 4 pieces per set, fine thread	300	set	884.00	265,200.00			
23	Caster Wheel, 2 inches diameter hard nylon wheel, plate-type, zinc coated, 2-fix, 2-swivel, 20-30 kilos capacity	200	set	806.00	161,200.00			
24	Caster Wheel, 3 inches diameter hard nylon wheel, plate-type, zinc coated, 2-fix, 2-swivel, 40-50 kilos capacity	25	set	950.00	23,750.00			
25	Caster Wheel, 4 inches diameter, solid hard rubber wheel, plate type, zinc coated, fix only, 60-70 kilos capacity	400	piece	676.00	270,400.00			
26	Caster Wheel, 4 inches diameter solid hard rubber wheel, plate-type, zinc coated, swivel with brake, 60-70 kilos capacity	400	piece	780.00	312,000.00			
27	Solid Black Rubber Wheel, 4 inches diameter, chrome plated hub with bushing, shafting & bolt and nut (wheel only)	50	piece	585.00	29,250.00			
28	Caster Wheel, 4 inches diameter solid hard rubber wheel, square cup type, zinc coated, with side brake, 60-70 kilos capacity	100	piece	850.00	85,000.00			
29	Caster Wheel, 5 inches diameter solid hard rubber wheel, plate-type, zinc coated, swivel with brake, 90-100 kilos capacity	50	piece	689.00	34,450.00			
30	Caster Wheel, 5 inches diameter solid hard rubber wheel, plate-type, zinc coated, fix, 90-100 kilos capacity	50	piece	600.00	30,000.00			
31	Caster Wheel, 6 inches diameter solid hard rubber wheel, plate-type, zinc coated, fix,125-135 kilos capacity	50	piece	650.00	32,500.00			
32	Caster Wheel, 6 inches diameter solid hard rubber wheel, plate-type, zinc coated, swivel with brake, 125-135 kilos capacity	50	piece	720.00	36,000.00			
33	Caster Wheel, 8 inches diameter solid hard rubber wheel, plate-type, zinc coated, fix only, 190-200 kilos capacity	200	piece	975.00	195,000.00			
34	Caster Wheel, 8 inches diameter solid hard rubber wheel, plate-type, zinc coated, swivel with brake, 190-200 kilos capacity	200	piece	1,365.00	273,000.00			
35	Solid Black Rubber Wheel, 8 inches diameter, chrome plated hub with bushing, shaft and bolt and nut (wheel only)	100	piece	845.00	84,500.00			

Caster Wheel, 5 inches diameter, swivel with brake, wheel made of polypropylene rubber with thread guard (for Hill-Rom Bed) sample c/o Department of Pay Patient Services, PGH	150	piece	2,860.00	429,000.00					
Caster Wheel, 5 inches diameter, swivel with directional brake, wheel made of polypropylene rubber with thread guard (for Hill-Rom Bed) sample c/o Department of Pay Patient Services, PGH	150	piece	3,100.00	465,000.00					
Stainless Steel Welding Electrode, 5/64 inch (2.0 millimeters), AWS, specification: A5.4 E308-16, JIS: Z3231 D308-15, DIN: 8556 E19 9 R22. Manufactured under ISO 9001:2008 Certified QMS	100	kilo	1,222.00	122,200.00					
millimeters), AWS, specification: A5.4 E308-16, JIS: Z3231 D308-15, DIN: 8556 E19 9 R22. Manufactured under ISO 9001:2008 Certified QMS	50	kilo	975.00	48,750.00					
millimeters), general purpose, rutile coated, AWS A5.1 E6013, JIS: D4313, DIN: E4342(C)³	100	kilo	202.80	20,280.00					
Mild Steel Welding Electrode, 3/32 inch (2.5 millimeters), general purpose, rutile coated, AWS A5.1 E6013, JIS: D4313, DIN: E4342R(C) ³	50	kilo	208.00	10,400.00					
Blind Rivet, 5/32 inch diameter x 1/2 inch long	10	box	585.00	5,850.00					
Depressed Center Grinding Wheel (for metal), 100 millimeters x 16 millimeters x 3 millimeters, individually packed	120	piece	70.00	8,400.00					
Reinforced Cut-off Wheel, 100 millimeters x 16 millimeters x 1 millimeter, aluminum oxide material, for ferrous materials/stainless, individually packed	150	piece	65.00	9,750.00					
inch arbor hole x 1 inch wide	5	piece	494.00	2,470.00					
Grinding Stone, fine, 6 inches diameter x 5/8 inch arbor hole x 1 inch wide	5	piece	494.00	2,470.00					
Steel Brush, 6 inches, heavy duty, wood handle, thick steel strand	10	piece	71.50	715.00					
free, silicon free, propellant: CO2	70	can	450.00	31,500.00					
Metal Drill Bit, 5/16 inch (8 millimeters) Cobalt, individually packed/sealed	20	piece	897.00	17,940.00					
Metal Drill Bit, 3/8 inch (9.52 millimeters) Cobalt, individually packed/sealed	10	piece	975.00	9,750.00					
Metal Drill Bit,1/2 inch (12.7 millimeters) Cobalt, individually packed/sealed	10	piece	2,197.00	21,970.00					
	brake, wheel made of polypropylene rubber with thread guard (for Hill-Rom Bed) sample c/o Department of Pay Patient Services, PGH Caster Wheel, 5 inches diameter, swivel with directional brake, wheel made of polypropylene rubber with thread guard (for Hill-Rom Bed) sample c/o Department of Pay Patient Services, PGH Stainless Steel Welding Electrode, 5/64 inch (2.0 millimeters), AWS, specification: A5.4 E308-16, JIS: Z3231 D308-15, DIN: 8556 E19 9 R22. Manufactured under ISO 9001:2008 Certified QMS Stainless Steel Welding Electrode, 3/32 inch (2.5 millimeters), AWS, specification: A5.4 E308-16, JIS: Z3231 D308-15, DIN: 8556 E19 9 R22. Manufactured under ISO 9001:2008 Certified QMS Mild Steel Welding Electrode, 5/64 inch (2.0 millimeters), general purpose, rutile coated, AWS A5.1 E6013, JIS: D4313, DIN: E4342(C)³ Mild Steel Welding Electrode, 3/32 inch (2.5 millimeters), general purpose, rutile coated, AWS A5.1 E6013, JIS: D4313, DIN: E4342R(C)³ Blind Rivet, 5/32 inch diameter x 1/2 inch long (1000 pieces per box) Depressed Center Grinding Wheel (for metal), 100 millimeters x 16 millimeters x 16 millimeters x 3 millimeters, individually packed Reinforced Cut-off Wheel, 100 millimeters x 16 millimeters x 1 millimeter, aluminum oxide material, for ferrous materials/stainless, individually packed Grinding Stone, coarse, 6 inches diameter x 5/8 inch arbor hole x 1 inch wide Grinding Stone, fine, 6 inches diameter x 5/8 inch arbor hole x 1 inch wide Steel Brush, 6 inches, heavy duty, wood handle, thick steel strand Penetrating Oil, 382 milliliters, aerosol type, CFC free, silicon free, propellant: CO2 Metal Drill Bit, 5/16 inch (8 millimeters) Cobalt, individually packed/sealed Metal Drill Bit, 3/8 inch (9.52 millimeters) Cobalt, individually packed/sealed Metal Drill Bit, 1/2 inch (12.7 millimeters) Cobalt, individually packed/sealed	brake, wheel made of polypropylene rubber with thread guard (for Hill-Rom Bed) sample c/o Department of Pay Patient Services, PGH Caster Wheel, 5 inches diameter, swivel with directional brake, wheel made of polypropylene rubber with thread guard (for Hill-Rom Bed) sample c/o Department of Pay Patient Services, PGH Stainless Steel Welding Electrode, 5/64 inch (2.0 millimeters), AWS, specification: A5.4 E308-16, JIS: Z3231 D308-15, DIN: 8556 E19 9 R22. Manufactured under ISO 9001:2008 Certified QMS Stainless Steel Welding Electrode, 3/32 inch (2.5 millimeters), AWS, specification: A5.4 E308-16, JIS: Z3231 D308-15, DIN: 8556 E19 9 R22. Manufactured under ISO 9001:2008 Certified QMS Mild Steel Welding Electrode, 5/64 inch (2.0 millimeters), general purpose, rutile coated, AWS A5.1 E6013, JIS: D4313, DIN: E4342(C)³ Mild Steel Welding Electrode, 3/32 inch (2.5 millimeters), general purpose, rutile coated, AWS A5.1 E6013, JIS: D4313, DIN: E4342R(C)³ Blind Rivet, 5/32 inch diameter x 1/2 inch long (1000 pieces per box) Depressed Center Grinding Wheel (for metal), 100 millimeters x 16 millimeters x 3 millimeters, individually packed Reinforced Cut-off Wheel, 100 millimeters x 16 millimeters x 16 millimeters x 1 millimeter, aluminum oxide material, for ferrous materials/stainless, individually packed Grinding Stone, coarse, 6 inches diameter x 5/8 inch arbor hole x 1 inch wide Grinding Stone, fine, 6 inches diameter x 5/8 inch arbor hole x 1 inch wide Steel Brush, 6 inches, heavy duty, wood handle, thick steel strand Penetrating 0il, 382 milliliters, aerosol type, CFC free, silicon free, propellant: CO2 Metal Drill Bit, 5/16 inch (8 millimeters) Cobalt, individually packed/sealed Metal Drill Bit, 3/8 inch (9.52 millimeters) Cobalt, individually packed/sealed Metal Drill Bit, 3/8 inch (9.52 millimeters) Cobalt, individually packed/sealed	brake, wheel made of polypropylene rubber with thread guard (for Hill-Rom Bed) sample c/o Department of Pay Patient Services, PGH Caster Wheel, 5 inches diameter, swivel with directional brake, wheel made of polypropylene rubber with thread guard (for Hill-Rom Bed) sample c/o Department of Pay Patient Services, PGH Stainless Steel Welding Electrode, 5/64 inch (2.0 millimeters), AWS, specification: A5.4 E308-16, JIS: Z3231 D308-15, DIN: 8556 E19 9 R22. Manufactured under ISO 9001:2008 Certified QMS Stainless Steel Welding Electrode, 3/32 inch (2.5 millimeters), AWS, specification: A5.4 E308-16, JIS: Z3231 D308-15, DIN: 8556 E19 9 R22. Manufactured under ISO 9001:2008 Certified QMS Mild Steel Welding Electrode, 5/64 inch (2.0 millimeters), general purpose, rutile coated, AWS A5.1 E6013, JIS: D4313, DIN: E4342(C)* Mild Steel Welding Electrode, 3/32 inch (2.5 millimeters), general purpose, rutile coated, AWS A5.1 E6013, JIS: D4313, DIN: E4342(C)* Blind Rivet, 5/32 inch diameter x 1/2 inch long (1000 pieces per box) Depressed Center Grinding Wheel (for metal), 100 millimeters x 16 millimeters x 16 millimeters x 3 millimeters, individually packed Reinforced Cut-off Wheel, 100 millimeters x 16 millimeters x 1 millimeter x 3 millimeters x 16 millimeters x 1 millimeter x 3 millimeters x 16 millimeters x 1 millimeter x 10 millimeters x 16 millimeters x 10 millimeters x 10 millimeters x 10 millimeter x	brake, wheel made of polypropylene rubber with thread guard (for Hill-Rom Bed) sample c/o Department of Pay Patient Services, PGH Caster Wheel, 5 inches diameter, swivel with directional brake, wheel made of polypropylene rubber with thread guard (for Hill-Rom Bed) sample c/o Department of Pay Patient Services, PGH Stainless Steel Welding Electrode, 5/64 inch (2.0 millimeters), AWS, specification: A5.4 E308-16, JIS: Z3231 D308-15, DIN: 8556 E19 9 R22. Manufactured under ISO 9001:2008 Certified QMS Stainless Steel Welding Electrode, 3/32 inch (2.5 millimeters), AWS, specification: A5.4 E308-16, JIS: Z3231 D308-15, DIN: 8556 E19 9 R22. Manufactured under ISO 9001:2008 Certified QMS Stainless Steel Welding Electrode, 3/32 inch (2.5 millimeters), AWS, specification: A5.4 E308-16, JIS: Z3231 D308-15, DIN: 8556 E19 9 R22. Manufactured under ISO 9001:2008 Certified QMS Mild Steel Welding Electrode, 5/64 inch (2.0 millimeters), general purpose, rutile coated, AWS A5.1 E6013, JIS: D4313, DIN: E4342(C)³ Mild Steel Welding Electrode, 3/32 inch (2.5 millimeters), general purpose, rutile coated, AWS A5.1 E6013, JIS: D4313, DIN: E4342R(C)³ Blind Rivet, 5/32 inch diameter x 1/2 inch long 10 box 585.00 (1000 pieces per box) Depressed Center Grinding Wheel (for metal), 100 millimeters x 16 millimeters x 3 millimeters, individually packed Reinforced Cut-off Wheel, 100 millimeters x 16 millimeters x 1 millimeter x 5/8 inch arbor hole x 1 inch wide Grinding Stone, coarse, 6 inches diameter x 5/8 inch arbor hole x 1 inch wide Steel Brush, 6 inches, heavy duty, wood handle, thick steel strand Penetrating Oil, 382 milliliters, aerosol type, CFC 70 can 450.00 free, silicon free, propellant: CO2 millimeters Cobalt, individually packed/sealed Metal Drill Bit, 3/6 inch (9.52 millimeters) Cobalt, individually packed/sealed Metal Drill Bit, 1/12 inch (12.7 millimeters) Cobalt, 10 piece 2,197.00	brake, wheel made of polypropylene rubber with thread guard (for Hill-Rom Bed) sample c/o Department of Pay Patient Services, PGH Caster Wheel, 5 inches diameter, swivel with directional brake, wheel made of polypropylene rubber with thread guard (for Hill-Rom Bed) sample c/o Department of Pay Patient Services, PGH Stainless Steel Welding Electrode, 5/64 inch (2.0 millimeters), AWS, specification: A5.4 E308-16, JIS: 23231 D308-15, DIN: 8556 E19 9 R22. Manufactured under ISO 9001:2008 Certified QMS Stainless Steel Welding Electrode, 3/32 inch (2.5 millimeters), AWS, specification: A5.4 E308-16, JIS: 23231 D308-15, DIN: 8556 E19 9 R22. Manufactured under ISO 9001:2008 Certified QMS Stainless Steel Welding Electrode, 3/32 inch (2.5 millimeters), AWS, specification: A5.4 E308-16, JIS: 23231 D308-15, DIN: 8556 E19 9 R22. Manufactured under ISO 9001:2008 Certified QMS Mild Steel Welding Electrode, 5/64 inch (2.0 millimeters), general purpose, rutile coated, AWS A5.1 E6013, JIS: D4313, DIN: E4342C() ³ Mild Steel Welding Electrode, 3/32 inch (2.5 millimeters), general purpose, rutile coated, AWS A5.1 E6013, JIS: D4313, DIN: E4342R(C) ³ Blind Rivet, 5/32 inch diameter x 1/2 inch long (1000 pieces per box) Depressed Center Grinding Wheel (for metal), 100 millimeters x 16 millimeters x 3 millimeters, individually packed Reinforced Cut-off Wheel, 100 millimeters x 16 millimeters x 1 millimeter	brake, wheel made of polypropylene rubber with thread guard (for Hill-Rom Bed) sample (z/o Department of Pay Patient Services, PGH Caster Wheel, 5 inches diameter, swivel with directional brake, wheel made of polypropylene rubber with thread guard (for Hill-Rom Bed) sample (z/o Department of Pay Patient Services, PGH Stainless Steel Welding Electrode, 5/64 inch (2.0 millimeters), AWS, specification: A5.4 E308-16, JIS: A3231 D308-15, DN: 8556 E19 9 R22. Manufactured under ISO 9001:2008 Certified QMS Stainless Steel Welding Electrode, 3/32 inch (2.5 for Millimeters), AWS, specification: A5.4 E308-16, JIS: A3231 D308-15, DN: 8556 E19 9 R22. Manufactured under ISO 9001:2008 Certified QMS Mild Steel Welding Electrode, 5/64 inch (2.0 for Millimeters), AWS, specification: A5.4 E308-16, JIS: A3231 D308-15, DN: 8556 E19 9 R22. Manufactured under ISO 9001:2008 Certified QMS Mild Steel Welding Electrode, 3/32 inch (2.5 for Millimeters), general purpose, rutile coated, AWS A5.1 E6013, JIS: D4313, DN: E4342/R(C)* Mild Steel Welding Electrode, 3/32 inch (2.5 for Millimeters), general purpose, rutile coated, AWS A5.1 E6013, JIS: D4313, DN: E4342/R(C)* Mild Steel Welding Electrode, 3/32 inch (2.5 for Millimeters), general purpose, rutile coated, AWS A5.1 E6013, JIS: D4313, DN: E4342/R(C)* Bind Rivet, 5/32 inch diameter x 1/2 inch long (1000 pieces pro bx) Depressed Center Grinding Wheel (for metal), 100 millimeters x 16 millimeters x 16 millimeters x 16 millimeters x 16 millimeters x 17 millimeters x 16 millimeters x 18 millimeters, and anti-millimeters x 16 millimeters x 10 millimete	brake, wheel made of polypropylene rubber with thread guard (for Hill-Rom Bed) sample; c/o Department of Pay Patient Services, PGH Caster Wheel, 5 Inches diameter, solvice with directional brake, wheel made of polypropylene rubber with thread guard (for Hill-Rom Bed) sample; c/o Department of Pay Patient Services, PGH Stainless Steel Welding Electrode, 5/64 inch (2.0 millimeters), AWS, specification: A5.4 E308-16, JIS: A308-15, DIN: 8556 E19 9 R22, Marufactured under ISO 9001:2008 Certified QMS Stainless Steel Welding Electrode, 3/32 inch (2.5 JIS) A308-15, DIN: 8556 E19 9 R22, Marufactured under ISO 9001:2008 Certified QMS Mild Steel Welding Electrode, 5/64 inch (2.0 millimeters), AWS, specification: A5.4 E308-16, JIS: A3231 D308-15, DIN: 8556 E19 9 R22, Marufactured under ISO 9001:2008 Certified QMS Mild Steel Welding Electrode, 5/64 inch (2.0 millimeters), general purpose, rutile coated, AWS A5.1 E6013, JIS D4133, DIN: E4342C(C)* Mild Steel Welding Electrode, 3/32 inch (2.5 Millenters), general purpose, rutile coated, AWS A5.1 E6013, JIS D4133, DIN: E4342C(C)* Mild Steel Welding Electrode Type Company of the Associated AWS A5.1 E6013, JIS D4313, DIN: E4342C(C)* Mild Steel Welding Electrode, 3/32 inch (2.5 Millenters), general purpose, rutile coated, AWS A5.1 E6013, JIS D4313, DIN: E4342C(C)* Mild Steel Welding Electrode, 3/32 inch (2.5 Millenters), general purpose, rutile coated, AWS A5.1 E6013, JIS D4313, DIN: E4342C(C)* Mild Steel Welding Electrode, 3/32 inch (2.5 Millenters), general purpose, rutile coated, AWS A5.1 E6013, JIS D4313, DIN: E4342C(C)* Mild Steel Welding Electrode, 3/32 inch (2.5 Millenters), general purpose, rutile coated, AWS A5.1 E6013, JIS D4313, DIN: E4342C(C)* Mild Steel Welding Electrode, 3/32 inch (2.5 Millenters), general purpose, rutile coated, AWS A5.1 E6013, JIS D4313, DIN: E4342C(C)* Mild Steel Welding Electrode, 3/32 inch (2.5 Millenters), general purpose, rutile coated, AWS A5.1 E6013, JIS D4313, DIN: E4342C(C)* Mild Steel Welding Electrode, 3/32 inch (2.5 Millenters), gener	Drake, wheel made of polypropylene rubber with thread guard (for Hill-Rom Bed) sample (of Department of Pay Patient Services, PGII Caster Wheel, 5 inches diameter, swived with directional brake, wheel made of polypropylene rubber with thread guard (for Hill-Rom Bed) sample (of Department of Pay Patient Services, PGII Draw Patien	brake, wheel made of polypropylene rubber with thread guard (for Hill-Rom Bed) sample c/o Department of Pay Patient Services, PGH Caster Wheel, 5 Inches diameter, swivel with directional brake, wheel made of polypropylene rubber with thread guard (for Hill-Rom Bed) sample c/o Department of Pay Patient Services, 1 150 piece 3,100.00 de5,000.00 described with directional brake, wheel made of polypropylene rubber with thread guard (for Hill-Rom Bed) sample c/o Department of Pay Patient Services, 1 150 piece 3,100.00 de5,000.00 described with directional brake, wheel made of polypropylene rubber with thread guard (for Hill-Rom Bed) sample c/o Department of Pay Patient Services, 1 150 piece 3,100.00 described with directional brake, wheel made of polypropylene rubber with directional brake, which are discovered by the piece 3,100.00 described with directional brake, which are discovered by the piece 3,100.00 described with directional brake, which are discovered by the piece 3,100.00 described with directional brake piece 3,100.00 described brake piece 3,100.00 described brake piece 3,100.00 described brake piece 1 100.00 piece per box) distributed brake piece 3,100.00 described brake piece 1 100.00 piece per box) distributed brake piece 3,100.00 described brake piece 1 100.00 piece per box) distributed brake piece 3,100.00 described brake piece 1 100.00 piece 1 100.00 piece piece 1 100.00 piece 1

52	Mild Steel Welding Electrode, 3/32 inch (2.5 millimeters), general purpose, rutile coated, AWS A5.1 E6013, JIS: D4313, DIN: E4342R(C) ³	50	kilo	208.00	10,400.00				
53	Blind Rivet, 5/32 inch diameter x 1/2 inch long (1000 pieces per box)	10	box	585.00	5,850.00				
54	Depressed Center Grinding Wheel (for metal), 100 millimeters x 16 millimeters x 3 millimeters, individually packed	120	piece	70.00	8,400.00				
55	Reinforced Cut-off Wheel, 100 millimeters x 16 millimeters x 1 millimeter, aluminum oxide material, for ferrous materials/stainless, individually packed	150	piece	65.00	9,750.00				
56	Grinding Stone, coarse, 6 inches diameter x 5/8 inch arbor hole x 1 inch wide	5	piece	494.00	2,470.00				
57	Grinding Stone, fine, 6 inches diameter x 5/8 inch arbor hole x 1 inch wide	5	piece	494.00	2,470.00				
58	Steel Brush, 6 inches, heavy duty, wood handle, thick steel strand	10	piece	71.50	715.00				
59	Penetrating Oil, 382 milliliters, aerosol type, CFC free, silicon free, propellant: CO2	70	can	450.00	31,500.00				
60	Metal Drill Bit, 5/16 inch (8 millimeters) Cobalt, individually packed/sealed	20	piece	897.00	17,940.00				
61	Piano Hinges, 1 inch wide x 6 feet long	5	piece	364.00	1,820.00				
62	Piano Hinges, 3/4 inch wide x 6 feet long	5	piece	338.00	1,690.00				
63	Ball Bearing, Size 6202 double seal	50	piece	220.00	11,000.00				
64	Ball Bearing, Size 6203 double seal	50	piece	260.00	13,000.00				
	Approved Budget for the Contr	ract		4,	,910,473.75	Total Bid Offer			
	Printed Name of the Company		-	Do	ate				Signature
	Business Address		-	Conta	act No.			Printed N	lame and Designation
	e-Mail Address							e	-Mail Address

Sample Diagram for Bid Packaging



Sealing and Marking of Envelopes

All folders / envelopes shall be marked in accordance with Section 20.4 of the Instruction to Bidders in the Bidding Documents, which shall contain the following:

- Name of the contract to be bid in **CAPITAL LETTERS**;

Name of the contract to be blu in Ca

SUPPLY & DELIVERY OF VARIOUS CONSTRUCTION SUPPLIES (PAINTING & MECHANICAL PLANT) FOR CY 2024 (FRAMEWORK AGREEMENT)

- Name and address of the prospective bidder in **CAPITAL LETTERS**;
- Be addressed to the Procuring Entity's BAC in accordance with ITB Clause 1.1;

BIDS AND AWARDS COMMITTEE (BAC) 1 UP – PHILIPPINE GENERAL HOSPITAL TAFT AVENUE, MANILA

- Bear the specific identification of this bidding process indicated in ITB Clause 1.2;

Project Reference No.: BAC1-2023-12-0124D

Bear a warning "**DO NOT OPEN BEFORE**..." the date and time for the opening of bids, in accordance with ITB Clause 18

