



PROJECT: SUPPLY AND INSTALLATION OF LABORATORY FURNITURE

LOCATION: Department of Biochemistry and Molecular Biology  
Ground Floor, Salcedo Hall, College of Medicine, U.P. Manila

SUBJECT: Bid Form

ITEM	DESCRIPTION	QTY.	UNIT	UNIT COST	TOTAL COST
I.	GENERAL REQUIREMENTS				
	Mobilization, and Demobilization	1.00	lot		
	Signages, and storage	1.00	lot		
	Repair, and restoration of affected areas	1.00	lot		
	Health and Safety	1.00	lot		
II.	FURNITURE				
1.00	STUDENTS' LABORATORY				
	Laboratory Side Table Open Leg Room (LT-A1)	7.00	units		
	Dimensions: 1.75 m x 0.60 m x 0.90 m				
	Specifications:				
	Countertop: 16 mm thick solid phenolic resin, acid, heat, stain, scratch, anti-static, anti-microbial, and chemical resistant				
	Door/Drawers: Type - postformed HPL				
	Base cabinet:				
	- open type leg room				
	- high pressure laminate (HPL) finish with powder coated finish metal base				
	frame and legs				
	Laboratory Side Table Open Leg Room (LT-A2)	1.00	unit		
	Dimensions: 1.40 m x 0.60 m x 0.90 m				
	Specifications:				
	Countertop: 16 mm thick solid phenolic resin, acid, heat, stain, scratch, anti-static, anti-microbial, and chemical resistant				
	Door/Drawers: Type - postformed HPL				
	Base cabinet:				
	- open type leg room				
	- high pressure laminate (HPL) finish with powder coated finish metal base				
	frame and legs				
	Laboratory Side Table with Base Cabinet, Peg Board, and Sink (LT-A3)	1.00	unit		
	Dimensions: 2.10 m x 0.60 m x 0.90 m				
	Specifications:				
	Countertop: 16 mm thick solid phenolic resin, acid, heat, stain, scratch, anti-static, anti-microbial, and chemical resistant with 100 mm backsplash				
	Door/Drawers: Type - postformed HPL				
	Base Cabinet:				
	- high pressure laminate (HPL) finish base cabinet				
	- two (2) units acid resistant polypropylene sink bowl complete with traps and drain fittings				
	- two (2) units gooseneck water faucet				
	- one (1) unit pegboard with polypropylene pegsticks				
	- three (3) units two swing-out door cabinet in hand grab type handle and adjustable shelf				
	Overhead Cabinet (LT-A4)	1.00	unit		
	Dimensions: 3.50 m x 0.40 m x 0.90 m				
	Specifications:				
	- five (5) units two swing-out glass door hanging cabinet with high pressure laminate finish (HPL) frame and adjustable shelves				
	Laboratory Stool	14.00	units		
	Specifications:				
	304 stainless steel body, ss star base with gliders, gas lift height adjustment, foot ring off floor support, PU leather seat				

2.00	PILOT PLANT				
	Laboratory Side Table with Base Cabinet, Peg Board, and Sink (LT-B1)	1.00	unit		
	Dimensions: 2.80 m x 0.70 m x 0.75 m				
	Specifications:				
	Countertop: 16 mm thick solid phenolic resin, acid, heat, stain, scratch, anti-static, anti-microbial, and chemical resistant with 100 mm backsplash				
	Door/Drawers: Type - postformed HPL				
	Base Cabinet:				
	- high pressure laminate (HPL) finish base cabinet				
	- one (1) units acid resistant polypropylene sink bowl complete with traps and drain fittings				
	- one (1) unit gooseneck water faucet				
	- one (1) unit pegboard with polypropylene pegsticks				
	- three (3) units two swing-out door cabinet in hand grab type handle and adjustable shelf				
	- one (1) unit two swing-out door cabinet in hand grab type handle				
	Laboratory Stool	1.00	units		
	Specifications:				
	304 stainless steel body, ss star base with gliders, gas lift height adjustment, foot ring off floor support, PU leather seat				
3.00	PRODUCT PROCESSING				
	Laboratory Side Table with Peg Board, Base Cabinet, and Sink (LT-C1)	1.00	unit		
	Dimensions: 2.80 m x 0.60 m x 0.75 m				
	Specifications:				
	Countertop: 16 mm thick solid phenolic resin, acid, heat, stain, scratch, anti-static, anti-microbial, and chemical resistant with 100 mm backsplash				
	Door/Drawers: Type - postformed HPL				
	Base Cabinet:				
	- high pressure laminate (HPL) finish base cabinet				
	- one (1) units acid resistant polypropylene sink bowl complete with traps and drain fittings				
	- one (1) unit gooseneck water faucet				
	- one (1) unit pegboard with polypropylene pegsticks				
	- three (3) units two swing-out door cabinet in hand grab type handle and adjustable shelf				
	- one (1) unit two swing-out door cabinet in hand grab type handle				
	Laboratory Side Table with Base Cabinet (LT-C2)	1.00	units		
	Dimensions: 1.75 m x .0.70 m x 0.90 m				
	Specifications:				
	Countertop: 16 mm thick solid phenolic resin, acid, heat, stain, scratch, anti-static, anti-microbial, and chemical resistant with 100 mm backsplash				
	Door/Drawers: Type - postformed HPL				
	Base cabinet:				
	- high pressure laminate (HPL) finish with powder coated finish metal base frame and legs				
	- three (3) units two swing-out doors with two pull-out drawers				
	- two (2) units two swing-out doors (0.55 m height) in hand grab type handle and adjustable shelf				
	Laboratory Stool	1.00	units		
	Specifications:				
	304 stainless steel body, ss star base with gliders, gas lift height adjustment, foot ring off floor support, PU leather seat				
4.00	NATURAL PRODUCTS/CHEMISTRY LABORATORY (DRUG DISCOVERY)				
	Center Work Table with Reagent Rack (LT-D1)	1.00	unit		
	Dimensions: 2.40 m x 1.50 m x 0.90 m				
	Specifications:				
	Countertop: 16 mm thick solid phenolic resin, acid, heat, stain, scratch, anti-static, anti-microbial, and chemical resistant				
	Door/Drawers: Type - postformed HPL				
	Base Cabinet:				
	- high pressure laminate (HPL) finish with powder coated finish metal base frame and legs				
	- four (4) units surface mounted two gang electrical outlets				
	- open type leg rooms				
	- stainless mesh apparatus mounting				
	Mobile Pedestals	6.00	units		
	Specifications:				
	- highly pressurized laminated (HPL) finish three pull-out drawers mobile pedestal in hand grab type handle and adjustable shelf with heavy duty caster wheels				
	Laboratory Side Table with Base Cabinet, Peg Board, and	1.00	unit		

	<b>Sink (LT-D2)</b>			
	Dimensions: 2.80 m x 0.70 m x 0.75 m			
	Specifications:			
	Countertop: 16 mm thick solid phenolic resin, acid, heat, stain, scratch,			
	anti-static, anti-microbial, and chemical resistant with 100 mm backsplash			
	Door/Drawers: Type - postformed HPL			
	Base Cabinet:			
	- high pressure laminate (HPL) finish base cabinet			
	- three (3) units two swing-out door cabinet in hand grab type handle and			
	adjustable shelves			
	- one (1) unit sink cabinet with two swing out doors in hand grab type handle			
	- one (1) unit acid resistant polypropylene sink bowl complete with traps and			
	drains fittings			
	- one (1) unit gooseneck water faucet			
	-one (1) unit pegboard with polypropylene pegsticks			
	<b>Laboratory Side Table with Base Cabinet, and</b>	1.00	unit	
	<b>Leg Rooms (LT-D3)</b>			
	Dimensions: 3.85 m x 0.70 m x 0.75 m			
	Specifications:			
	Countertop: 16 mm thick solid phenolic resin, acid, heat, stain, scratch,			
	anti-static, anti-microbial, and chemical resistant with 100 mm backsplash			
	Door/Drawers: Type - postformed HPL			
	Base Cabinet:			
	- high pressure laminate (HPL) finish base cabinet with powder coated			
	finish metal base and legs			
	- three (3) units two swing-out door cabinet in hand grab type handle and			
	adjustable shelves			
	- two (2) units open-type legrooms			
	<b>Laboratory Side Table with Base Cabinet, Peg Board, Sink,</b>	1.00	unit	
	<b>and Leg Rooms (LT-D4)</b>			
	Dimensions: 3.15 m x 0.70 m x 0.75 m			
	Specifications:			
	Countertop: 16 mm thick solid phenolic resin, acid, heat, stain, scratch,			
	anti-static, anti-microbial, and chemical resistant with 100 mm backsplash			
	Door/Drawers: Type - postformed HPL			
	Base Cabinet:			
	- high pressure laminate (HPL) finish base cabinet with powder coated			
	finish metal base frame and legs			
	- one (1) unit sink cabinet with two swing out doors and hand grab type handle			
	- one (1) unit acid resistant polypropylene sink bowl complete with traps and			
	drain fittings			
	- one (1) unit gooseneck water faucet			
	- one (1) unit pegboard with polypropylene pegsticks			
	- two (2) units two swing-out door cabinet in hand grab type handle and			
	adjustable shelves			
	- one (1) unit open-type legroom			
	<b>Laboratory Stool</b>	7.00	units	
	Specifications:			
	304 stainless steel body, ss star base with gliders, gas lift height adjustment,			
	foot ring off floor support, PU leather seat			
5.00	<b>ROTA VAP ROOM</b>			
	<b>Laboratory Side Table Chamfered L-Shape with Base Cabinet</b>	1.00	unit	
	<b>and Drain Hole (LT-E1)</b>			
	Dimensions: 3.06 m x 1.00 m x 0.75 m; 2.35 m x 0.80 m x 0.75 m			
	Specifications:			
	Countertop: 16 mm thick solid phenolic resin, acid, heat, stain, scratch,			
	anti-static, anti-microbial, and chemical resistant with 100 mm backsplash			
	Door/Drawers: Type - postformed HPL			
	Base Cabinet:			
	- high pressure laminate (HPL) finish base cabinet with powder coated			
	finish metal base and legs			
	- four (4) units two swing-out door cabinet in hand grab type handle,			
	adjustable shelves			
	- one (1) unit one swing-out door cabinet in hand grab type handle, and			
	adjustable shelves			
	<b>Laboratory Side Table Chamfered with Base Cabinet and Drain</b>	1.00	unit	
	<b>Hole (LT-E2)</b>			
	Dimensions: 2.50 m x 1.00 m x 0.75 m			
	Specifications:			
	Countertop: 16 mm thick solid phenolic resin, acid, heat, stain, scratch,			
	anti-static, anti-microbial, and chemical resistant with 100 mm backsplash			
	Door/Drawers: Type - postformed HPL			
	Base Cabinet:			
	- high pressure laminate (HPL) finish base cabinet with powder coated			
	finish metal base and legs			
	- two (2) units two swing-out door cabinet in hand grab type handle, and			
	adjustable shelves			
	- one (1) unit one swing-out door cabinet in hand grab type handle, and			
	adjustable shelves, fixed panel			

	<b>Mini Laboratory Sink with Base Cabinet (LT-E3)</b>	1.00	unit		
	Dimensions: 0.58 m x 0.60 m x 0.75 m				
	Specifications:				
	Countertop: 16 mm thick solid phenolic resin, acid, heat, stain, scratch,				
	anti-static, anti-microbial, and chemical resistant with 100 mm backsplash				
	Door/Drawers: Type - postformed HPL				
	Base Cabinet:				
	- high pressure laminate (HPL) finish base cabinet with powder coated				
	finish metal base and legs				
	- one (1) unit sink cabinet with two swing out doors and hand grab type handle				
	- one (1) unit acid resistant polypropylene sink bowl complete with traps and				
	drain fittings				
	- one (1) unit gooseneck water faucet				
6.00	<b>RECEIVING AND STORAGE ROOM FOR PLANT SAMPLES</b>				
	<b>Center Work Table with Base Cabinet (LT-F1)</b>	2.00	units		
	Dimensions: 2.10 m x 0.90 m x 0.90 m				
	Specifications:				
	Countertop: 16 mm thick solid phenolic resin, acid, heat, stain, scratch,				
	anti-static, anti-microbial, and chemical resistant with 100 mm backsplash				
	Door/Drawers: Type - postformed HPL				
	Base Cabinet:				
	- high pressure laminate (HPL) finish base cabinet				
	- three (3) units two swing-out door cabinet in hand grab type handle and				
	adjustable shelves				
	<b>Base Cabinet Storage (LT-F2)</b>	1.00	unit		
	Dimensions: 2.10 m x 0.45 m x 0.80 m				
	Specifications:				
	Countertop: 16 mm thick solid phenolic resin, acid, heat, stain, scratch,				
	anti-static, anti-microbial, and chemical resistant				
	Door/Drawers: Type - postformed HPL				
	Base Cabinet:				
	- high pressure laminate (HPL) finish base cabinet				
	- three (3) units two swing out door cabinet in hand grab type handle and				
	adjustable shelves				
	<b>Storage Shelf Open Steel Body (LT-F3)</b>	2.00	units		
	Dimensions: 1.20 m x 0.45 m x 1.80 m				
	Specifications:				
	- powder coated finish metal open storage shelves				
	<b>Laboratory Side Table with Base Cabinet, and Sink (LT-F4)</b>	1.00	unit		
	Dimensions: 2.10 m x 0.60 m x 0.90 m				
	Specifications:				
	Countertop: 16 mm thick solid phenolic resin, acid, heat, stain, scratch,				
	anti-static, anti-microbial, and chemical resistant with 100 mm backsplash				
	Door/Drawers: Type - postformed HPL				
	Base Cabinet:				
	- high pressure laminate (HPL) finish base cabinet				
	- three (3) units two swing out door cabinet in hand grab type handle and				
	adjustable shelves				
	- one (1) unit gooseneck faucet				
	- one (1) unit acid resistant polypropylene sink bowl complete with traps and				
	drain fittings				
	- one (1) unit pegboard with polypropylene pegsticks				
	<b>Laboratory Side Table with Base Cabinet, and Sink (LT-F5)</b>	1.00	unit		
	Dimensions: 4.81 m x 0.60 m x 0.90 m				
	Specifications:				
	Countertop: 16 mm thick solid phenolic resin, acid, heat, stain, scratch,				
	anti-static, anti-microbial, and chemical resistant with 100 mm backsplash				
	Door/Drawers: Type - postformed HPL				
	Base Cabinet:				
	- high pressure laminate (HPL) finish base cabinet				
	- three (3) units acid resistant polypropylene sink bowl complete with traps				
	and drain fittings				
	- three (3) units gooseneck water faucet				
	- three (3) units two swing-out door cabinet in hand grab type handle,				
	with fixed panel				
	- two (2) units two-swing out door cabinet in hand grab type handle, and				
	adjustable shelves				
	<b>Laboratory Stool</b>	4.00	units		
	Specifications:				
	304 stainless steel body, ss star base with gliders, gas lift height adjustment,				
	foot ring off floor support, PU leather seat				
7.00	<b>ANIMAL HOUSE</b>				
	<b>Coat Rack Cabinet (LT-G1)</b>	1.00	unit		
	Dimensions: 1.00 m x 0.50 m x 1.80 m				
	Specifications:				

	- highly pressurized laminated finish gown cabinet				
	- two (2) units sliding tempered glass door with highly pressurized laminated finish frame and stainless steel hanger rod				
	<b>Laboratory Side Table with Base Cabinet and Sink (LT-G2)</b>	5.00	units		
	Dimensions: 1.00 m x 0.60 m x 0.90 m				
	Specifications:				
	Countertop: 16 mm thick solid phenolic resin, acid, heat, stain, scratch, anti-static, anti-microbial, and chemical resistant with 100 mm backsplash				
	Door/Drawers: Type - postformed HPL				
	Base Cabinet:				
	- high pressure laminate (HPL) finish base cabinet				
	- one (1) unit sink cabinet with two swing out doors and fixed panel				
	- one (1) unit acid resistant polypropylene sink bowl complete with traps and drain fittings				
	- one (1) unit gooseneck water faucet				
	<b>Open Steel Rack (LT-G3)</b>	15.00	units		
	Dimensions: 1.80 m x 0.40 m x 1.50 m				
	Specifications:				
	- gauge 18, type 304 stainless steel rack				
8.00	<b>NON-INFECTIOUS LABORATORY</b>				
	<b>Laboratory Side Table with Base Cabinet, Peg Board, and Sink (LT-H1)</b>	1.00	unit		
	Dimensions: 2.10 m x 0.70 m x 0.90 m				
	Specifications:				
	Countertop: 16 mm thick solid phenolic resin, acid, heat, stain, scratch, anti-static, anti-microbial, and chemical resistant with 100 mm backsplash				
	Door/Drawers: Type - postformed HPL				
	Base Cabinet:				
	- high pressure laminate (HPL) finish base cabinet				
	- one (1) unit acid resistant polypropylene sink bowl complete with traps and drain fittings				
	- one (1) unit gooseneck water faucet				
	- one (1) unit pegboard with polypropylene pegsticks				
	- two (2) units two swing-out door cabinet in hand grab type handle and adjustable shelves				
	- one (1) unit two swing-out door sink cabinet in hand grab type handle				
	<b>Laboratory Side Table with Base Cabinet (LT-H2)</b>	1.00	unit		
	Dimensions: 2.00 m x 0.70 m x 0.90 m				
	Specifications:				
	Countertop: 16 mm thick solid phenolic resin, acid, heat, stain, scratch, anti-static, anti-microbial, and chemical resistant with 100 mm backsplash				
	Door/Drawers: Type - postformed HPL				
	Base Cabinet:				
	- high pressure laminate (HPL) finish base cabinet				
	- two (2) units two swing out cabinet in hand grab type handle and adjustable shelves				
	- one (1) unit one swing out door cabinet in hand grab type handle, adjustable shelf, and fixed panel				
	<b>Coat Rack Cabinet (LT-H3)</b>	1.00	unit		
	Dimensions: 1.00 m x 0.50 m x 1.80 m				
	Specifications:				
	- high pressure laminate (HPL) finish gown cabinet				
	- two (2) units sliding tempered glass door with high pressure laminate finish frame and stainless steel hanger rod				
	<b>Mobile Work Laboratory Side Table (LT-H4)</b>	1.00	unit		
	Dimensions: 1.20 m x 0.60 m x 0.90 m				
	Specifications:				
	Countertop: 16 mm thick solid epoxy resin, acid, heat, stain, scratch, anti-static, anti-microbial, and chemical resistant				
	Door/Drawers: Type - postformed HPL				
	Base Cabinet:				
	- high pressure laminate (HPL) finish				
	- one (1) unit open type leg room with powder coated finish metal base frame and legs with heavy duty caster wheels				
	<b>Laboratory Side Table (L-Shape) with base cabinet, peg board, and sink (LT-H5)</b>	1.00	unit		
	Dimensions: 2.19 m x 0.60 m x 0.90 m; 1.70 m x 0.70 m x 0.90 m				
	Specifications:				
	Countertop: 16 mm thick solid phenolic resin, acid, heat, stain, scratch, anti-static, anti-microbial, and chemical resistant with 100 mm backsplash				
	Door/Drawers: Type - postformed HPL				
	Base Cabinet:				
	- high pressure laminate (HPL) finish				
	- two (2) units two swing-out door cabinet in hand grab type handle and adjustable shelves				
	- one (1) unit sink cabinet with two swing out doors and fixed panel				
	- one (1) unit acid resistant polypropylene sink bowl complete with traps and drain fittings				

	- one (1) unit gooseneck waterfaucet			
	- one (1) unit pegboard with polypropylene pegsticks			
	<b>Laboratory Stool</b>	2.00	units	
	Specifications:			
	304 stainless steel body, ss star base with gliders, gas lift height adjustment, foot ring off floor support, PU leather seat			
9.00	<b>CHEMICAL AND GLASS STORAGE</b>			
	<b>Laboratory Side Table with base cabinet and sink (LT-I1)</b>	1.00	unit	
	Dimensions: 1.40 m x 0.70 m x 0.90 m			
	Specifications:			
	Countertop: 16 mm thick solid phenolic resin, acid, heat, stain, scratch, anti-static, anti-microbial, and chemical resistant with 100 mm backsplash			
	Door/Drawers: Type - postformed HPL			
	Base Cabinet:			
	- high pressure laminate (HPL) finish			
	- two (2) units two swing-out door cabinet in hand grab type handle and adjustable shelves			
	- one (1) unit two swing-out door sink cabinet in hand grab type handle			
	- one (1) unit acid resistant polypropylene sink bowl complete with traps and drain fittings			
	- one (1) unit gooseneck waterfaucet			
	- one (1) unit pegboard with polypropylene pegsticks			
	<b>Chemical Storage Base Cabinet (LT-I2)</b>	7.00	units	
	Dimensions: 0.90 m x 0.45 m x 0.90 m			
	Specifications:			
	Countertop: laboratory grade work top 16 mm thick epoxy resin, carcass in marine plywood HPL finish			
	Door/Drawers: Type - postformed HPL			
	Base Cabinet:			
	- high pressure laminate (HPL) finish			
	- two (2) units sliding tempered glass door with highly pressurized laminated finish frame and adjustable shelves			
	<b>Chemical Storage Cabinet (LT-I3)</b>	4.00	units	
	Dimensions: 1.40 m x 0.46 m x 1.80 m			
	Specifications:			
	- steel body with two units swing tempered glass door with powder coated finish finish frame, and adjustable shelves			
	<b>Chemical Storage Cabinet (LT-I4)</b>	1.00	unit	
	Dimensions: 0.70 m x 1.80 m x 0.50 m			
	Specifications:			
	- steel body with two units swing tempered glass door with powder coated finish frame, and adjustable shelves			
	<b>Laboratory Stool</b>	1.00	unit	
	Specifications:			
	304 stainless steel body, ss star base with gliders, gas lift height adjustment, foot ring off floor support, PU leather seat			
10.00	<b>BIRTHS</b>			
	<b>Laboratory Side Table with Base Cabinet and Sink (LT-J1)</b>	1.00	unit	
	Dimensions: 3.63 m x 0.70 m x 0.90 m			
	Specifications:			
	Countertop: 16 mm thick solid phenolic resin, acid, heat, stain, scratch, anti-static, anti-microbial, and chemical resistant with 100 mm backsplash			
	Door/Drawers: Type - postformed HPL			
	Base Cabinet:			
	- high pressure laminate (HPL) finish			
	- one (1) unit gooseneck waterfaucet			
	- one (1) pegboard with polypropylene pegsticks			
	- one (1) unit acid resistant polypropylene sink bowl complete with traps and drain fittings			
	- four (4) units two swing out door cabinet in hand grab type handle, adjustable shelves and fixed panel			
	- one (1) unit sink cabinet with two swing-out door in hand grab type handle			
	<b>Mobile Laboratory Table (LT-J2)</b>	2.00	units	
	Dimensions: 1.50 m x 0.60 m x 0.90 m			
	Specifications:			
	Countertop: 16 mm thick solid epoxy resin, acid, heat, stain, scratch, anti-static, anti-microbial, and chemical resistant			
	Door/Drawers: Type - postformed HPL			
	Base Cabinet:			
	- high pressure laminate (HPL) finish			
	- with powder coated finish base frame and legs with heavy duty caster wheels			
	- one (1) unit legroom with pullout drawers in hand grab type handle			

	<b>Mobile Pedestals</b>	4.00	units		
	Specifications:				
	- highly pressurized laminated (HPL) finish three pull-out drawers mobile pedestal in hand grab type handle and adjustable shelf with heavy duty caster wheels				
	<b>Laboratory Side Table with Base Cabinet (LT-J3)</b>	1.00	unit		
	Dimensions: 2.30 m x 0.70 m x 0.90 m				
	Specifications:				
	Countertop: 16 mm thick solid phenolic resin, acid, heat, stain, scratch, anti-static, anti-microbial, and chemical resistant with 100 mm backsplash				
	Door/Drawers: Type - postformed HPL				
	Base Cabinet:				
	- high pressure laminate (HPL) finish				
	- three (3) units two swing out door cabinet in hand grab type handle, adjustable shelves, and fixed panel				
	<b>Overhead Cabinet (LT-J4)</b>	2.00	units		
	Dimensions: 1.40 m x 0.32 m x 0.60 m				
	Specifications:				
	- two (2) units two swing-out glass door hanging cabinet with high pressure laminate finish (HPL) frame and adjustable shelves				
	<b>Laboratory Stool</b>	4.00	units		
	Specifications:				
	304 stainless steel body, ss star base with gliders, gas lift height adjustment, foot ring off floor support, PU leather seat				
11.00	<b>GEL DOC</b>				
	<b>Laboratory Side Table (L-Shape) with Base Cabinet, Sink, and Leg Rooms (LT-K1)</b>	1.00	unit		
	Dimensions: 6.88 m x 0.70 m x 0.90 m				
	Countertop: 16 mm thick solid phenolic resin, acid, heat, stain, scratch, anti-static, anti-microbial, and chemical resistant with 100 mm backsplash				
	Door/Drawers: Type - postformed HPL				
	Base Cabinet:				
	- high pressure laminate (HPL) finish				
	- three (3) units two swing out door cabinet in hand grab type handle and adjustable shelves				
	- two (2) units one swing out door cabinet in hand grab type handle and fixed panel				
	- one (1) unit sink cabinet with two swing-out door and hand grab type handle				
	- two (2) units open type legrooms				
	- one (1) unit gooseneck waterfaucet				
	- one (1) pegboard with polypropylene pegsticks				
	- one (1) unit acid resistant polypropylene sink bowl complete with traps and drain fittings				
	<b>Overhead Cabinet (LT-K2)</b>	2.00	units		
	Dimensions: 1.40 m x 0.32 m x 0.60 m				
	Specifications:				
	- two (2) units two swing-out glass door hanging cabinet with high pressure laminate finish (HPL) frame and adjustable shelves				
	<b>Mobile Laboratory Table (LT-K3)</b>	1.00	unit		
	Dimensions: 1.50 m x 0.60 m x 0.90 m				
	Specifications:				
	Countertop: 16 mm thick solid epoxy resin, acid, heat, stain, scratch, anti-static, anti-microbial, and chemical resistant				
	Doors/Drawers: Type - postformed HPL				
	Base Cabinet:				
	- high pressure laminate (HPL) finish				
	- open type legroom with pullout drawers in hand grab type handle with powder coated finish base frame and legs with heavy duty caster wheels				
	<b>Laboratory Stool</b>	2.00	units		
	Specifications:				
	304 stainless steel body, ss star base with gliders, gas lift height adjustment, foot ring off floor support, PU leather seat				
12.00	<b>Microbio Clean Room, Microbio Lab., Hot Room</b>				
	<b>L-Shape Laboratory Side Table with sink and pegboard (LT-L1)</b>	1.00	unit		
	Dimensions: 5.85 x 0.70 m x 0.90 m				
	Specifications:				
	Countertop: 16 mm thick solid phenolic resin, acid, heat, stain, scratch, anti-static, anti-microbial, and chemical resistant with 100 mm backsplash				
	Doors/Drawers: Type - postformed HPL				
	Base Cabinet:				
	- high pressure laminate (HPL) finish				
	- two (2) units sink cabinet with two swing-out door in hand grab type handle				
	- one (1) unit two swing-out door cabinet in hand grab type handle, and adjustable shelves				

	- one (1) unit one swing-out door cabinet in hand grab type handle, adjustable shelves, and fixed panel				
	- two (2) units two swing-out door cabinet in hand grab type handle with two pull-out drawers and adjustable shelves				
	- two (2) units gooseneck waterfaucet				
	- two (2) units acid resistant polypropylene sink bowl complete with traps and drain fittings				
	- one (1) unit pegboard with polypropylene pegsticks				
	<b>Coat Rack Cabinet (LT-L2)</b>	1.00	unit		
	Dimensions: 1.00 m x 0.50 m x 1.80 m				
	Specifications:				
	- high pressure laminate (HPL) finish				
	- two (2) units sliding tempered glass door with highly pressurized laminated finish frame and stainless steel hanger rod				
	<b>Laboratory Side Table with Sink and Pegboard (LT-L3)</b>	1.00	unit		
	Dimensions: 1.40 m x 0.70 m x 0.90 m				
	Specifications:				
	Countertop: 16 mm thick solid phenolic resin, acid, heat, stain, scratch, anti-static, anti-microbial, and chemical resistant with 100 mm backsplash				
	Doors/Drawers: Type - postformed HPL				
	Base Cabinet:				
	- high pressure laminate (HPL) finish				
	- one (1) unit sink cabinet with two swing-out door in hand grab type handle				
	- one (1) unit two swing-out door cabinet in hand grab type handle, and adjustable shelves				
	- one (1) unit gooseneck waterfaucet				
	- one (1) unit acid resistant polypropylene sink bowl complete with traps and drain fittings				
	- one (1) unit pegboard with polypropylene pegsticks				
	<b>Laboratory Side Table (LT-L4)</b>	1.00	unit		
	Dimensions: 3.00 m x 0.70 m x 0.90 m				
	Specifications:				
	Countertop: 16 mm thick solid phenolic resin, acid, heat, stain, scratch, anti-static, anti-microbial, and chemical resistant with 100 mm backsplash				
	Doors/Drawers: Type - postformed HPL				
	Base Cabinet:				
	- high pressure laminate (HPL) finish				
	- one (1) unit two swing-out door cabinet in hand grab type handle, and adjustable shelves				
	- one (1) unit two swing-out door cabinet in hand grab type handle, adjustable shelves, and two pull-out drawers, fixed panel				
	<b>Overhead Cabinet (LT-L5)</b>	1.00	unit		
	Dimensions: 1.40 m x 0.32 m x 0.60 m				
	Specifications:				
	- two (2) units two swing-out glass door hanging cabinet with high pressure laminate finish (HPL) frame and adjustable shelves				
	<b>Laboratory Side Table with Sink (LT-L6)</b>	1.00	unit		
	Dimensions: 2.23 m x 0.70 m x 0.90 m				
	Specifications:				
	Countertop: 16 mm thick solid phenolic resin, acid, heat, stain, scratch, anti-static, anti-microbial, and chemical resistant with 100 mm backsplash				
	Doors/Drawers: Type - postformed HPL				
	Base Cabinet:				
	- high pressure laminate (HPL) finish				
	- one (1) unit acid resistant polypropylene sink bowl complete with traps, and drain fittings				
	- one (1) unit gooseneck waterfaucet				
	- one (1) unit sink cabinet with two swing-out door in hand grab type handle				
	- two (2) units two swing-out door cabinet in hand grab type handle, and adjustable shelves				
	<b>Laboratory Stool</b>	2.00	units		
	Specifications:				
	304 stainless steel body, ss star base with gliders, gas lift height adjustment, foot ring off floor support, PU leather seat				
13.00	<b>GENOMICS LABORATORY</b>				
	<b>Octagon Center Laboratory Table (LT-M1)</b>	1.00	unit		
	Dimensions: 0.60 m (sides) x 0.90 m (height), 0.70 m (height of rack)				
	Specifications:				
	Countertop: 16 mm thick solid phenolic resin, acid, heat, stain, scratch, anti-static, anti-microbial, and chemical resistant				
	Doors/Drawers: Type - postformed HPL				
	Base Cabinet:				
	- high pressure laminate (HPL) finish				
	- two (2) units two swing-out door cabinet in hand grab type handle and adjustable shelves				
	- reagent rack with integrated power outlet				
	<b>Open Book Shelves (LT-M2)</b>	1.00	unit		



	Dimensions: 1.20 m x 0.45 m x 1.80 m				
	Specifications:				
	- pre-laminated 3/4" thk. marine plywood				
	<b>Laboratory Side Table (LT-M3)</b>	1.00	unit		
	Dimensions: 4.30 m x 0.70 m x 0.90 m				
	Specifications:				
	Countertop: 16 mm thick solid phenolic resin, acid, heat, stain, scratch,				
	anti-static, anti-microbial, and chemical resistant with 100 mm backsplash				
	Doors/Drawers: Type - postformed HPL				
	Base Cabinet:				
	- high pressure laminate (HPL) finish				
	- one (1) unit two-swing out door cabinet in hand grab type handle and				
	adjustable shelves				
	- one (1) unit two-swing out door cabinet with two pull-out drawers in hand				
	grab type handle and adjustable shelves				
	- one (1) unit one swing-out door cabinet in hand grab type handle, adjustable				
	shelves, and fixed panel				
	- two (2) units legroom				
	<b>Laboratory Side Table (LT-M4)</b>	1.00	unit		
	Dimensions: 1.40 m x 0.70 m x 0.90 m				
	Specifications:				
	Countertop: 16 mm thick solid phenolic resin, acid, heat, stain, scratch,				
	anti-static, anti-microbial, and chemical resistant with 100 mm backsplash				
	Doors/Drawers: Type - postformed HPL				
	Base Cabinet:				
	- high pressure laminate (HPL) finish				
	- one (1) unit two-swing out door cabinet in hand grab type handle and				
	adjustable shelves				
	- one (1) unit two-swing out door cabinet with two pull-out drawers in hand				
	grab type handle and adjustable shelves				
	<b>Laboratory Side Table L-Shape (LT-M5)</b>	1.00	unit		
	Dimensions: 5.25 m x 0.70 m x 0.90 m				
	Specifications:				
	Countertop: 16 mm thick solid phenolic resin, acid, heat, stain, scratch,				
	anti-static, anti-microbial, and chemical resistant with 100 mm backsplash				
	Doors/Drawers: Type - postformed HPL				
	Base Cabinet:				
	- high pressure laminate (HPL) finish				
	- two (2) units acid resistant polypropylene sink bowl complete with traps, and				
	drain fittings				
	- two (2) units gooseneck waterfaucet				
	- one (1) unit pegboard with polypropylene pegsticks				
	- two (2) units two swing-out door sink cabinet in hand grab type handle				
	- one (1) unit two swing-out door cabinet in hand grab type handle and				
	adjustable shelves				
	- one (1) unit two-swing out door cabinet with two pull-out drawers in hand				
	grab type handle and adjustable shelves				
	- one (1) unit one swing-out door cabinet in hand grab type handle and				
	adjustable shelves				
	- one (1) unit one swing-out door cabinet in hand grab type handle, adjustable				
	shelves, and fixed panel				
	<b>Overhead Cabinet (LT-M6)</b>	1.00	unit		
	Dimensions: 2.10 m x 0.32 m x 0.60 m				
	Specifications:				
	- three (3) units two swing-out glass door hanging cabinet with high pressure				
	laminate finish (HPL) frame and adjustable shelves				
	<b>Overhead Cabinet (LT-M7)</b>	2.00	units		
	Dimensions: 1.40 x 0.32 m x 0.60 m				
	Specifications:				
	- two (2) units two swing-out glass door hanging cabinet with high pressure				
	laminate finish (HPL) frame and adjustable shelves				
	<b>Laboratory Stool</b>	9.00	units		
	Specifications:				
	304 stainless steel body, ss star base with gliders, gas lift height adjustment,				
	foot ring off floor support, PU leather seat				
14.00	<b>GENOMICS CLEAN ROOM</b>				
	<b>Mobile Laboratory Table (LT-N1)</b>	1.00	unit		
	Dimensions: 1.50 m x 0.60 m x 0.90 m				
	Specifications:				
	Countertop: 16 mm thick solid epoxy resin, acid, heat, stain, scratch,				
	anti-static, anti-microbial, and chemical resistant				
	Doors/Drawers: Type - postformed HPL				
	Base Cabinet:				
	- high pressure laminate (HPL) finish				
	- open type legroom with powder coated finish base frame and legs with				
	heavy duty caster wheels				
	<b>Laboratory Side Table (LT-N2)</b>	1.00	unit		
	Dimensions: 3.15 m x 0.70 m x 0.90 m				

	Specifications:			
	Countertop: 16 mm thick solid phenolic resin, acid, heat, stain, scratch,			
	anti-static, anti-microbial, and chemical resistant with 100 mm backsplash			
	Doors/Drawers: Type - postformed HPL			
	Base Cabinet:			
	- high pressure laminate (HPL) finish			
	- one (1) unit acid resistant polypropylene sink bowl complete with traps, and			
	drain fittings			
	- one (1) unit gooseneck waterfaucet			
	- one (1) unit pegboard with polypropylene pegsticks			
	- one (1) unit two swing-out door sink cabinet in hand grab type handle			
	- two (2) units two swing-out door cabinet in hand grab type handle and			
	adjustable shelves			
	- one (1) unit one swing-out door cabinet in hand grab type handle and			
	adjustable shelves			
	- one (1) unit open type legroom			
	<b>Laboratory Stool</b>	1.00	unit	
	Specifications:			
	304 stainless steel body, ss star base with gliders, gas lift height adjustment,			
	foot ring off floor support, PU leather seat			
15.00	<b>MOLECULAR DIAGNOSTICS LABORATORY</b>			
	<b>Laboratory Side Table L-Shape (LT-O1)</b>	1.00	unit	
	Dimensions: 6.29 m x 0.70 m x 0.90 m			
	Specifications:			
	Countertop: 16 mm thick solid phenolic resin, acid, heat, stain, scratch,			
	anti-static, anti-microbial, and chemical resistant with 100 mm backsplash			
	Doors/Drawers: Type - postformed HPL			
	Base Cabinet:			
	- high pressure laminate (HPL) finish			
	- one (1) unit acid resistant polypropylene sink bowl complete with traps, and			
	drain fittings			
	- one (1) unit gooseneck waterfaucet			
	- one (1) unit pegboard with polypropylene pegsticks			
	- four (4) units two swing-out door cabinet in hand grab type handle and			
	adjustable shelves			
	- two (2) units one swing-out door cabinet in hand grab type handle, adjustable			
	shelves, and fixed panel			
	- one (1) unit one swing-out door cabinet in hand grab type handle			
	- one (1) unit two swing-out door sink cabinet in hand grab type handle			
	<b>Overhead Cabinet (LT-O2)</b>	2.00	units	
	Dimensions: 1.40 x 0.32 m x 0.60 m			
	Specifications:			
	- two (2) units two swing-out glass door hanging cabinet with high pressure			
	laminare finish (HPL) frame and adjustable shelves			
	<b>Laboratory Stool</b>	1.00	unit	
	Specifications:			
	304 stainless steel body, ss star base with gliders, gas lift height adjustment,			
	foot ring off floor support, PU leather seat			
16.00	<b>INFECTIOUS CELL CULTURE, AND ANTE ROOM</b>			
	<b>Laboratory Side Table (LT-P1)</b>	1.00	unit	
	Dimensions: 1.00 m x 0.60 m x 0.90 m			
	Specifications:			
	Countertop: 16 mm thick solid phenolic resin, acid, heat, stain, scratch,			
	anti-static, anti-microbial, and chemical resistant with 100 mm backsplash			
	Doors/Drawers: Type - postformed HPL			
	Base Cabinet:			
	- high pressure laminate (HPL) finish			
	- one (1) unit acid resistant polypropylene sink bowl complete with traps, and			
	drain fittings			
	- one (1) unit gooseneck waterfaucet			
	- one (1) unit two swing-out door sink cabinet in hand grab type handle and			
	fixed panel			
	<b>Laboratory Side Table (LT-P2)</b>	1.00	unit	
	Dimensions: 1.40 m x 0.70 m x 0.90 m			
	Specifications:			
	Countertop: 16 mm thick solid phenolic resin, acid, heat, stain, scratch,			
	anti-static, anti-microbial, and chemical resistant with 100 mm backsplash			
	Doors/Drawers: Type - postformed HPL			
	Base Cabinet:			
	- high pressure laminate (HPL) finish			
	- open type legroom			
	- two (2) units one swing-out door cabinet in hand grab type handle and			
	adjustable shelves			
	<b>Laboratory Side Table (LT-P3)</b>	1.00	unit	
	Dimensions: 1.40 m x 0.70 m x 0.90 m			

	Specifications:				
	Countertop: 16 mm thick solid phenolic resin, acid, heat, stain, scratch,				
	anti-static, anti-microbial, and chemical resistant with 100 mm backsplash				
	Doors/Drawers: Type - postformed HPL				
	Base Cabinet:				
	- high pressure laminate (HPL) finish				
	- two (2) units two swing-out door cabinet in hand grab type handle and				
	adjustable shelves				
	<b>Coat Rack Cabinet (LT-P4)</b>	1.00	unit		
	Dimensions: 1.00 m x 0.50 m x 1.80 m				
	Specifications:				
	- high pressure laminate (HPL) finish				
	- two (2) units sliding tempered glass door with highly pressurized laminated				
	finish frame and stainless steel hanger rod				
	<b>Laboratory Stool</b>	1.00	unit		
	Specifications:				
	304 stainless steel body, ss star base with gliders, gas lift height adjustment,				
	foot ring off floor support, PU leather seat				
17.00	<b>BIOLOGY TEACHING LABORATORY (BTL)</b>				
	<b>Mobile Laboratory Table (LT-Q1)</b>	1.00	unit		
	Dimensions: 1.20 m x 0.60 m x 0.90 m				
	Specifications:				
	Countertop: 16 mm thick solid epoxy resin, acid, heat, stain, scratch,				
	anti-static, anti-microbial, and chemical resistant				
	Doors/Drawers: Type - postformed HPL				
	Base Cabinet:				
	- high pressure laminate (HPL) finish				
	- open type legroom with powder coated finish base frame and legs with				
	heavy duty caster wheels				
	<b>Mobile Pedestal</b>	1.00	unit		
	Specifications:				
	- highly pressurized laminated (HPL) finish three pull-out drawers mobile				
	pedestal in hand grab type handle and adjustable shelf with heavy duty caster				
	wheels				
	<b>Laboratory Side Table (LT-Q2)</b>	1.00	unit		
	Dimensions: 1.75 m x 0.70 m x 0.90 m				
	Countertop: 16 mm thick solid epoxy resin, acid, heat, stain, scratch,				
	anti-static, anti-microbial, and chemical resistant with 100 mm backsplash				
	Doors/Drawers: Type - postformed HPL				
	Base Cabinet:				
	- high pressure laminate (HPL) finish				
	- one (1) unit two swing-out door cabinet in hand grab type handle and				
	adjustable shelves				
	- one (1) unit one swing-out door cabinet in hand grab type handle and				
	adjustable shelves				
	- one (1) unit open type legroom				
	<b>Laboratory Side Table (LT-Q3)</b>	1.00	unit		
	Dimensions: 3.15 m x 0.70 m x 0.90 m				
	Countertop: 16 mm thick solid epoxy resin, acid, heat, stain, scratch,				
	anti-static, anti-microbial, and chemical resistant with 100 mm backsplash				
	Doors/Drawers: Type - postformed HPL				
	Base Cabinet:				
	- high pressure laminate (HPL) finish				
	- one (1) unit acid resistant polypropylene sink bowl complete with traps, and				
	drain fittings				
	- one (1) unit gooseneck waterfaucet				
	- one (1) unit pegboard with polypropylene pegsticks				
	- two (2) units two swing-out door sink cabinet in hand grab type handle				
	- one (1) unit open type legroom				
	<b>Overhead Cabinet (LT-Q4)</b>	1.00	unit		
	Dimensions: 1.40 x 0.32 m x 0.60 m				
	Specifications:				
	- two (2) units two swing-out glass door hanging cabinet with high pressure				
	lamine finish (HPL) frame and adjustable shelves				
	<b>Laboratory Stool</b>	6.00	unit		
	Specifications:				
	304 stainless steel body, ss star base with gliders, gas lift height adjustment,				
	foot ring off floor support, PU leather seat				
18.00	<b>RESEARCHERS' OFFICE AND LABORATORY</b>				
	<b>Office Table with Chair (LT-R1)</b>	2.00	set		
	Dimensions: 1.20 m x 0.60 m x 0.75 m				
	Specifications:				
	- machine pressed HPL finish worktop with powder coated metal frame and				
	PVC grommet				

	- Chair: star base ball casters, arm rest, hydraulic adjustable height, mid-height mesh back, polyurethane chair foam				
	<b>Mobile Pedestal</b>	1.00	unit		
	Specifications:				
	- highly pressurized laminated (HPL) finish three pull-out drawers mobile pedestal in hand grab type handle and adjustable shelf with heavy duty caster wheels				
	<b>Base Cabinet (LT-R2)</b>	1.00	unit		
	Dimensions: 2.12 m x 0.60 m x 0.90 m				
	Specifications:				
	Countertop: 16 mm thick solid epoxy resin, acid, heat, stain, scratch, anti-static, anti-microbial, and chemical resistant				
	Doors/Drawers: Type - postformed HPL				
	Base Cabinet:				
	- high pressure laminate (HPL) finish				
	- two (2) units sliding glass doors with adjustable shelves				
	<b>Overhead Cabinet (LT-R3)</b>	2.00	units		
	Dimensions: 1.40 x 0.32 m x 0.60 m				
	Specifications:				
	- two (2) units two swing-out glass door hanging cabinet with high pressure laminate finish (HPL) frame and adjustable shelves				
	<b>Laboratory Side Table L-Shape (LT-R4)</b>	1.00	unit		
	Dimensions: 5.72 m x 0.70 m x 0.90 m				
	Specifications:				
	Countertop: 16 mm thick solid epoxy resin, acid, heat, stain, scratch, anti-static, anti-microbial, and chemical resistant with 100 mm backsplash				
	Doors/Drawers: Type - postformed HPL				
	Base Cabinet:				
	- high pressure laminate (HPL) finish				
	- one (1) unit acid resistant polypropylene sink bowl complete with traps, and drain fittings				
	- one (1) unit gooseneck waterfaucet				
	- one (1) unit pegboard with polypropylene pegsticks				
	- two (2) units two swing-out door cabinet in hand grab type handle and adjustable shelves				
	- one (1) unit sink cabinet in hand grab type handle				
	- two (2) one swing-out door cabinet in hand grab type handle and adjustable shelves				
	<b>Laboratory Stool</b>	2.00	unit		
	Specifications:				
	304 stainless steel body, ss star base with gliders, gas lift height adjustment, foot ring off floor support, PU leather seat				
19.00	<b>BIOLOGICAL MODELS STORAGE LABORATORY</b>				
	<b>Laboratory Side Table (LT-S1)</b>	1.00	unit		
	Dimensions: 2.80 m x 0.70 m x 0.90 m				
	Specifications:				
	Countertop: 16 mm thick solid epoxy resin, acid, heat, stain, scratch, anti-static, anti-microbial, and chemical resistant with 100 mm backsplash				
	Doors/Drawers: Type - postformed HPL				
	Base Cabinet:				
	- high pressure laminate (HPL) finish				
	- two (2) units acid resistant polypropylene sink bowl complete with traps, and drain fittings				
	- two (2) units gooseneck waterfaucet				
	- one (1) unit pegboard with polypropylene pegsticks				
	- two (2) units two swing-out door cabinet in hand grab type handle and adjustable shelves				
	- two (2) units sink cabinet in hand grab type handle				
	<b>Laboratory Side Table (LT-S2)</b>	4.00	units		
	Dimensions: 1.50 m x 0.45 m x 0.80 m				
	Specifications:				
	Countertop: 16 mm thick solid epoxy resin, acid, heat, stain, scratch, anti-static, anti-microbial, and chemical resistant				
	Doors/Drawers: Type - postformed HPL				
	Base Cabinet:				
	- high pressure laminate (HPL) finish				
	- two (2) units sliding glass door with adjustable shelves				
	<b>Mobile Laboratory Center Table (LT-S3)</b>	2.00	units		
	Dimensions: 1.60 m x 0.70 m x 0.90 m				
	Specifications:				
	Countertop: 16 mm thick solid epoxy resin, acid, heat, stain, scratch, anti-static, anti-microbial, and chemical resistant				
	Base Cabinet:				
	- high pressure laminate (HPL) finish				
	- open type legroom with powder coated finish base frame and legs with heavy duty caster wheels				
	- reagent rack with integrated power outlet				

	Overhead Cabinet (LT-S4)	2.00	units		
	Dimensions: 2.45 m x 0.30 m x 0.60 m				
	Specifications:				
	- four (4) units sliding glass door cabinets with adjustable shelves				
	Overhead Cabinet (LT-S5)	2.00	units		
	Dimensions: 1.20 m x 0.30 m x 0.60 m				
	Specifications:				
	- two (2) units sliding glass door cabinets with adjustable shelves				
	Laboratory Stool	8.00	units		
	Specifications:				
	304 stainless steel body, ss star base with gliders, gas lift height adjustment,				
	foot ring off floor support, PU leather seat				
III.	SUPPLEMENTAL WORKS				
1.00	Installation of PVC base covers on walls and laboratory furniture base	276.99	l.m.		

***SUMMARY***					
I.	GENERAL REQUIREMENTS			PhP	
II.	LABORATORY FURNITURE			PhP	
1.0	STUDENTS' LABORATORY				
2.0	PILOT PLANT				
3.0	PRODUCT PROCESSING				
4.0	NATURAL PRODUCTS/CHEMISTRY LABORATORY (DRUG DISCOVERY)				
5.0	ROTA VAP ROOM				
6.0	RECEIVING AND STORAGE ROOM FOR PLANT SAMPLES				
7.0	ANIMAL HOUSE				
8.0	NON-INFECTIOUS LABORATORY				
9.0	CHEMICAL AND GLASS STORAGE				
10.0	BIRTHS				
11.0	GEL DOC				
12.0	Microbio Clean Room, Microbio Lab., Hot Room				
13.0	GENOMICS LABORATORY				

- 14.0 GENOMICS CLEAN ROOM
- 15.0 MOLECULAR DIAGNOSTICS LABORATORY
- 16.0 INFECTIOUS CELL CULTURE, AND ANTE ROOM
- 17.0 BIOLOGY TEACHING LABORATORY (BTL)
- 18.0 RESEARCHERS' OFFICE AND LABORATORY
- 19.0 BIOLOGICAL MODELS STORAGE LABORATORY
- III. SUPPLEMENTAL WORKS

Sub-Total

VAT

TOTAL PROJECT COST

PhP

@ 12%

PhP

Amount in words:

Note:

\*Indirect Cost (OCM & Profit) included per item unit cost

\*Bonds and Securities, and power and water supply consumption are considered as overhead expenses while Plans (As-Built Plans) are considered as miscellaneous expense which are already included in the computation of OCM (mark-up).

- By the act of submitting this bid, I/we hereby confirm that I/we:
- a) have inspected the site
  - b) determined the characteristics of the contract works and the conditions for this project
  - c) amined all instructions, forms, terms, and project requirements in the Bidding Documents
  - d) was/were given the opportunity to submit queries at least ten (10) calendar days before the submission of bids
  - e) have examined and agreed to the correctness of the Bill of Quantities

Submitted by:  
Name and signature

Company Name:

Position:

Date: