

# WOOD FLUSH DOORS

DOOR MARK	DOOR SYMBOL	WIDTH	QTY.	DESCRIPTION	CORE	DOOR FACE FIN	JAMB	VISION PANEL	LOUVER	HINGE	LOCKSET	CLOSER	DOOR STOP	DOOR TRACK	FLUSHBOLT	PUSH PLATE	DOOR PULL	ARMOR / KICK PLATE	THRESHOLD	DOOR SILENCER	ASTRAGAL	FIRE RATING	REMARKS	
A WD1		1200	NONE	44MM THK SOLID CORE WOOD FLUSH DOOR	PARTICLE BOARD	HIGH PRESSURE LAMINATE	18GA PRIMED AND PAINTED STEEL JAMB FOR SWING DOORS	NONE	300MM X 200MM LOUVER	3 - 4.5' X 4.5' S/S HEAVY WEIGHT BALL BEARING HINGE	BATHROOM PRIVACY FUNCTION: INSTITUTIONAL GRADE LEVER TYPE BORED LOCKSET WITH RETURN	NONE	WALL MOUNTED DOOR STOPPER	NONE	NONE	NONE	NONE	NONE	25MM X 12MM HIGH 14GA S/S ANGLE TYPE 304 HAIRLINE FINISH THRESHOLD	3 - HAGER 308D WOOD DOOR SILENCER	NONE		FOR TOILETS	
		1000	NONE																					
		900	18																					
		800	19																					
		700	2																					
B WD2		1200	NONE	44MM THK SOLID CORE WOOD FLUSH DOOR	PARTICLE BOARD	HIGH PRESSURE LAMINATE	18GA PRIMED AND PAINTED STEEL JAMB FOR SWING DOORS	NONE	300MM X 200MM LOUVER	3 - 4.5' X 4.5' S/S HEAVY WEIGHT BALL BEARING HINGE	DEADBOLT BLANK PLATE INSIDE: INSTITUTIONAL GRADE DEADBOLT	NONE	WALL MOUNTED DOOR STOPPER	NONE	NONE	100MM X 400MM 16GA S/S TYPE 304 HAIRLINE FINISH PUSH PLATE	25MM X 19MM S/S TYPE 304 HAIRLINE FINISH DOOR PULL	NONE	25MM X 12MM HIGH 14GA S/S ANGLE TYPE 304 HAIRLINE FINISH THRESHOLD	3 - HAGER 308D WOOD DOOR SILENCER	NONE		FOR JANITOR / SOILED UTILITY	
		1000	NONE																					
		900	NONE																					
		800	1																					
		700	4																					
C WD3		1200	NONE	44MM THK SOLID CORE WOOD FLUSH DOOR	PARTICLE BOARD	HIGH PRESSURE LAMINATE	18GA PRIMED AND PAINTED STEEL JAMB FOR SWING DOORS	NONE	NONE	3 - 4.5' X 4.5' S/S HEAVY WEIGHT BALL BEARING HINGE	STOREROOM FUNCTION: INSTITUTIONAL GRADE LEVER TYPE BORED LOCKSET WITH RETURN	NONE	WALL MOUNTED DOOR STOPPER	NONE	NONE	NONE	NONE	NONE	NONE	3 - HAGER 308D WOOD DOOR SILENCER	NONE		FOR STORAGE / SUPPLY ROOMS	
		1000	NONE																					
		900	6																					
		800	10																					
		700	1																					
C WD4		1200	NONE	44MM THK SOLID CORE WOOD FLUSH DOOR	PARTICLE BOARD	HIGH PRESSURE LAMINATE	18GA PRIMED AND PAINTED STEEL JAMB FOR SWING DOORS	NONE	NONE	3 - 4.5' X 4.5' S/S HEAVY WEIGHT BALL BEARING HINGE	BATHROOM PRIVACY FUNCTION: INSTITUTIONAL GRADE LEVER TYPE BORED LOCKSET WITH RETURN	NONE	WALL MOUNTED DOOR STOPPER	NONE	NONE	NONE	NONE	NONE	NONE	3 - HAGER 308D WOOD DOOR SILENCER	NONE		FOR STAFF LOCKERS / CALL ROOMS	
		1000	NONE																					
		900	8																					
		800	NONE																					
		700	1																					
D WD5		1200	NONE	44MM THK HOLLOW CORE WOOD FLUSH DOOR	SOUND INSULATING MATERIAL - STC 65	HIGH PRESSURE LAMINATE	18GA PRIMED AND PAINTED STEEL JAMB FOR SWING DOORS	NONE	NONE	3 - 4.5' X 4.5' S/S HEAVY WEIGHT BALL BEARING HINGE	ENTRANCE FUNCTION: INSTITUTIONAL GRADE LEVER TYPE BORED LOCKSET WITH RETURN	HEAVY DUTY SURFACE TYPE DOOR CLOSER, 90° SWING	NONE	NONE	NONE	NONE	NONE	NONE	NONE	NONE	3 - HAGER 308D WOOD DOOR SILENCER	NONE		FOR ACOUSTIC TREATED DOOR
		1000	NONE																					
		900	NONE																					
		800	NONE																					
		700	NONE																					
D WD6		1200	NONE	44MM THK SOLID CORE WOOD FLUSH DOOR	PARTICLE BOARD	HIGH PRESSURE LAMINATE	18GA PRIMED AND PAINTED STEEL JAMB FOR SWING DOORS	NONE	NONE	3 - 4.5' X 4.5' S/S HEAVY WEIGHT BALL BEARING HINGE	ENTRANCE FUNCTION: INSTITUTIONAL GRADE LEVER TYPE BORED LOCKSET WITH RETURN	HEAVY DUTY SURFACE TYPE DOOR CLOSER, 90° SWING	NONE	NONE	NONE	NONE	NONE	NONE	NONE	3 - HAGER 308D WOOD DOOR SILENCER	NONE		FOR OFFICES NO VP	
		1000	NONE																					
		900	3																					
		800	NONE																					
		700	NONE																					
E WD7		1200	NONE	44MM THK SOLID CORE WOOD FLUSH DOOR	PARTICLE BOARD	HIGH PRESSURE LAMINATE	18GA PRIMED AND PAINTED STEEL JAMB FOR SWING DOORS	NONE	NONE	3 - 4.5' X 4.5' S/S HEAVY WEIGHT BALL BEARING HINGE	ENTRANCE FUNCTION: INSTITUTIONAL GRADE LEVER TYPE BORED LOCKSET WITH RETURN	NONE	WALL MOUNTED DOOR STOPPER	NONE	NONE	NONE	NONE	NONE	NONE	3 - HAGER 308D WOOD DOOR SILENCER	NONE		FOR PATIENT ROOMS	
		1000	NONE																					
		900	NONE																					
		800	NONE																					
		700	NONE																					
E WD8		1200	NONE	44MM THK SOLID CORE WOOD FLUSH DOOR, WITH LEAD LINING	PARTICLE BOARD, LEAD LINED	HIGH PRESSURE LAMINATE	18GA PRIMED AND PAINTED STEEL JAMB FOR SWING DOORS, WITH LEAD LINING	NONE	NONE	LEAD LINED S.S. CONTINUOUS HINGE	ENTRANCE FUNCTION: INSTITUTIONAL GRADE LEVER TYPE BORED LOCKSET WITH RETURN	HEAVY DUTY SURFACE TYPE DOOR CLOSER, 90° SWING	NONE	NONE	NONE	NONE	NONE	1150MM HIGH X DOOR WIDTH 16GA S/S TYPE 304 HAIRLINE FINISH ARMOR PLATE	NONE	3 - HAGER 308D WOOD DOOR SILENCER	NONE		FOR LEAD LINED	
		1000	NONE																					
		900	NONE																					
		800	NONE																					
		700	NONE																					
F WD9		1200																						
		1000																						
		900																						
		800																						
		700																						
G WD10		1200																						
		1000																						
		900																						
		800																						
		700																						
G WD11		1200																						
		1000																						
		900																						
		800																						
		700																						
H WD12		1200																						
		1000																						
		900																						
		800																						
		700																						
H WD13		1200																						
		1000																						
		900																						
		800																						
		700																						

**PHILIPPINE GENERAL HOSPITAL INFRASTRUCTURE PROJECT**  
P01 - OB-AS-ER  
MANILA, PHILIPPINES

OFFICIAL REPRESENTATIVE: \_\_\_\_\_

ARCHITECTURAL & INTERIOR DESIGN CONSULTANT:  
**UNI SYSTEM** ARCHITECTS INTERIOR DESIGNERS PLANNERS URBAN DESIGNERS  
G/F PICO BUILDING 2242 DON CHINO ROCES AVENUE MAKATI CITY, PHILIPPINES  
Tel : (00 63 2) 817-1115, (632) 817-1116  
Fax : (00 63 2) 817-0752  
Email : archon@eastern.com.ph

ARCHITECT:  
**Daniel A. Lichauco**

PTR NO. : 5912695      PRC NO. : 9243  
DATE ISSUED : JANUARY 05, 2017      DATE ISSUED : JUNE 17, 1987  
PLACE ISSUED : MAKATI CITY      VALID UNTIL : DEC. 17, 2016  
TIN NO. : 172958490      UAP-IAPOA : 07523 109139 100913

QUANTITY SURVEYOR:  
**UNI SYSTEM**  
UNI SYSTEM CONSULTANCY INTERNATIONAL INCORPORATED  
Tel : (632) 586 5928  
Email : unisystem.consult.us@gmail.com

STRUCTURAL ENGINEERING CONSULTANT:  
**ANTONIO V. GUTIERREZ & ASSOCIATES**  
Tel : (00 63 2) 725 6265  
Fax : (00 63 2) 724 1687  
Email : antoniovgutierrez@yahoo.com

MEPP CONSULTANT:  
**MEINHARDT**  
Meinhardt Philippines, Inc.  
25th Floor Chatham House 116 Valero cor. V.A. Rufino St. Salcedo Village, Makati City  
Tels. (632) 887-1391 E-mail mpi@meinhardt.com.ph  
Fax (632) 887-1172

ENGINEERING CONSULTANT:  
\_\_\_\_\_

PTR NO. :      PRC NO. :  
TIN NO. :      DATE ISSUED :  
PLACE ISSUED :      VALID UNTIL :  
DATE:      NO.      REVISIONS:  
03NOV2017      1      CHANGE DOOR HEIGHTS FROM 2100MM TO 2400MM.

GRAPHIC SCALE: \_\_\_\_\_

DRAWING CONTENTS:  
**DOOR HARDWARE SCHEDULE**

PROJECT NO. :      SHEET NO. :  
SCALE :      DRAWN BY : A. CRUZ  
DATE DRAWN : 2017/03/23  
CHECKED BY :  
FILE NAME :      **P01-A-601**