



CAMPUS PLANNING, DEVELOPMENT & MAINTENANCE OFFICE
UNIVERSITY OF THE PHILIPPINES MANILA
The Health Sciences Center
 P. Faura Street, Ermita, Manila Tel. No. 525-2233 Telefax No. 526-8420



Project : Supply and Installation of Emergency Exit at Philippine Eye Research Institute

Location : Philippine Eye Research Institute 5th floor Researcher's Room SOJR Building

Subject : SCOPE OF WORK AND SPECIFICATIONS

1. Site preparation/ mobilization
2. Measurement of the dimension of the site
3. Dismantling / Cutting / Demolition of portion of wall which made up of fiber cement board and metal furring to fit the 1m x 2.1m emergency exit.
4. Relocation of electrical outlet and lan outlet affected to adjacent wall.
5. Trimming of siding to fit the door jamb, installation of additional metal furring and riveting and fixing.
6. Installation of door jamb and hinges
7. Installation of fire rated door (2hrs.) to hinges and adjusting to the correct position and clearance (swinging outwards).
8. Drilling and Installation of door closer panic device/bar security lock and minor adjustment.
9. Restoration of sidings affected by applying putty and repainting with similar paint finish.
10. Installation of electrical wiring for exit signage.
11. Installation of signage and tapping to electrical power.
12. Finishing work, and final testing and inspection.

PREPARED BY:

LAURO C. CANCERAN
 Engineer III

CERTIFIED CORRECT BY:

AR. ALLEN R. BUENAVENTURA
 Chief, CPDMO

RECOMMENDING APPROVAL:

LEO DP CUBILLAN, MD, MPH
 Director, Philippine Eye Research Institute

MICHAEL L. TEE, MD, MHPEd
 Vice Chancellor for Planning and Development

APPROVED BY:

ARLENE A. SAMANIEGO, MD
 Vice Chancellor for Administration

22 FEB 2016