PGH Form No. Q-250003 Rev: 01; Eff 01 Jul 2021



Date: December 16, 2022

The National University Hospital University of the Philippines, Manila PURCHASING OFFICE

Taft Avenue, Manila

"PHIC-Accredited Health Care Provider" ISO 9001 Certified

REQUEST FOR SEALED PROPOSAL

	Procurement: SMALL VALUE PROCUREMENT	-						
represen	uote at your government price inclusive of VAT for the ntative at the Purchasing Office, 2nd Floor Right Ser <u>0 PM, December 23, 2022</u> .							
 All en Delive Warra procuring Bidde Price Docur 	ers must indicate the BRAND and MODEL NUMBER of validity shall be for a period of 90 calendar days from mentary requirements shoul <u>d be</u> attached upon subm	fered whe the date o	n approp of openin he quota	riate. g of quotation/¡		nent from th	e date of acc	eptance by the
Late 7. Suppl 8. Other	lier is required to submit single bid / offer only for each			Statement ore bids / offer i	s automatically	disqualified		
LOLITA	ner information, you may call at (02) 8554-8400 local G. AVAREZ rchasing Office	[3024] an	d look for	r <u>Ms. Maria Agr</u>	<u>ies Lumbis</u>			
H	of the second	and Hear.	Dland D	ank Laboratori	log.			
Item No.	Item Description	Qty	UOM	Unit Price (PHP)	Quoted Unit Price	Compliance (Bran		Remarks (Brand and Specifications)
	Supply, Delivery and Installation					103	110	
	including dismantling and disposal							
	of the existing glass doors.							***************************************
1	Specification: 1.4m W x 2.19m H, Double Panel	1	ant	46,920.84				
	0.90m W x 2.10m H, Single Panel	2	set	29,178.84				
	orson w x 2.20m m, single raner	 -	1000	27,170,01				
	Specification:	1	1					
	Specification: 12mm thick, Tempered, Clear Glass Door,							
	12mm thick, Tempered, Clear Glass Door, Frameless complete with Glass Door							
	12mm thick, Tempered, Clear Glass Door, Frameless complete with Glass Door Hinge, Handle and Lock							
	12mm thick, Tempered, Clear Glass Door, Frameless complete with Glass Door							
	12mm thick, Tempered, Clear Glass Door, Frameless complete with Glass Door Hinge, Handle and Lock							
	12mm thick, Tempered, Clear Glass Door, Frameless complete with Glass Door Hinge, Handle and Lock							
	12mm thick, Tempered, Clear Glass Door, Frameless complete with Glass Door Hinge, Handle and Lock							
	12mm thick, Tempered, Clear Glass Door, Frameless complete with Glass Door Hinge, Handle and Lock							
	12mm thick, Tempered, Clear Glass Door, Frameless complete with Glass Door Hinge, Handle and Lock							
	12mm thick, Tempered, Clear Glass Door, Frameless complete with Glass Door Hinge, Handle and Lock		b					
2	12mm thick, Tempered, Clear Glass Door, Frameless complete with Glass Door Hinge, Handle and Lock xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	t for the (Contract	105,278.51				
2	12mm thick, Tempered, Clear Glass Door, Frameless complete with Glass Door Hinge, Handle and Lock xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	t for the (Contract	105,278.51				
2	12mm thick, Tempered, Clear Glass Door, Frameless complete with Glass Door Hinge, Handle and Lock xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	t for the 0	Contract	105,278.51				
Total A	12mm thick, Tempered, Clear Glass Door, Frameless complete with Glass Door Hinge, Handle and Lock xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx					e described i	tems.	

PHILIPPINE GENERAL HOSPITAL

The National University Hospital
University of the Philippines Manila
PURCHASING OFFICE

Taft Avenue, Manila PHIC-Accredited Health Care Provider ISO 9001 Certified

PGH Form No. Q-250003 Rev.01: Eff 01 Jul 2021



TERMS AND CONDITIONS:

- 1.Bidders shall provide correct and accurate information required in this form.
- 2. Price quotation/s, to be denominated in Philippine peso shall include all taxes, duties and/or levies payable.
- 3. Quotations exceeding the Approved Budget for the Contract shall be rejected.
- 4.Award of contract shall be made to the lowest quotation (for goods and infrastructure) or, the highest rated offer (for consulting services) which complies with the minimum technical specifications and other terms and conditions stated herein.
- 5.Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by you or any of your authorized representative/s.
- 6.The item/s shall be delivered according to the requirements specified in the Technical Specifications.
- 7.The UPM-PGH shall have the right to inspect and/or test the goods to confirm their conformity to the technical specifications.
- 8.The UPM-PGH shall assumes no responsibility whatsoever to compensate or indemnify any supplier for expenses incurred in the preparation of Quotations/Proposals.
- 9.In case of two or more bidders are determined and declared as Lowest Calculated and Responsive Quotation, the UPM-PGH shall adopt and employ "draw lots" as the tie-breaking method to finally determine the winning provider in accordance with GPPB Circular 06-2005.
- 10.If the AWARDEE fails to effect delivery with the prescribed period, the UPM-PGH may upon its discretion, extend delivery period of subject, however, to the imposition of appropriate liquidated damages, the amount of which shall be at least equal to one-tenth of one percent (0.01%) of the cost of the unperformed portion for every day of delay, collectible from any money due or maybe due to the supplier/contractor. Once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, the UPM-PGH may rescind or terminate the contract, without prejudice to other courses of action and remedies open to it. If the AWARDEE, however, fails to effect completed delivery within the extended period, the UPM-PGH shall have the right to cancel said contract and shall constitute a ground for disqualification of the AWARDEE from future biddings, without prejudice to the imposition of other sanctions provided for under 2016 Revised IRR.
- 11. The UPM-PGH reserves the rights to reject any or all bids or not award the contract, to waive any formality or defect therein and to accept any or all offers that may be considered most advantageous to the Government.
- 12. Compliance with Republic Act (R.A.) 9184 and other applicable laws.

UNDERTAKING						
I/We undertake, if our quotation/proposal is accepted Request for Quotation/Proposal.	ed, to deliver the items in accordance with the General /Terms and Conditions contained in the					
Name of Company:	Office Tel. No.:					
Address:	Fax / Mobile No.:					
Name of Representative:	e-Mail Address:					
Name of Representative: Position / Designation:	e-Mall Address: Date:					

PGH Form No. Q-250003 Rev: 01; Eff 01 Jul 2021



Date: December 16, 2022

The National University Hospital University of the Philippines, Manila

PURCHASING OFFICE

Taft Avenue, Manila

"PHIC-Accredited Health Care Provider" ISO 9001 Certified

REQUEST FOR SEALED PROPOSAL

	Request No.: PUR22-11-1069 Procurement: SMALL VALUE PROCUREMENT							
represen	note at your government price inclusive of VAT for the tative at the Purchasing Office, 2nd Floor Right Ser							, , , , ,
1. All en 2. Delive 3. Warra procuring 4. Bidde 5. Price 6. Docur Vali Late 7. Suppl 8. Other	rs must indicate the BRAND and MODEL NUMBER off validity shall be for a period of 90 calendar days from mentary requirements should be attached upon subm d Business / Mayor's Permit PhilGEPS est Business / Income Tax Return Notarized ier is required to submit single bid / offer only for each	ered whe the date ission of t Registrat I Omnibu th item. T	en appropr of opening the quotati tion Numb s Sworn St 'wo or mot	iate. of quotation/p on / proposal. er/Certificate :atement re bids / offer is	roposal.			eptance by the
jn	7	End-U	ser: OETS	/Mechanical				
Item No.	Item Description	Qty	иом	Unit Price (PHP)	Quoted Unit Price		nent of diance No	Remarks (Brand and Specifications)
1	Stainless Steel angular Bar							
	1" 1" Annus Thisley con 20 ft I awath	25	pcs	3,400.00				
	1" x 1" x 4mm Thickness x 20 ft Length							
2	Stainless steel Flat Bar		200	1 640 00				
	Stainless steel Flat Bar 1" x 4mm Thickness x 20 ft Length	25	, pcs	1,640.00				
3	Stainless steel Flat Bar 1" x 4mm Thickness x 20 ft Length Stainless Steel Mesh Wire/Screen		, pcs	1,640.00				
	Stainless steel Flat Bar 1" x 4mm Thickness x 20 ft Length Stainless Steel Mesh Wire/Screen 1" x 1" Hole x 1.5mm - 2.0 mm Diameter Wire	25						
3	Stainless steel Flat Bar 1" x 4mm Thickness x 20 ft Length Stainless Steel Mesh Wire/Screen 1" x 1" Hole x 1.5mm - 2.0 mm Diameter Wire 1 meter in Width		, pcs meters	1,640.00 780.00				
	Stainless steel Flat Bar 1" x 4mm Thickness x 20 ft Length Stainless Steel Mesh Wire/Screen 1" x 1" Hole x 1.5mm - 2.0 mm Diameter Wire	25						
3	Stainless steel Flat Bar 1" x 4mm Thickness x 20 ft Length Stainless Steel Mesh Wire/Screen 1" x 1" Hole x 1.5mm - 2.0 mm Diameter Wire 1 meter in Width Reinforced Cut-off Wheel, 100 millimeters x 16 millimeters bore Diameter x 1 millimeters	25						
3	Stainless steel Flat Bar 1" x 4mm Thickness x 20 ft Length Stainless Steel Mesh Wire/Screen 1" x 1" Hole x 1.5mm - 2.0 mm Diameter Wire 1 meter in Width Reinforced Cut-off Wheel, 100 millimeters x 16 millimeters bore Diameter x 1 millimeters Thickness, aluminum oxide material, for	25						
3	Stainless steel Flat Bar 1" x 4mm Thickness x 20 ft Length Stainless Steel Mesh Wire/Screen 1" x 1" Hole x 1.5mm - 2.0 mm Diameter Wire 1 meter in Width Reinforced Cut-off Wheel, 100 millimeters x 16 millimeters bore Diameter x 1 millimeters	25	meters	780.00				
3	Stainless steel Flat Bar 1" x 4mm Thickness x 20 ft Length Stainless Steel Mesh Wire/Screen 1" x 1" Hole x 1.5mm - 2.0 mm Diameter Wire 1 meter in Width Reinforced Cut-off Wheel, 100 millimeters x 16 millimeters bore Diameter x 1 millimeters Thickness, aluminum oxide material, for ferrous materials/stainless	25	meters	780.00				
3 4	Stainless steel Flat Bar 1" x 4mm Thickness x 20 ft Length Stainless Steel Mesh Wire/Screen 1" x 1" Hole x 1.5mm - 2.0 mm Diameter Wire 1 meter in Width Reinforced Cut-off Wheel, 100 millimeters x 16 millimeters bore Diameter x 1 millimeters Thickness, aluminum oxide material, for ferrous materials/stainless Grinding Wheel/Disc, 100 millimeters x 16 millimeters bore Diam. x 6 millimeter Thickness, aluminum oxide material	25	meters	780.00				
3	Stainless steel Flat Bar 1" x 4mm Thickness x 20 ft Length Stainless Steel Mesh Wire/Screen 1" x 1" Hole x 1.5mm - 2.0 mm Diameter Wire 1 meter in Width Reinforced Cut-off Wheel, 100 millimeters x 16 millimeters bore Diameter x 1 millimeters Thickness, aluminum oxide material, for ferrous materials/stainless Grinding Wheel/Disc, 100 millimeters x 16 millimeters bore Diam. x 6 millimeter Thickness, aluminum oxide material Stainless Steel Cylindrical Hinge, 1/2 inch	25	pcs	780.00 110.00				
3 4	Stainless steel Flat Bar 1" x 4mm Thickness x 20 ft Length Stainless Steel Mesh Wire/Screen 1" x 1" Hole x 1.5mm - 2.0 mm Diameter Wire 1 meter in Width Reinforced Cut-off Wheel, 100 millimeters x 16 millimeters bore Diameter x 1 millimeters Thickness, aluminum oxide material, for ferrous materials/stainless Grinding Wheel/Disc, 100 millimeters x 16 millimeters bore Diam. x 6 millimeter Thickness, aluminum oxide material Stainless Steel Cylindrical Hinge, 1/2 inch diameter x 2 inches long	25	meters	780.00				
3 4	Stainless steel Flat Bar 1" x 4mm Thickness x 20 ft Length Stainless Steel Mesh Wire/Screen 1" x 1" Hole x 1.5mm - 2.0 mm Diameter Wire 1 meter in Width Reinforced Cut-off Wheel, 100 millimeters x 16 millimeters bore Diameter x 1 millimeters Thickness, aluminum oxide material, for ferrous materials/stainless Grinding Wheel/Disc, 100 millimeters x 16 millimeters bore Diam. x 6 millimeter Thickness, aluminum oxide material Stainless Steel Cylindrical Hinge, 1/2 inch diameter x 2 inches long xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	25	pcs	780.00 110.00				
3 4	Stainless steel Flat Bar 1" x 4mm Thickness x 20 ft Length Stainless Steel Mesh Wire/Screen 1" x 1" Hole x 1.5mm - 2.0 mm Diameter Wire 1 meter in Width Reinforced Cut-off Wheel, 100 millimeters x 16 millimeters bore Diameter x 1 millimeters Thickness, aluminum oxide material, for ferrous materials/stainless Grinding Wheel/Disc, 100 millimeters x 16 millimeters bore Diam. x 6 millimeter Thickness, aluminum oxide material Stainless Steel Cylindrical Hinge, 1/2 inch diameter x 2 inches long	25	pcs	780.00 110.00				
3 4	Stainless steel Flat Bar 1" x 4mm Thickness x 20 ft Length Stainless Steel Mesh Wire/Screen 1" x 1" Hole x 1.5mm - 2.0 mm Diameter Wire 1 meter in Width Reinforced Cut-off Wheel, 100 millimeters x 16 millimeters bore Diameter x 1 millimeters Thickness, aluminum oxide material, for ferrous materials/stainless Grinding Wheel/Disc, 100 millimeters x 16 millimeters bore Diam. x 6 millimeter Thickness, aluminum oxide material Stainless Steel Cylindrical Hinge, 1/2 inch diameter x 2 inches long xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	25 20 20 10 105	pcs pcs	780.00 110.00				
5	Stainless steel Flat Bar 1" x 4mm Thickness x 20 ft Length Stainless Steel Mesh Wire/Screen 1" x 1" Hole x 1.5mm - 2.0 mm Diameter Wire 1 meter in Width Reinforced Cut-off Wheel, 100 millimeters x 16 millimeters bore Diameter x 1 millimeters Thickness, aluminum oxide material, for ferrous materials/stainless Grinding Wheel/Disc, 100 millimeters x 16 millimeters bore Diam. x 6 millimeter Thickness, aluminum oxide material Stainless Steel Cylindrical Hinge, 1/2 inch diameter x 2 inches long xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	25 20 20 10 105	pcs pcs	780.00 110.00 170.00				
5	Stainless steel Flat Bar 1" x 4mm Thickness x 20 ft Length Stainless Steel Mesh Wire/Screen 1" x 1" Hole x 1.5mm - 2.0 mm Diameter Wire 1 meter in Width Reinforced Cut-off Wheel, 100 millimeters x 16 millimeters bore Diameter x 1 millimeters Thickness, aluminum oxide material, for ferrous materials/stainless Grinding Wheel/Disc, 100 millimeters x 16 millimeters bore Diam. x 6 millimeter Thickness, aluminum oxide material Stainless Steel Cylindrical Hinge, 1/2 inch diameter x 2 inches long xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	25 20 20 10 105	pcs pcs	780.00 110.00 170.00				
5	Stainless steel Flat Bar 1" x 4mm Thickness x 20 ft Length Stainless Steel Mesh Wire/Screen 1" x 1" Hole x 1.5mm - 2.0 mm Diameter Wire 1 meter in Width Reinforced Cut-off Wheel, 100 millimeters x 16 millimeters bore Diameter x 1 millimeters Thickness, aluminum oxide material, for ferrous materials/stainless Grinding Wheel/Disc, 100 millimeters x 16 millimeters bore Diam. x 6 millimeter Thickness, aluminum oxide material Stainless Steel Cylindrical Hinge, 1/2 inch diameter x 2 inches long xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	25 20 20 10 105	pcs pcs	780.00 110.00 170.00				
3 4 5 6 Name of Name o	Stainless steel Flat Bar 1" x 4mm Thickness x 20 ft Length Stainless Steel Mesh Wire/Screen 1" x 1" Hole x 1.5mm - 2.0 mm Diameter Wire 1 meter in Width Reinforced Cut-off Wheel, 100 millimeters x 16 millimeters bore Diameter x 1 millimeters Thickness, aluminum oxide material, for ferrous materials/stainless Grinding Wheel/Disc, 100 millimeters x 16 millimeters bore Diam. x 6 millimeter Thickness, aluminum oxide material Stainless Steel Cylindrical Hinge, 1/2 inch diameter x 2 inches long xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	25 20 20 10 105	pcs pcs pcs pcs	780.00 110.00 170.00 105.00		e described i	tems.	

Rev.01; Eff 01 Jul 2021



PHILIPPINE GENERAL HOSPITAL The National University Hospital University of the Philippines Manila PURCHASING OFFICE Taft Avenue, Manila

PHIC-Accredited Health Care Provider ISO 9001 Certified

TERMS AND CONDITIONS:

- 1. Bidders shall provide correct and accurate information required in this form.
- Price quotation/s, to be denominated in Philippine peso shall include all taxes, duties and/or levies payable.
- 3. Quotations exceeding the Approved Budget for the Contract shall be rejected.
- 4. Award of contract shall be made to the lowest quotation (for goods and infrastructure) or, the highest rated offer (for consulting services) which complies with the minimum technical specifications and other terms and conditions stated herein.
- 5. Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by you or any of your authorized representative/s.
- 6. The item/s shall be delivered according to the requirements specified in the Technical Specifications.
- 7. The UPM-PGH shall have the right to inspect and/or test the goods to confirm their conformity to the technical specifications.
- The UPM-PGH shall assumes no responsibility whatsoever to compensate or indemnify any supplier for expenses incurred in the preparation of Quotations/Proposals.
- In case of two or more bidders are determined and declared as Lowest Calculated and Responsive Quotation, the UPM-PGH shall adopt and employ "draw lots" as the tie-breaking method to finally determine the winning provider in accordance with GPPB Circular 06-2005.
- 10. If the AWARDEE fails to effect delivery with the prescribed period, the UPM-PGH may upon its discretion, extend delivery period of subject, however, to the imposition of appropriate liquidated damages, the amount of which shall be at least equal to one-tenth of one percent (0.01%) of the cost of the unperformed portion for every day of delay, collectible from any money due or maybe due to the supplier/contractor. Once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, the UPM-PGH may rescind or terminate the contract, without prejudice to other courses of action and remedies open to it. If the AWARDEE, however, fails to effect completed delivery within the extended period, the UPM-PGH shall have the right to cancel said contract and shall constitute a ground for disqualification of the AWARDEE from future biddings, without prejudice to the imposition of other sanctions provided for under 2016 Revised IRR.
- 11. The UPM-PGH reserves the rights to reject any or all bids or not award the contract, to waive any formality or defect therein and to accept any or all offers that may be considered most advantageous to the Government.
- 12. Compliance with Republic Act (R.A.) 9184 and other applicable laws.

U	NDERTAKING
l/We undertake, if our quotation/proposal General /Terms and Conditions contained in t	is accepted, to deliver the items in accordance with the he Request for Quotation/Proposal.
Name of Company: Address: Name of Representative: Position / Designation: Signature	Office Tel. No.: Fax / Mobile No.: e-Mail Address: Date: