



**UNIVERSITY OF THE PHILIPPINES MANILA**  
**Campus Planning, Development and Maintenance Office**  
 Padre Faura St. Ermita, Manila 1000, Philippines  
 Tel: (632) 525 2233 • (632) 526 8420 • (632) 814 1258 • (632) 814 1257



**PROJECT** : PROPOSED TRANSFER AND RENOVATION OF MIU/EDUTECH  
 CENTER TO EXISTING PGIM OFFICE

**LOCATION** : College of Medicine  
 University of the Philippines Manila

**SUBJECT** : BIDFORM

ITEM	DESCRIPTION	QTY.	UNIT	UNIT COST	TOTAL COST
<b>1.00</b>	<b>GENERAL REQUIREMENTS</b>				
	Mobilization & Demobilization	1.00	lot		
	Warehouse, board ups, canvass/temporary covering and safety signages	1.00	lot		
	Temporary Field Office and Living Quarters	1.00	lot		
	Health and Safety ( PPE, Medkit, Medical check-up/testing as required for new normal etc.)	1.00	lot		
	Permit and Licenses	1.00	lot		
	<b>TOTAL GENERAL REQUIREMENTS</b>				
<b>2.00</b>	<b>SITE PREPARATION</b>				
	<b>Demolition &amp; Dismantling</b>				
	Scaffolding, barricade and temporary supports	1.00	lot		
	Demolition of existing partition works (ground and second floor)	1.00	lot		
	Demolition of existing ceiling and flooring	135.75	sqm		
	Demolition of claddings and counters	1.00	lot		
	Dismantling of existing lighting fixtures and other electrical fixtures, wires, cables, raceways, etc.	1.00	lot		
	Removal of other utilities (pipes, fittings, fixtures, etc.)	1.00	lot		
	Dismantling of existing doors and Window	5.00	sets		
	<b>TOTAL SITE PREPARATION</b>				
<b>3.00</b>	<b>ARCHITECTURAL WORKS</b>				
	<b>Doors and Windows</b>				
	<b>D-1 Insulated Steel Flush Door w/ view panel</b> Hollow Core Polystyrene insulation door panel with double glaze view panel window in tempered clear glass, GA #16, G.I. door in laminated finish complete with ball bearing hinge, lever type door handle and cylinder lock combo set (inside knob lock @ AVR), 500k cycles automatic door closer, PU foam insulation strips and bottom sealin strip Dimension : 0.80m x 2.10m	1.00	sets		

	<b>D-2 Insulated Steel Flush Door w/ viewing panel</b> Hollow Core Polystyrene insulation door panel with double glaze view panel window in tempered clear glass, GA #16, G.I. door in laminated finish complete with ball bearing hinge, lever type door handle and cylinder lock combo set (inside knob lock @ AVR), 500k cycles automatic door closer, PU foam insulation strips and bottom sealin strip Dimension : 0.70m x 2.10m	1.00	sets		
	<b>D-3 Insulated Steel Flush Door w/ view panel</b> Hollow Core Polystyrene insulation door panel with double glaze view panel window in tempered clear glass, GA #16, G.I. door in laminated finish complete with ball bearing hinge, lever type door handle and cylinder lock combo set (inside knob lock @ AVR), 500k cycles automatic door closer, PU foam insulation strips and bottom sealin strip Dimension : 0.70m x 2.10m	1.00	sets		
	<b>D-4 Framed Glass Door</b> 10mm thick tempered glass door on aluminum powder coated frame complete with stainless pull handle and lock hardware Dimensions: 0.90m x 1.80m	1.00	sets		
	<b>D-5 JIB Door</b> Fabricated JIB door using 9mm thick fiber cement board on wood framing, claddded/laminated flush to wall cladding complete with concealed door hinge, lever type door handle with lock Dimensions: 0.60m x 2.10m	2.00	sets		
	<b>D-6 Fire Rates Steel Door/Emergency Escape Door</b> Galvanized sheet GA#18 thick GA#16 Jamb complete with panic device rated as BS476 with door closer in powder coated finish Dimension : 0.90m x 2.10m	2.00	sets		
	<b>W-1 Fixed View Window</b> Double glazed clear tempered glass in white uPVC frame window Dimension: 0.80m x 1.20m	2.00	sets		
	<b>Sub-Total</b>				
	<b>Flooring Works</b>				
	(FF-01 ) 150 x 900 x 3 mm Vinyl Planks including surface preparation, floor leveling compound, adhesive and other accessories (end trims, transition strips, etc.)	83.71	sqm		
	(FF-02) 500 x 500 x 6.5mm thick Low Pile Carpet Tiles including floor leveling compound	48.69	sqm		
	(FF-03) 300 x 300 Porcelain Tiles, matte or rustic surface (grey, beige or brown) including sand, cement, tile grout, adhesive and other accessories (tile trim, expansion joints, transition strips, etc.)	3.35	sqm		
	Waterproofing with 25mm concrete topping	3.35	sqm		
	<b>Sub-Total</b>				
	<b>Ceiling Works</b>				
	(CL-01) Acoustic Ceiling Tiles on T-Runners: Fine Texture, Mould Resistant, Shadowline Tapered Edge at least 0.70 NRC	113.98	sqm		
	(CL-02) 4.5mm thick fiber cement board on metal furring, painted finish	21.77	sqm		

	<b>Sub-Total</b>				
	<b>Partitions</b>				
	Overhead Drywall @ Receiving Counter in Laminate Finish	2.92	sqm		
	CHB low partition, plastered both side and painted finish for L-shaped counter	4.14	sqm		
	100mm CHB Partition with reinforcement, plastered, sanded and ready to receive paint both sides.	15.33	sqm		
	2-panels Glass Barrier on aluminum powder coated frame (@ Counter)	1.00	set		
	Framed Glass Wall Partition (Server Enclosure) 6mm thick tempered glass wall on aluminum powder coated frame complete with fixing accessories	1.00	assy		
	Drywall Low Partition (Server Enclosure)	1.00	assy		
	Chroma Key Wall (see detail)	1.00	assy		
	<b>Sub-Total</b>				
	<b>Wall Finish</b>				
	18mm thick Plywood Wall Cladding in Laminate Finish	18.20	sqm		
	Canvas Wall Paper with Stone Textures	9.94	sqm		
	Existing Cladding to be laminated	5.00	sqm		
	Interior Painting (Semi Gloss Paint) including removal of existing paint	279.60	sqm		
	Exterior Painting (Self Cleaning-Antibacterial Paint) including removal of existing paint	237.30	sqm		
	Wall Tiles including sand, cement, tile grout, adhesive and other accessories (tile trim, expansion joints, transition strips, etc.)	7.04	sqm		
	Acoustic Panels complete with all accessories and supports	39.22	sqm		
	<b>Sub-Total</b>				
	<b>Cladding</b>				
	ACU Cladding @ Receiving Area Operable Louver Panel using 1" x 1" wood slat in varnish finish complete with accessories (see details)	3.91	l.m.		
	ACU Cladding @ Lounge Area Operable Louver Panel using 1" x 1" wood slat in varnish finish complete with accessories (see details)	2.71	l.m.		
	ACU Cladding @ Conference Room Operable Louver Panel using 1" x 1" wood slat in varnish finish complete with accessories (see details)	3.51	l.m.		
	ACU Cladding @ Computer Room Operable Louver Panel using 1" x 1" wood slat in varnish finish complete with accessories (see details)	3.50	l.m.		
	<b>Sub-Total</b>				
	<b>Counters and Cabinets</b>				
	Receiving Counter including Facia and Front Cladding 18mm Pre-laminated Marine plywood complete with matching edge band (see details)	1.00	assy		
	20mm thick Quartz Counter Top with 18mm thick Back Splash	1.00	set		
	12mm thick Solid Surface Counter (Lavatory Counter)	2.00	sets		

Wall Storage Unit and Sliding Writable Door Panel @ Conference Room -18 mm thick Plyboard in writable glass coat surface finish complete with silicon bumb edge -18 mm thick pre-laminated plyboard cabinets with shelves complete with soft closing concealed hinge, catch, flush type pull handle satin stainless	1.00	assy		
Base Drawers Storage @ Conference Room -18 mm thick pre-laminated plyboard cabinets complete with harwares/accessories, flush type pull handle satin stainless.	1.00	assy		
Hanging Cabinet @ Reception -18 mm thick pre-laminated plyboard cabinets with adjustable shelves complete with soft closing concealed hinge, catch, flush type pull handle satin stainless	1.00	assy		
Base Cabinets @ Reception -18 mm thick pre-laminated plyboard cabinets complete with harwares/accessories, flush type pull handle satin stainless.	1.00	assy		
Hanging Cabinets @ Kitchen -18 mm thick pre-laminated plyboard cabinets complete with harwares/accessories, flush type pull handle satin stainless.	1.00	assy		
Base Cabinets @ Kitchen -18 mm thick pre-laminated plyboard cabinets complete with harwares/accessories, flush type pull handle satin stainless.	1.00	assy		
Flip Table at Pantry 18 mm thick pre-laminated plyboard on 14" Steel Folding Heavy Duty Bracket Black	1.00	assy		
Computer Side Table 18 mm thick pre-laminated marine plywood on 2" x 2" square metal tube frame with gromet	2.00	assy		
<b>Sub-Total</b>				
<b>Furniture</b>				
<b>Lounge Furniture</b>				
Solid Wood End Table	1.00	set		
Center Table	1.00	set		
3 Gang Chair	1.00	set		
Barcelona Chair 3-Seater Sofa	1.00	set		
Barcelona Chair 1-Seater Sofa	1.00	set		
<b>Office Furniture</b>				
Executive Table with Side Cabinet MFC Board in tubular powdered coated finish frame complete with accessories (see plans for detail)	1.00	set		
Staff Table MFC Board in tubular powdered coated finish frame complete with accessories and mobile pedestal (see plans for detail)	2.00	sets		
12 Seater Conference Table MFC Board in tubular powdered coated finish frame complete with accessories (see plans for detail)	1.00	set		

	Staff Table 3 18mm thick Marine Plywood Machine Pressed HPL Finish in tubular powdered coated finish frame complete with accessories and mobile pedestal (see plans for detail)	4.00	sets		
	Side Return Table MFC Board in tubular powdered coated finish frame	1.00	set		
	Executive Chair (see plans for detail)	1.00	set		
	Staff Chair (see plans for detail)	10.00	sets		
	Conference Chair (see plans for detail)	17.00	sets		
	Bar Stool (see plans for detail)	2.00	sets		
	Staff Chair (Staff Table 3)	4.00	sets		
	<b>Sub-Total</b>				
	<b>Accessories</b>				
	600 x 600 Mirror w/ backing	1.00	set		
	Sound Absorbing Block-Out Velour Curtains	4.00	sets		
	Stainless Steel Curtain Rod	2.00	sets		
	Comfort Room Signage	2.00	sets		
	Aluminum Corner Guard	1.00	set		
	Aluminum Stair Nosing	15.00	sets		
	Floating Ledge	1.00	set		
	<b>Sub-Total</b>				
	<b>Restoration Works</b>				
	Refurbishment of existing wooden door including replacement of door accessories	1.00	set		
	Refurbishment of existing Double Panel Glass Door	1.00	set		
	Refurbishment of existing Glass Panel Door	2.00	sets		
	Refurbishment of existing glass wall	1.00	set		
	<b>Sub-Total</b>				
	<b>TOTAL ARCHITECTURAL WORKS</b>				
<b>4.00</b>	<b>AUXILLIARY WORKS</b>				
	<b>Structured Cabling/LAN &amp; Telephone</b>				
	(Duplex Lan port outlet) Cat 6 data modular jack RJ45 and plate cover	4.00	unit(s)		
	(Single Lan Port outlet) Cat 6 data modular jack RJ45 and plate cover	7.00	unit(s)		
	2 mtrs CAT6 patch cord ready for use	11.00	unit(s)		
	CAT 6 lan cable for LAN & Telephone (300mtrs/roll)	2.00	roll(s)		
	Telephone Outlet	4.00	unit(s)		
	2"x4" PVC utility box	15.00	unit(s)		
	25mmØ PVC conduit pipe complete with fittings and accessories (LAN & Tel.)	100.00	unit(s)		
	Telephone Terminal Cabinet	1.00	unit(s)		
	Tapping and supply & install of Fiber Optic Cable	1.00	lot		
	Hanger and Supports	1.00	lot		
	Testing and Commissioning	1.00	lot		
	<b>Sub-Total</b>				

	<b>Fire Detection and Alarm System (FDAS)</b>				
	<b>Wires and Cables</b>				
	TF WIRE #18 AWG	320.00	mtr(s)		
	TF WIRE #16 AWG	150.00	mtr(s)		
	3.5mm2 THHN WIRE	1.00	box(s)		
	<b>Conduit Pipes, Fittings and Accessories</b>				
	EMT Conduit pipe 1/2" Ø	45.00	pc(s)		
	Flexible Mettalic Conduit 1/2	35.00	mtr(s)		
	EMT Coupling 1/2" Ø	50.00	ea		
	EMT Connector 1/2" Ø	95.00	ea		
	Metal Flexible Hose Adapter 1/2" Ø	35.00	ea		
	EMT Bushing 1/2" Ø	55.00	unit(s)		
	EMT Locknut 1/2" Ø	55.00	unit(s)		
	IMC Conduit pipe 1/2" Ø	25.00	pc(s)		
	<b>FDAS Wiring Devices</b>				
	Digital Optical Detector, with Remote Indicator Output, without base	10.00	ea		
	Digital Fixed Temperature and Rate of Rise Heat Detector, with Remote Indicator Output, withoug base	2.00	ea		
	Common Detector Base for Digital Detectors and for Innovation Detectors using EOLR	12.00	ea		
	Flush mount Resetable (Non-Breaking Glass), Supplied with surface mount back box and Special Reset Key (Certificated by LPCB)	2.00	ea		
	Addressable Combined Sounder and Strobe, 24VDC required	2.00	ea		
	12VDC 7AH Back-up Battery	1.00	ea		
	SVC-1000VA AVR 1KVA with Surge Protector	1.00	ea		
	Testing and commissioning	1.00	lot		
	Programming	1.00	lot		
	<b>Support and Hangers</b>				
	Threaded Rod Bar	70.00	ea		
	Bolt Hanger	35.00	ea		
	Hex Nut	70.00	ea		
	GI Washer	70.00	ea		
	Grip Anchor bolt 3/8 ordinary	35.00	ea		
	C Clamp 1/2 ordinary	35.00	ea		
	<b>Box and Others</b>				
	EMT Junction box Octagonal w/ cover	20.00	ea		
	EMT Square Junction box	6.00	ea		
	EMT Utility Box with cover	6.00	ea		
	GI wire	1.00	kg		
	Black Screw	70.00	pc(s)		
	Metal Screw	70.00	pc(s)		
	Tox & Screw	30.00	pc(s)		
	Drill bits	2.00	pc(s)		
	E-tape	5.00	pc(s)		
	M-tape	3.00	pc(s)		
	Cable Tie 8mm	1.00	pack		

	LB Conduit	4.00	pc(s)		
	Hacksaw blade	2.00	pc(s)		
	Mansonry Drill Bit (1/2"Ø)	1.00	pc(s)		
	Mansonry Drill Bit (3/8"Ø)	1.00	pc(s)		
	4" Cutting Disk	1.00	pc(s)		
	4" Grinding Disk	2.00	pc(s)		
	Wire tag	1.00	roll(s)		
	Detector tag	1.00	roll(s)		
	Consumables	1.00	lot		
	<b>Sub-Total</b>				
	<b>TOTAL AUXILLIARY WORKS</b>				
<b>5.00</b>	<b>MECHANICAL WORKS</b>				
	<b>EQUIPMENT</b>				
	<b>Air Conditioning (VRF System)</b>				
	<b>a. Outdoor Unit/s (ACCU)</b>				
	1. ACCU GF (6.0 HP cooling cap)	1.00	pcs		
	2. ACCU 2F (6.0 HP cooling cap)	1.00	pcs		
	<b>b. Indoor Unit/s (FCU)</b>				
	1. FCU GF-1 wall mounted (0.80 HP cap)	3.00	pcs		
	2. FCU GF-2 wall mounted (1.25 HP cap)	3.00	pcs		
	3. FCU 2F-1 wall mounted (0.80 HP cap)	2.00	pcs		
	4. FCU 2F-2 wall mounted (1.25 HP cap)	2.00	pcs		
	5. FCU 2F-4 4-way ceiling cassette (2.0 HP cap)	1.00	pcs		
	<b>c. Accessories (drain pump)</b>	10.00	pcs		
	<b>Sub-Total</b>				
	<b>Ventilation</b>				
	<b>a. Toilet Exhaust Fan (TEF)</b>				
	1. TEF GF-1 ceiling cassette (100 CFM @ 0.25" WG TSP)	1.00	pcs		
	2. TEF 2F-1 ceiling cassette (100 CFM @ 0.25" WG TSP)	1.00	pcs		
	<b>b. Air Curtain (cross flow type)</b>				
	1. AC GF-1 (1030 CFM; 118W input, 220V/1ph/60Hz)	1.00	pcs		
	L=1500 mm; W=212 mm; H=230 mm				
	<b>c. PVC exhaust duct</b>				
	100 mmØ	3.00	m		
	Elbows, Fittings, couplings, end caps, etc.	1.00	lot		
	<b>Sub-Total</b>				
	<b>REFRIGERANT COPPER PIPES</b>				
	<b>a. Straight pipe copper type L</b>				
	19.10 mmØ (3/4"Ø)	18.00	m		
	15.90 mmØ (5/8"Ø)	18.00	m		
	12.70 mmØ (1/2"Ø)	30.00	m		
	9.50 mmØ (3/8"Ø)	36.00	m		
	6.40 mmØ (1/4"Ø)	30.00	m		
	<b>b. Elbows, fittings, couplings</b>	1.00	lot		
	<b>c. Ref. branch joint</b>	16.00	pcs		
	<b>d. Pipe insulation 25 mm thick rubber</b>				

	19.10 mmØ (3/4"Ø)	18.00	m		
	15.90 mmØ (5/8"Ø)	18.00	m		
	12.70 mmØ (1/2"Ø)	30.00	m		
	9.50 mmØ (3/8"Ø)	36.00	m		
	6.40 mmØ (1/4"Ø)	30.00	m		
	<b>Sub-Total</b>				
	<b>Miscellaneous Works</b>				
	HANGERS, SUPPORTS, PLATFORM AND BRACKETS	1.00	lot		
	ELECTRICAL WORKS to include wires, switches, breakers, contactors, controllers, conduits, roughing-ins, etc. to make the system complete and operational	1.00	lot		
	TESTING and COMMISSIONING to include airflow/temp reading and balancing	1.00	lot		
	MISCELLANEOUS and CONSUMABLES to include dismantling of existing mechanical works and disposing, chipping and restoration, FCU condensate drain piping system complete with insulation	1.00	lot		
	<b>Sub-Total</b>				
	<b>TOTAL MECHANICAL WORKS</b>				
<b>6.00</b>	<b>PLUMBING WORKS</b>				
	<b>Sanitary Line</b>				
	PVC Pipe 100mm x 3m	10.00	pcs		
	PVC Pipe 50mm x 3m	7.00	pcs		
	PVC Wye 100mm x 100mm	5.00	pcs		
	PVC Wye 100mm x 50mm	7.00	pcs		
	PVC Tee 100mm x 100mm	2.00	pcs		
	PVC Tee 100mm x 50mm	6.00	pcs		
	PVC Tee 50mm x 50mm	10.00	pcs		
	PVC Elbow 100mm x 90 deg	10.00	pcs		
	PVC Elbow 100mm x 45 deg	10.00	pcs		
	PVC Elbow 50mm x 90 deg	15.00	pcs		
	PVC Elbow 50mm x 45 deg	15.00	pcs		
	PVC P-Trap 50mm	3.00	pcs		
	C.I. Clean Out 100mm	4.00	pcs		
	Solvent Cement	5.00	pcs		
	Pipe Jointing Epoxy	2.00	pcs		
	<b>Sub-Total</b>				
	<b>Waterline</b>				
	PPR Pipe 25mm x 4m	5.00	pcs		
	PPR Pipe 20mm x 4m	4.00	pcs		
	PPR Elbow 25mm	6.00	pcs		
	PPR Elbow 20mm	10.00	pcs		
	PPR Tee 25mm	5.00	pcs		
	PPR Tee 20mm	10.00	pcs		
	PPR Female Tee 20mm x 1/2	6.00	pcs		
	PPR Female Elbow 20mm x 1/2	6.00	pcs		
	PPR Female Adaptor 20mm x 1/2	6.00	pcs		
	PPR Male Adaptor 20mm x 1/2	8.00	pcs		
	PPR Coupling 25mm	5.00	pcs		
	PPR Coupling 20mm	5.00	pcs		



	PPR Reducer 25mm x 20mm	2.00	pcs		
	Gate Valve 3/4	1.00	pcs		
	Gate Valve 1/2	2.00	pcs		
	PPR Tee 63mm x 25mm	1.00	pcs		
	Teflon Tape	10.00	pcs		
	PPR Male Adaptor 25mm	4.00	pcs		
	<b>Sub-Total</b>				
	<b>Plumbing Fixtures</b>				
	Watercloset Flush Valve Siphon Wash Flashing	2.00	sets		
	Kitchen Sink	1.00	set		
	Lavatory	2.00	sets		
	Bidet	2.00	sets		
	Strainer 4 x 4	2.00	sets		
	<b>Sub-Total</b>				
	<b>Miscellaneous Works</b>				
	Chipping Works	1.00	lot		
	Excavation Works	1.00	lot		
	Restoration Works	1.00	lot		
	<b>Sub-Total</b>				
	<b>TOTAL PLUMBING WORKS</b>				
<b>7.00</b>	<b>ELECTRICAL WORKS</b>				
	<b>Wires and Cables</b>				
	3.5 mm <sup>2</sup> THHN	7.00	box(s)		
	5.5 mm <sup>2</sup> THHN	1.00	box(s)		
	8.0 mm <sup>2</sup> THHN	2.00	box(s)		
	22 mm <sup>2</sup> THHN	50.00	mtr(s)		
	30 mm <sup>2</sup> THHN	30.00	mtr(s)		
	<b>Sub-Total</b>				
	<b>Conduit Pipes and Accessories</b>				
	20mmØ PVC conduit pipe with fittings and complete accessories	305.00	length(s)		
	32mmØ PVC conduit pipe with fittings and complete accessories	54.00	length(s)		
	40mmØ PVC conduit pipe with fittings and complete accessories	6.00	length(s)		
	50mmØ PVC conduit pipe with fittings and complete accessories	4.00	length(s)		
	<b>Sub-Total</b>				
	<b>Circuit Breakers and Accessories</b>				
	PPLO Main @ 60AT, 3 pole, 250V, 18KAIC with 14 branch circuits @ 14-20AT, 2 pole bolt-on type with grounding bus.	1.00	assy.		
	PPAC Main @ 60AT, 3 pole, 250V, 18KAIC with 6 branch circuits @ 2-20AT, 2 pole, 2-30AT, 2 pole & 2-50AT, 2 pole bolt-on type with grounding bus.	1.00	assy.		

MDP-1 Main @ 125AT, 3 pole, 250V, 22KAIC with 2 branch circuits @ 2-60AT, 3 pole bolt-on type with grounding bus.	1.00	assy.		
DP Main @ 250AT, 3 pole, 250V, 22KAIC with 3 branch circuits @ 1-50AT, 3 pole, 1-100AT, 3 pole, & 1-125AT, 3 pole bolt-on type with grounding bus.	1.00	assy.		
50AT, 2 pole, NEMA 3R, ECB	2.00	unit(s)		
20AT, 2 pole, NEMA 1, ECB	11.00	unit(s)		
<b>Sub-Total</b>				
<b>Wiring Devices and Lighting Fixtures</b>				
Recessed type LED Panel Daylight, 600x600mm, 40W, 230V	32.00	unit(s)		
Recessed type LED Panel (Tri-color), 150x150mm, 12W, 230V	7.00	unit(s)		
Emergency light 2-1.5W LED (22hrs)	3.00	unit(s)		
Recessed type LED Panel Round 118mm dia., 6W, Warm white. 230V	4.00	unit(s)		
Recessed type LED Panel daylight round pin light 220mm dia., 18W, 230V	7.00	unit(s)		
Single convenience universal outlet grounding type (Refrigerator)	1.00	unit(s)		
Single convenience universal outlet grounding type with switch	2.00	unit(s)		
Duplex convenience universal outlet grounding type	33.00	unit(s)		
Ground Fault Circuit Interrupter Outlet	1.00	unit(s)		
Duplex pop up socket grounding type	4.00	unit(s)		
One gang lighting switch	10.00	unit(s)		
Two gang lighting switch	6.00	unit(s)		
Three gang lighting switch	2.00	unit(s)		
<b>Sub-Total</b>				
<b>Miscellaneous Items</b>				
Copper ground rod 5/8" 3m	1.00	lot		
Big Electrical Tape	20.00	roll(s)		
Rubber Tape	10.00	roll(s)		
GI Wire	5.00	kilo(s)		
Hanger & Support	1.00	lot		
Testing and commissioning	1.00	lot		
Dismantling of Existing Panel and other electrical component	1.00	lot		
<b>Sub-Total</b>				
<b>TOTAL ELECTRICAL WORKS</b>				

**\*\*\*SUMMARY\*\*\***

- 1.00 GENERAL REQUIREMENTS
- 2.00 SITE PREPARATION
- 3.00 ARCHITECTURAL WORKS
- 4.00 AUXILLIARY WORKS
- 5.00 MECHANICAL WORKS
- 6.00 PLUMBING WORKS
- 7.00 ELECTRICAL WORKS

PhP \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
PhP \_\_\_\_\_  
\_\_\_\_\_  
PhP \_\_\_\_\_

SUB-TOTAL COST  
VAT @ 12.00%  
TOTAL PROJECT COST

Amount in Words : \_\_\_\_\_  
\_\_\_\_\_

Note:

\*Indirect Cost (OCM, & Profit) included per item unit cost

\* Bonds & Securities (including CARI) and power & water supply consumption are considered as overhead expenses while Plans (As-built plan) is considered as miscellaneous expense which are already included in the computation of OCM (mark-up).

**By the act of submitting this bid, I/we hereby confirm that I/we:**

- a) have inspected the site
- b) determined the characteristics of the contract works and the conditions for this project
- c) examined all instructions, forms, terms and project requirements in the Bidding Documents
- d) was/were given the opportunity to submit queries at least ten(10) calendar days before the submission of bids
- e) have examined and agreed to the correctness of the Bill of Quantities

**Submitted by:**

Name and Signature:

\_\_\_\_\_

Position:

\_\_\_\_\_

Company Name:

\_\_\_\_\_

Date:

\_\_\_\_\_