

**ANNEX****END-USER: PUR21-10-0974, DEPT. OF SURGERY, DIVISION OF PLASTIC**

Item No.	Item Description	Qty	Unit	Unit Cost	Quoted Unit Price	State ment of	Com plian ce	REMARKS (Brand and Specifications)
						YES	NO	
1	<b>Supply, Delivery, and Testing of One (1) Lot of Graft Mesher, Skin Graft Knives and Accessories</b>	1	LOT	892,212.12				
	Technical Specifications							
1	<b>A. Graft Mesher</b>	1	unit					
	1. Manual type of skin graft mesher							
	2. With a removable ratchet wrench handle							
	3. With a Cutting Roller that allows replacement of the part if the roller becomes dull over time							
	4. Allows continuous feed carrier to prevent skin carrier from being loaded incorrectly							
	5. Allows disassembly of the bridge system to provide access to the Cutting Axis for cleaning, inspection, or replacement							
	6. With adjustable cutter knob to allow accommodation of thick and thin skin grafts.							
	7. Dimensions (LxWxH): must not exceed 155 x 195 x 105 mm							
	8. Weight: Does not exceed 4.6 kg							
	9. Must be compatible with graft carriers from different graft mesher manufacturers.							
2	<b>B. Skin Graft Knife</b>	2	unit					
	1. Cobbett modification of the Braithwaite model, with a grooved rod on which the knife oscillates.							
	2. With a skin guard that does not rotate							
	3. Unit allows for blade replacement without dismantling the handle							
	4. With an in-built adjustable guard to control graft thickness							
	5. With locking mechanism for graft thickness calibration a. Range for graft thickness calibration: 0-1.2 mm b. Increments: 0.1 mm							

Item No.	Item Description	Qty	Unit	Unit Cost	Quoted Unit Price	Statement of Compliance		REMARKS (Brand and Specifications)
						YES	NO	
	<p>6. Dimensions:</p> <p>a. Overall Length (including handle and blade slot): Must not exceed 12.5 inches or 318 mm</p> <p>b. Tip to Jaw (or blade slot):</p> <ul style="list-style-type: none"> <li>• Must accommodate standard sized skin graft blade</li> <li>• Length must not exceed 6.25 inches or 160 mm</li> </ul> <p>c. Cutting Width: at least 155mm</p> <p>d. Material: Polished Germany stainless steel</p> <p>e. Weight: Must not exceed 315 grams</p>							
3	<b>C. Skin Graft Carriers</b>							
Box of 10	a. 1:15 Expansion Ratio	2						
Box of 10	b. 1:3 Expansion Ratio	2						
	c. Disposable but must be durable enough to apply repeat usage							
	d. Made of highly flexible medical grade polypropylene material							
	e. Grooved carriers compatible with the skin mesher							
	f. With standard dimensions: <ul style="list-style-type: none"> <li>• Length: 28 cm</li> <li>• Width: 78.8mm</li> <li>• Thickness: 1mm</li> </ul>							
	g. Individually sterile packed in peel pouch							
<b>TERMS AND CONDITIONS</b>								
<b>A. Requirement/s if declared as Lowest/Single Calculated Bids:</b>								
	1. Presentation of Technical Data sheet and/or presentation of a brochure (7) calendar days after receipt of Notice of Lowest/single calculated bid							
<b>B. Requirement/s if awarded the contract:</b>								

1. Delivery Period: Within ninety (90) calendar days after receipt of Notice to Proceed (NTP)							
2. Delivery Place: Equipment Section, Property & Supply Division, Philippine General Hospital, Taft Ave., Manila							
3. Warranty Period / Coverage of Warranty: One (1) Year on parts, two (2) years' service warranty. Free quarterly preventive maintenance during the warranty period. Warranty period shall commence from the date acceptance.							
4. Manuals: The supplier must provide original hard copy (not photocopy) and soft copy of operators and service manuals in English Language upon delivery.							
5. Training: Undertaking to provide product orientation for end users and troubleshooting.							
6. Acceptance Procedures and Parameters: Visual Inspection and successful use of the equipment.							
<b>C. Requirements to be submitted by the bidder for bid opening</b>							
1. Brochure/Technical Data Sheet							
2. SEC Registration to prove that the supplier is in the business of importing and supplying medical equipment for the past 10 years							
3. Certification that the manufacturer has been in the business of manufacturing surgical instruments for at least 10 years.							
4. Certified true copy of the Certificate of Distributorship for at least three (3) years. The Principal and the local distributor must have been in business partnership for at least three (3) years.							
5. The Brand must have been in the local market for the past five (5) years.							

Proof required: Invoices or Purchase Orders.							
6. Guarantee letter from the manufacturer and local distributor to ensure availability of supplies, parts, and accessories for at least ten (10) years after expiration of the warranty period.							
7. Certification by the principal that service engineers are factory trained on service and repair.							
8. Certification that the components of the system are of the same brand except when otherwise stated as "third party" in the specification.							
9. List of Local Service Center/s							
10. Certificate of Performance Evaluation from the Single Largest Contract							
11. License to Operate (LTO) from the Philippine FDA.							
12. ISO/IEC Compliance document of the manufacturer.							
13. Proof that the manufacturer has presence in any country in Western Europe, US/Canada, and Japan.							
<b>Approved Budget for the Contract</b>				<b>892,212.12</b>			

Total Amount of Quotation (in **Words** & in **Figures**)

*I/We, the undersigned Supplier, hereby OFFER to supply/delivery/perform the above-described items.*

Name of Company: \_\_\_\_\_  
 Name of Representative: \_\_\_\_\_  
 Position/Designation: \_\_\_\_\_  
 Signature: \_\_\_\_\_